

Mild square steel hollow section

10X10X0.5MM (SHS) SQUARE STEEL HOLLOW SECTION (0.15 KG/M)
10X10X0.75MM (SHS) SQUARE STEEL HOLLOW SECTION (0.22 KG/M)
10X10X1MM (SHS) SQUARE STEEL HOLLOW SECTION (0.29 KG/M)
20X20X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (0.78 KG/M)
20X20X1.4MM (SHS) SQUARE STEEL HOLLOW SECTION (0.83 KG/M)
20X20X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (0.89 KG/M)
20X20X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (1 KG/M)
20X20X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (1.05 KG/M)
20X20X2MM (SHS) SQUARE STEEL HOLLOW SECTION (1.16 KG/M)
20X20X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1.42 KG/M)
25X25X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (0.98 KG/M)
25X25X1.4MM (SHS) SQUARE STEEL HOLLOW SECTION (1.05 KG/M)
25X25X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1.12 KG/M)
25X25X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (1.26 KG/M)
25X25X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (1.33 KG/M)
25X25X2MM (SHS) SQUARE STEEL HOLLOW SECTION (1.47 KG/M)
25X25X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (1.61 KG/M)
25X25X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1.81 KG/M)
25X25X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1.97 KG/M)
25X25X3MM (SHS) SQUARE STEEL HOLLOW SECTION (2.13 KG/M)
30X30X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (1.18 KG/M)
30X30X1.4MM (SHS) SQUARE STEEL HOLLOW SECTION (1.27 KG/M)
30X30X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1.36 KG/M)
30X30X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (1.53 KG/M)
30X30X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (1.62 KG/M)
30X30X2MM (SHS) SQUARE STEEL HOLLOW SECTION (1.79 KG/M)
30X30X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (1.95 KG/M)
30X30X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (2.2 KG/M)
30X30X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (2.41 KG/M)
30X30X3MM (SHS) SQUARE STEEL HOLLOW SECTION (2.61 KG/M)
30X30X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (2.8 KG/M)
30X30X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (3 KG/M)
30X30X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (3.19 KG/M)
30X30X4MM (SHS) SQUARE STEEL HOLLOW SECTION (3.38 KG/M)
40X40X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (1.59 KG/M)
40X40X1.4MM (SHS) SQUARE STEEL HOLLOW SECTION (1.71 KG/M)
40X40X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1.83 KG/M)
40X40X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (2.07 KG/M)
40X40X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (2.18 KG/M)
40X40X2MM (SHS) SQUARE STEEL HOLLOW SECTION (2.41 KG/M)
40X40X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (2.65 KG/M)
40X40X2.25MM (SHS) SQUARE STEEL HOLLOW SECTION (2.7 KG/M)
40X40X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (2.99 KG/M)
40X40X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (3.27 KG/M)
40X40X3MM (SHS) SQUARE STEEL HOLLOW SECTION (3.55 KG/M)
40X40X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (3.82 KG/M)
40X40X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (4.1 KG/M)
40X40X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (4.37 KG/M)
40X40X4MM (SHS) SQUARE STEEL HOLLOW SECTION (4.63 KG/M)
40X40X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (4.9 KG/M)
40X40X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (5.16 KG/M)
40X40X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (5.41 KG/M)
40X40X5MM (SHS) SQUARE STEEL HOLLOW SECTION (5.67 KG/M)
40X40X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (5.92 KG/M)
40X40X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (6.17 KG/M)

40X40X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (6.41 KG/M)
40X40X6MM (SHS) SQUARE STEEL HOLLOW SECTION (6.65 KG/M)
40X40X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (6.89 KG/M)
40X40X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (6.94 KG/M)
50X50X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (2 KG/M)
50X50X1.4MM (SHS) SQUARE STEEL HOLLOW SECTION (2.15 KG/M)
50X50X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (2.3 KG/M)
50X50X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (2.6 KG/M)
50X50X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (2.75 KG/M)
50X50X2MM (SHS) SQUARE STEEL HOLLOW SECTION (3.04 KG/M)
50X50X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (3.34 KG/M)
50X50X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (3.77 KG/M)
50X50X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (4.13 KG/M)
50X50X3MM (SHS) SQUARE STEEL HOLLOW SECTION (4.49 KG/M)
50X50X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (4.84 KG/M)
50X50X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (5.2 KG/M)
50X50X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (5.54 KG/M)
50X50X4MM (SHS) SQUARE STEEL HOLLOW SECTION (5.89 KG/M)
50X50X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (6.23 KG/M)
50X50X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (6.57 KG/M)
50X50X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (6.9 KG/M)
50X50X5MM (SHS) SQUARE STEEL HOLLOW SECTION (7.24 KG/M)
50X50X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (7.57 KG/M)
50X50X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (7.89 KG/M)
50X50X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (8.22 KG/M)
50X50X6MM (SHS) SQUARE STEEL HOLLOW SECTION (8.54 KG/M)
50X50X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (8.92 KG/M)
60X60X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (2.41 KG/M)
60X60X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (2.77 KG/M)
60X60X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (3.13 KG/M)
60X60X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (3.31 KG/M)
60X60X2MM (SHS) SQUARE STEEL HOLLOW SECTION (3.67 KG/M)
60X60X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (4.03 KG/M)
60X60X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (4.56 KG/M)
60X60X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (5 KG/M)
60X60X3MM (SHS) SQUARE STEEL HOLLOW SECTION (5.43 KG/M)
60X60X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (5.87 KG/M)
60X60X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (6.3 KG/M)
60X60X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (6.72 KG/M)
60X60X4MM (SHS) SQUARE STEEL HOLLOW SECTION (7.15 KG/M)
60X60X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (7.57 KG/M)
60X60X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (7.98 KG/M)
60X60X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (8.4 KG/M)
60X60X5MM (SHS) SQUARE STEEL HOLLOW SECTION (8.81 KG/M)
60X60X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (9.22 KG/M)
60X60X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (9.62 KG/M)
60X60X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (10.02 KG/M)
60X60X6MM (SHS) SQUARE STEEL HOLLOW SECTION (10.42 KG/M)
60X60X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (10.9 KG/M)
70X70X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (2.82 KG/M)
70X70X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (3.24 KG/M)
70X70X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (3.67 KG/M)
70X70X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (3.88 KG/M)
70X70X2MM (SHS) SQUARE STEEL HOLLOW SECTION (4.3 KG/M)
70X70X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (4.72 KG/M)
70X70X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (5.34 KG/M)
70X70X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (5.86 KG/M)
70X70X3MM (SHS) SQUARE STEEL HOLLOW SECTION (6.38 KG/M)

70X70X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (6.89 KG/M)
70X70X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (7.39 KG/M)
70X70X3.6MM (SHS) SQUARE STEEL HOLLOW SECTION (7.6 KG/M)
70X70X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (7.9 KG/M)
70X70X4MM (SHS) SQUARE STEEL HOLLOW SECTION (8.4 KG/M)
70X70X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (8.9 KG/M)
70X70X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (9.4 KG/M)
70X70X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (9.89 KG/M)
70X70X5MM (SHS) SQUARE STEEL HOLLOW SECTION (10.38 KG/M)
70X70X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (10.87 KG/M)
70X70X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (11.35 KG/M)
70X70X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (11.83 KG/M)
70X70X6MM (SHS) SQUARE STEEL HOLLOW SECTION (12.31 KG/M)
70X70X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (12.88 KG/M)
70X70X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (13.25 KG/M)
70X70X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (13.72 KG/M)
70X70X7MM (SHS) SQUARE STEEL HOLLOW SECTION (14.19 KG/M)
70X70X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (14.65 KG/M)
70X70X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (15.11 KG/M)
70X70X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (15.56 KG/M)
70X70X8MM (SHS) SQUARE STEEL HOLLOW SECTION (16.01 KG/M)
80X80X1.3MM (SHS) SQUARE STEEL HOLLOW SECTION (3.23 KG/M)
80X80X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (3.71 KG/M)
80X80X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (4.2 KG/M)
80X80X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (4.44 KG/M)
80X80X2MM (SHS) SQUARE STEEL HOLLOW SECTION (4.93 KG/M)
80X80X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (5.41 KG/M)
80X80X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (6.13 KG/M)
80X80X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (6.73 KG/M)
80X80X3MM (SHS) SQUARE STEEL HOLLOW SECTION (7.32 KG/M)
80X80X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (7.91 KG/M)
80X80X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (8.49 KG/M)
80X80X3.6MM (SHS) SQUARE STEEL HOLLOW SECTION (8.73 KG/M)
80X80X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (9.08 KG/M)
80X80X4MM (SHS) SQUARE STEEL HOLLOW SECTION (9.66 KG/M)
80X80X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (10.24 KG/M)
80X80X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (10.81 KG/M)
80X80X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (11.38 KG/M)
80X80X5MM (SHS) SQUARE STEEL HOLLOW SECTION (11.95 KG/M)
80X80X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (12.51 KG/M)
80X80X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (13.08 KG/M)
80X80X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (13.64 KG/M)
80X80X6MM (SHS) SQUARE STEEL HOLLOW SECTION (14.19 KG/M)
80X80X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (14.85 KG/M)
80X80X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (15.29 KG/M)
80X80X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (15.84 KG/M)
80X80X7MM (SHS) SQUARE STEEL HOLLOW SECTION (16.38 KG/M)
80X80X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (16.92 KG/M)
80X80X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (17.46 KG/M)
80X80X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (18 KG/M)
80X80X8MM (SHS) SQUARE STEEL HOLLOW SECTION (18.53 KG/M)
90X90X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (4.19 KG/M)
90X90X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (4.74 KG/M)
90X90X1.8MM (SHS) SQUARE STEEL HOLLOW SECTION (5.01 KG/M)
90X90X2MM (SHS) SQUARE STEEL HOLLOW SECTION (5.56 KG/M)
90X90X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (6.1 KG/M)
90X90X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (6.91 KG/M)
90X90X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (7.59 KG/M)

90X90X3MM (SHS) SQUARE STEEL HOLLOW SECTION (8.26 KG/M)
90X90X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (8.93 KG/M)
90X90X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (9.59 KG/M)
90X90X3.6MM (SHS) SQUARE STEEL HOLLOW SECTION (9.86 KG/M)
90X90X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (10.26 KG/M)
90X90X4MM (SHS) SQUARE STEEL HOLLOW SECTION (10.92 KG/M)
90X90X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (11.57 KG/M)
90X90X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (12.22 KG/M)
90X90X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (12.87 KG/M)
90X90X5MM (SHS) SQUARE STEEL HOLLOW SECTION (13.52 KG/M)
90X90X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (14.16 KG/M)
90X90X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (14.8 KG/M)
90X90X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (15.44 KG/M)
90X90X6MM (SHS) SQUARE STEEL HOLLOW SECTION (16.08 KG/M)
90X90X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (16.71 KG/M)
90X90X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (16.83 KG/M)
90X90X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (17.34 KG/M)
90X90X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (17.96 KG/M)
90X90X7MM (SHS) SQUARE STEEL HOLLOW SECTION (18.58 KG/M)
90X90X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (19.2 KG/M)
90X90X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (19.82 KG/M)
90X90X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (20.43 KG/M)
90X90X8MM (SHS) SQUARE STEEL HOLLOW SECTION (21.04 KG/M)
100X100X1.5MM (SHS) SQUARE STEEL HOLLOW SECTION (4.66 KG/M)
100X100X1.7MM (SHS) SQUARE STEEL HOLLOW SECTION (5.27 KG/M)
100X100X2MM (SHS) SQUARE STEEL HOLLOW SECTION (6.18 KG/M)
100X100X2.2MM (SHS) SQUARE STEEL HOLLOW SECTION (6.79 KG/M)
100X100X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (7.7 KG/M)
100X100X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (8.45 KG/M)
100X100X3MM (SHS) SQUARE STEEL HOLLOW SECTION (9.2 KG/M)
100X100X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (9.95 KG/M)
100X100X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (10.69 KG/M)
100X100X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (11.43 KG/M)
100X100X4MM (SHS) SQUARE STEEL HOLLOW SECTION (12.17 KG/M)
100X100X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (12.91 KG/M)
100X100X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (13.64 KG/M)
100X100X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (14.37 KG/M)
100X100X5MM (SHS) SQUARE STEEL HOLLOW SECTION (15.09 KG/M)
100X100X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (15.81 KG/M)
100X100X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (16.53 KG/M)
100X100X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (17.25 KG/M)
100X100X6MM (SHS) SQUARE STEEL HOLLOW SECTION (17.96 KG/M)
100X100X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (18.67 KG/M)
100X100X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (18.81 KG/M)
100X100X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (19.38 KG/M)
100X100X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (20.08 KG/M)
100X100X7MM (SHS) SQUARE STEEL HOLLOW SECTION (20.78 KG/M)
100X100X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (21.48 KG/M)
100X100X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (22.17 KG/M)
100X100X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (22.87 KG/M)
100X100X8MM (SHS) SQUARE STEEL HOLLOW SECTION (23.55 KG/M)
100X100X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (24.24 KG/M)
100X100X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (24.92 KG/M)
100X100X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (25.6 KG/M)
100X100X9MM (SHS) SQUARE STEEL HOLLOW SECTION (26.28 KG/M)
100X100X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (26.95 KG/M)
100X100X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (27.62 KG/M)
100X100X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (28.29 KG/M)

100X100X10MM (SHS) SQUARE STEEL HOLLOW SECTION (28.95 KG/M)
100X100X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (29.61 KG/M)
100X100X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (30.27 KG/M)
100X100X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (30.92 KG/M)
100X100X11MM (SHS) SQUARE STEEL HOLLOW SECTION (31.57 KG/M)
100X100X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (32.22 KG/M)
100X100X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (32.87 KG/M)
100X100X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (33.51 KG/M)
100X100X12MM (SHS) SQUARE STEEL HOLLOW SECTION (34.15 KG/M)
100X100X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (34.78 KG/M)
100X100X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (35.42 KG/M)
100X100X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (36.05 KG/M)
100X100X13MM (SHS) SQUARE STEEL HOLLOW SECTION (36.67 KG/M)
100X100X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (37.3 KG/M)
100X100X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (37.92 KG/M)
100X100X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (38.53 KG/M)
100X100X14MM (SHS) SQUARE STEEL HOLLOW SECTION (39.15 KG/M)
100X100X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (39.76 KG/M)
100X100X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (40.37 KG/M)
100X100X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (40.97 KG/M)
100X100X15MM (SHS) SQUARE STEEL HOLLOW SECTION (41.58 KG/M)
100X100X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (42.17 KG/M)
100X100X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (42.77 KG/M)
100X100X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (43.36 KG/M)
100X100X16MM (SHS) SQUARE STEEL HOLLOW SECTION (43.95 KG/M)
120X120X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (9.27 KG/M)
120X120X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (10.18 KG/M)
120X120X3MM (SHS) SQUARE STEEL HOLLOW SECTION (11.09 KG/M)
120X120X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (11.99 KG/M)
120X120X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (12.89 KG/M)
120X120X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (13.79 KG/M)
120X120X4MM (SHS) SQUARE STEEL HOLLOW SECTION (14.69 KG/M)
120X120X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (15.58 KG/M)
120X120X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (16.47 KG/M)
120X120X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (17.35 KG/M)
120X120X5MM (SHS) SQUARE STEEL HOLLOW SECTION (18.23 KG/M)
120X120X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (19.11 KG/M)
120X120X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (19.99 KG/M)
120X120X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (20.86 KG/M)
120X120X6MM (SHS) SQUARE STEEL HOLLOW SECTION (21.73 KG/M)
120X120X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (22.6 KG/M)
120X120X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (22.77 KG/M)
120X120X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (23.46 KG/M)
120X120X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (24.32 KG/M)
120X120X7MM (SHS) SQUARE STEEL HOLLOW SECTION (25.18 KG/M)
120X120X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (26.04 KG/M)
120X120X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (26.89 KG/M)
120X120X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (27.74 KG/M)
120X120X8MM (SHS) SQUARE STEEL HOLLOW SECTION (28.58 KG/M)
120X120X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (29.42 KG/M)
120X120X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (30.26 KG/M)
120X120X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (31.1 KG/M)
120X120X9MM (SHS) SQUARE STEEL HOLLOW SECTION (31.93 KG/M)
120X120X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (32.76 KG/M)
120X120X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (33.59 KG/M)
120X120X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (34.41 KG/M)
120X120X10MM (SHS) SQUARE STEEL HOLLOW SECTION (35.23 KG/M)
120X120X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (36.05 KG/M)

120X120X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (36.87 KG/M)
120X120X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (37.68 KG/M)
120X120X11MM (SHS) SQUARE STEEL HOLLOW SECTION (38.48 KG/M)
120X120X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (39.29 KG/M)
120X120X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (40.09 KG/M)
120X120X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (40.89 KG/M)
120X120X12MM (SHS) SQUARE STEEL HOLLOW SECTION (41.69 KG/M)
120X120X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (42.48 KG/M)
120X120X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (43.27 KG/M)
120X120X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (44.06 KG/M)
120X120X13MM (SHS) SQUARE STEEL HOLLOW SECTION (44.84 KG/M)
120X120X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (45.62 KG/M)
120X120X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (46.4 KG/M)
120X120X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (47.17 KG/M)
120X120X14MM (SHS) SQUARE STEEL HOLLOW SECTION (47.95 KG/M)
120X120X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (48.71 KG/M)
120X120X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (49.48 KG/M)
120X120X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (50.24 KG/M)
120X120X15MM (SHS) SQUARE STEEL HOLLOW SECTION (51 KG/M)
120X120X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (51.76 KG/M)
120X120X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (52.51 KG/M)
120X120X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (53.26 KG/M)
120X120X16MM (SHS) SQUARE STEEL HOLLOW SECTION (54.01 KG/M)
120X120X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (54.75 KG/M)
120X120X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (55.49 KG/M)
120X120X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (56.23 KG/M)
120X120X17MM (SHS) SQUARE STEEL HOLLOW SECTION (56.96 KG/M)
120X120X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (57.69 KG/M)
120X120X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (58.42 KG/M)
120X120X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (59.15 KG/M)
120X120X18MM (SHS) SQUARE STEEL HOLLOW SECTION (59.87 KG/M)
120X120X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (60.59 KG/M)
120X120X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (61.3 KG/M)
120X120X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (62.02 KG/M)
120X120X19MM (SHS) SQUARE STEEL HOLLOW SECTION (62.73 KG/M)
120X120X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (63.43 KG/M)
120X120X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (64.14 KG/M)
120X120X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (64.84 KG/M)
120X120X20MM (SHS) SQUARE STEEL HOLLOW SECTION (65.53 KG/M)
140X140X3MM (SHS) SQUARE STEEL HOLLOW SECTION (12.97 KG/M)
140X140X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (14.03 KG/M)
140X140X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (15.09 KG/M)
140X140X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (16.15 KG/M)
140X140X4MM (SHS) SQUARE STEEL HOLLOW SECTION (17.2 KG/M)
140X140X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (18.25 KG/M)
140X140X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (19.29 KG/M)
140X140X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (20.34 KG/M)
140X140X5MM (SHS) SQUARE STEEL HOLLOW SECTION (21.37 KG/M)
140X140X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (22.41 KG/M)
140X140X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (23.44 KG/M)
140X140X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (24.47 KG/M)
140X140X6MM (SHS) SQUARE STEEL HOLLOW SECTION (25.5 KG/M)
140X140X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (26.53 KG/M)
140X140X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (26.73 KG/M)
140X140X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (27.55 KG/M)
140X140X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (28.56 KG/M)
140X140X7MM (SHS) SQUARE STEEL HOLLOW SECTION (29.58 KG/M)
140X140X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (30.59 KG/M)

140X140X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (31.6 KG/M)
140X140X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (32.61 KG/M)
140X140X8MM (SHS) SQUARE STEEL HOLLOW SECTION (33.61 KG/M)
140X140X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (34.61 KG/M)
140X140X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (35.6 KG/M)
140X140X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (36.6 KG/M)
140X140X9MM (SHS) SQUARE STEEL HOLLOW SECTION (37.59 KG/M)
140X140X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (38.57 KG/M)
140X140X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (39.56 KG/M)
140X140X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (40.54 KG/M)
140X140X10MM (SHS) SQUARE STEEL HOLLOW SECTION (41.52 KG/M)
140X140X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (42.49 KG/M)
140X140X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (43.46 KG/M)
140X140X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (44.43 KG/M)
140X140X11MM (SHS) SQUARE STEEL HOLLOW SECTION (45.4 KG/M)
140X140X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (46.36 KG/M)
140X140X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (47.32 KG/M)
140X140X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (48.27 KG/M)
140X140X12MM (SHS) SQUARE STEEL HOLLOW SECTION (49.23 KG/M)
140X140X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (50.18 KG/M)
140X140X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (51.12 KG/M)
140X140X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (52.07 KG/M)
140X140X13MM (SHS) SQUARE STEEL HOLLOW SECTION (53.01 KG/M)
140X140X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (53.95 KG/M)
140X140X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (54.88 KG/M)
140X140X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (55.81 KG/M)
140X140X14MM (SHS) SQUARE STEEL HOLLOW SECTION (56.74 KG/M)
140X140X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (57.67 KG/M)
140X140X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (58.59 KG/M)
140X140X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (59.51 KG/M)
140X140X15MM (SHS) SQUARE STEEL HOLLOW SECTION (60.42 KG/M)
140X140X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (61.34 KG/M)
140X140X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (62.25 KG/M)
140X140X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (63.15 KG/M)
140X140X16MM (SHS) SQUARE STEEL HOLLOW SECTION (64.06 KG/M)
140X140X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (64.96 KG/M)
140X140X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (65.86 KG/M)
140X140X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (66.75 KG/M)
140X140X17MM (SHS) SQUARE STEEL HOLLOW SECTION (67.64 KG/M)
140X140X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (68.53 KG/M)
140X140X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (69.42 KG/M)
140X140X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (70.3 KG/M)
140X140X18MM (SHS) SQUARE STEEL HOLLOW SECTION (71.18 KG/M)
140X140X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (72.05 KG/M)
140X140X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (72.93 KG/M)
140X140X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (73.8 KG/M)
140X140X19MM (SHS) SQUARE STEEL HOLLOW SECTION (74.66 KG/M)
140X140X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (75.53 KG/M)
140X140X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (76.39 KG/M)
140X140X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (77.25 KG/M)
140X140X20MM (SHS) SQUARE STEEL HOLLOW SECTION (78.1 KG/M)
140X140X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (78.95 KG/M)
140X140X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (79.8 KG/M)
140X140X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (80.64 KG/M)
140X140X21MM (SHS) SQUARE STEEL HOLLOW SECTION (81.49 KG/M)
140X140X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (82.33 KG/M)
140X140X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (83.16 KG/M)
140X140X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (84 KG/M)

140X140X22MM (SHS) SQUARE STEEL HOLLOW SECTION (84.82 KG/M)
140X140X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (85.65 KG/M)
140X140X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (86.48 KG/M)
140X140X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (87.3 KG/M)
140X140X23MM (SHS) SQUARE STEEL HOLLOW SECTION (88.11 KG/M)
140X140X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (88.93 KG/M)
140X140X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (89.74 KG/M)
140X140X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (90.55 KG/M)
140X140X24MM (SHS) SQUARE STEEL HOLLOW SECTION (91.35 KG/M)
140X140X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (92.15 KG/M)
140X140X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (92.95 KG/M)
140X140X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (93.75 KG/M)
140X140X25MM (SHS) SQUARE STEEL HOLLOW SECTION (94.54 KG/M)
150X150X2.5MM (SHS) SQUARE STEEL HOLLOW SECTION (11.63 KG/M)
150X150X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (12.77 KG/M)
150X150X3MM (SHS) SQUARE STEEL HOLLOW SECTION (13.92 KG/M)
150X150X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (15.05 KG/M)
150X150X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (16.19 KG/M)
150X150X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (17.32 KG/M)
150X150X4MM (SHS) SQUARE STEEL HOLLOW SECTION (18.45 KG/M)
150X150X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (19.58 KG/M)
150X150X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (20.71 KG/M)
150X150X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (21.83 KG/M)
150X150X5MM (SHS) SQUARE STEEL HOLLOW SECTION (22.95 KG/M)
150X150X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (24.06 KG/M)
150X150X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (25.17 KG/M)
150X150X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (26.28 KG/M)
150X150X6MM (SHS) SQUARE STEEL HOLLOW SECTION (27.39 KG/M)
150X150X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (28.49 KG/M)
150X150X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (28.71 KG/M)
150X150X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (29.59 KG/M)
150X150X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (30.68 KG/M)
150X150X7MM (SHS) SQUARE STEEL HOLLOW SECTION (31.78 KG/M)
150X150X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (32.87 KG/M)
150X150X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (33.96 KG/M)
150X150X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (35.04 KG/M)
150X150X8MM (SHS) SQUARE STEEL HOLLOW SECTION (36.12 KG/M)
150X150X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (37.2 KG/M)
150X150X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (38.27 KG/M)
150X150X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (39.35 KG/M)
150X150X9MM (SHS) SQUARE STEEL HOLLOW SECTION (40.41 KG/M)
150X150X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (41.48 KG/M)
150X150X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (42.54 KG/M)
150X150X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (43.6 KG/M)
150X150X10MM (SHS) SQUARE STEEL HOLLOW SECTION (44.66 KG/M)
150X150X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (45.71 KG/M)
150X150X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (46.76 KG/M)
150X150X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (47.81 KG/M)
150X150X11MM (SHS) SQUARE STEEL HOLLOW SECTION (48.85 KG/M)
150X150X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (49.89 KG/M)
150X150X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (50.93 KG/M)
150X150X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (51.97 KG/M)
150X150X12MM (SHS) SQUARE STEEL HOLLOW SECTION (53 KG/M)
150X150X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (54.03 KG/M)
150X150X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (55.05 KG/M)
150X150X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (56.07 KG/M)
150X150X13MM (SHS) SQUARE STEEL HOLLOW SECTION (57.09 KG/M)
150X150X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (58.11 KG/M)

150X150X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (59.12 KG/M)
150X150X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (60.13 KG/M)
150X150X14MM (SHS) SQUARE STEEL HOLLOW SECTION (61.14 KG/M)
150X150X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (62.14 KG/M)
150X150X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (63.14 KG/M)
150X150X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (64.14 KG/M)
150X150X15MM (SHS) SQUARE STEEL HOLLOW SECTION (65.14 KG/M)
150X150X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (66.13 KG/M)
150X150X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (67.12 KG/M)
150X150X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (68.1 KG/M)
150X150X16MM (SHS) SQUARE STEEL HOLLOW SECTION (69.08 KG/M)
150X150X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (70.06 KG/M)
150X150X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (71.04 KG/M)
150X150X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (72.01 KG/M)
150X150X17MM (SHS) SQUARE STEEL HOLLOW SECTION (72.98 KG/M)
150X150X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (73.95 KG/M)
150X150X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (74.91 KG/M)
150X150X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (75.87 KG/M)
150X150X18MM (SHS) SQUARE STEEL HOLLOW SECTION (76.83 KG/M)
150X150X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (77.79 KG/M)
150X150X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (78.74 KG/M)
150X150X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (79.69 KG/M)
150X150X19MM (SHS) SQUARE STEEL HOLLOW SECTION (80.63 KG/M)
150X150X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (81.57 KG/M)
150X150X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (82.51 KG/M)
150X150X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (83.45 KG/M)
150X150X20MM (SHS) SQUARE STEEL HOLLOW SECTION (84.38 KG/M)
160X160X3MM (SHS) SQUARE STEEL HOLLOW SECTION (14.86 KG/M)
160X160X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (16.08 KG/M)
160X160X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (17.29 KG/M)
160X160X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (18.5 KG/M)
160X160X4MM (SHS) SQUARE STEEL HOLLOW SECTION (19.71 KG/M)
160X160X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (20.92 KG/M)
160X160X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (22.12 KG/M)
160X160X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (23.32 KG/M)
160X160X5MM (SHS) SQUARE STEEL HOLLOW SECTION (24.52 KG/M)
160X160X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (25.71 KG/M)
160X160X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (26.9 KG/M)
160X160X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (28.09 KG/M)
160X160X6MM (SHS) SQUARE STEEL HOLLOW SECTION (29.27 KG/M)
160X160X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (30.45 KG/M)
160X160X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (31.63 KG/M)
160X160X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (32.81 KG/M)
160X160X7MM (SHS) SQUARE STEEL HOLLOW SECTION (33.98 KG/M)
160X160X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (35.15 KG/M)
160X160X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (36.31 KG/M)
160X160X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (37.47 KG/M)
160X160X8MM (SHS) SQUARE STEEL HOLLOW SECTION (38.63 KG/M)
160X160X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (39.79 KG/M)
160X160X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (40.94 KG/M)
160X160X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (42.09 KG/M)
160X160X9MM (SHS) SQUARE STEEL HOLLOW SECTION (43.24 KG/M)
160X160X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (44.39 KG/M)
160X160X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (45.53 KG/M)
160X160X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (46.66 KG/M)
160X160X10MM (SHS) SQUARE STEEL HOLLOW SECTION (47.8 KG/M)
160X160X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (48.93 KG/M)
160X160X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (50.06 KG/M)

160X160X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (51.19 KG/M)
160X160X11MM (SHS) SQUARE STEEL HOLLOW SECTION (52.31 KG/M)
160X160X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (53.43 KG/M)
160X160X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (54.54 KG/M)
160X160X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (55.66 KG/M)
160X160X12MM (SHS) SQUARE STEEL HOLLOW SECTION (56.77 KG/M)
160X160X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (57.87 KG/M)
160X160X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (58.98 KG/M)
160X160X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (60.08 KG/M)
160X160X13MM (SHS) SQUARE STEEL HOLLOW SECTION (61.18 KG/M)
160X160X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (62.27 KG/M)
160X160X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (63.36 KG/M)
160X160X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (64.45 KG/M)
160X160X14MM (SHS) SQUARE STEEL HOLLOW SECTION (65.54 KG/M)
160X160X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (66.62 KG/M)
160X160X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (67.7 KG/M)
160X160X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (68.78 KG/M)
160X160X15MM (SHS) SQUARE STEEL HOLLOW SECTION (69.85 KG/M)
160X160X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (70.92 KG/M)
160X160X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (71.99 KG/M)
160X160X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (73.05 KG/M)
160X160X16MM (SHS) SQUARE STEEL HOLLOW SECTION (74.11 KG/M)
160X160X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (75.17 KG/M)
160X160X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (76.22 KG/M)
160X160X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (77.28 KG/M)
160X160X17MM (SHS) SQUARE STEEL HOLLOW SECTION (78.32 KG/M)
160X160X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (79.37 KG/M)
160X160X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (80.41 KG/M)
160X160X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (81.45 KG/M)
160X160X18MM (SHS) SQUARE STEEL HOLLOW SECTION (82.49 KG/M)
160X160X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (83.52 KG/M)
160X160X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (84.55 KG/M)
160X160X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (85.58 KG/M)
160X160X19MM (SHS) SQUARE STEEL HOLLOW SECTION (86.6 KG/M)
160X160X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (87.62 KG/M)
160X160X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (88.64 KG/M)
160X160X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (89.65 KG/M)
160X160X20MM (SHS) SQUARE STEEL HOLLOW SECTION (90.67 KG/M)
160X160X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (91.67 KG/M)
160X160X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (92.68 KG/M)
160X160X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (93.68 KG/M)
160X160X21MM (SHS) SQUARE STEEL HOLLOW SECTION (94.68 KG/M)
160X160X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (95.68 KG/M)
160X160X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (96.67 KG/M)
160X160X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (97.66 KG/M)
160X160X22MM (SHS) SQUARE STEEL HOLLOW SECTION (98.65 KG/M)
160X160X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (99.63 KG/M)
160X160X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (100.61 KG/M)
160X160X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (101.59 KG/M)
160X160X23MM (SHS) SQUARE STEEL HOLLOW SECTION (102.56 KG/M)
160X160X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (103.54 KG/M)
160X160X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (104.5 KG/M)
160X160X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (105.47 KG/M)
160X160X24MM (SHS) SQUARE STEEL HOLLOW SECTION (106.43 KG/M)
160X160X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (107.39 KG/M)
160X160X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (108.35 KG/M)
160X160X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (109.3 KG/M)
160X160X25MM (SHS) SQUARE STEEL HOLLOW SECTION (110.25 KG/M)

180X180X3MM (SHS) SQUARE STEEL HOLLOW SECTION (16.74 KG/M)
180X180X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (18.12 KG/M)
180X180X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (19.49 KG/M)
180X180X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (20.86 KG/M)
180X180X4MM (SHS) SQUARE STEEL HOLLOW SECTION (22.22 KG/M)
180X180X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (23.59 KG/M)
180X180X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (24.95 KG/M)
180X180X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (26.3 KG/M)
180X180X5MM (SHS) SQUARE STEEL HOLLOW SECTION (27.66 KG/M)
180X180X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (29.01 KG/M)
180X180X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (30.36 KG/M)
180X180X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (31.7 KG/M)
180X180X6MM (SHS) SQUARE STEEL HOLLOW SECTION (33.04 KG/M)
180X180X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (34.38 KG/M)
180X180X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (34.65 KG/M)
180X180X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (35.71 KG/M)
180X180X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (37.05 KG/M)
180X180X7MM (SHS) SQUARE STEEL HOLLOW SECTION (38.38 KG/M)
180X180X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (39.7 KG/M)
180X180X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (41.02 KG/M)
180X180X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (42.34 KG/M)
180X180X8MM (SHS) SQUARE STEEL HOLLOW SECTION (43.66 KG/M)
180X180X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (44.97 KG/M)
180X180X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (46.28 KG/M)
180X180X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (47.59 KG/M)
180X180X9MM (SHS) SQUARE STEEL HOLLOW SECTION (48.9 KG/M)
180X180X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (50.2 KG/M)
180X180X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (51.5 KG/M)
180X180X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (52.79 KG/M)
180X180X10MM (SHS) SQUARE STEEL HOLLOW SECTION (54.08 KG/M)
180X180X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (55.37 KG/M)
180X180X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (56.66 KG/M)
180X180X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (57.94 KG/M)
180X180X11MM (SHS) SQUARE STEEL HOLLOW SECTION (59.22 KG/M)
180X180X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (60.5 KG/M)
180X180X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (61.77 KG/M)
180X180X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (63.04 KG/M)
180X180X12MM (SHS) SQUARE STEEL HOLLOW SECTION (64.31 KG/M)
180X180X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (65.57 KG/M)
180X180X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (66.83 KG/M)
180X180X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (68.09 KG/M)
180X180X13MM (SHS) SQUARE STEEL HOLLOW SECTION (69.35 KG/M)
180X180X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (70.6 KG/M)
180X180X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (71.85 KG/M)
180X180X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (73.09 KG/M)
180X180X14MM (SHS) SQUARE STEEL HOLLOW SECTION (74.33 KG/M)
180X180X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (75.57 KG/M)
180X180X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (76.81 KG/M)
180X180X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (78.04 KG/M)
180X180X15MM (SHS) SQUARE STEEL HOLLOW SECTION (79.27 KG/M)
180X180X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (80.5 KG/M)
180X180X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (81.73 KG/M)
180X180X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (82.95 KG/M)
180X180X16MM (SHS) SQUARE STEEL HOLLOW SECTION (84.16 KG/M)
180X180X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (85.38 KG/M)
180X180X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (86.59 KG/M)
180X180X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (87.8 KG/M)
180X180X17MM (SHS) SQUARE STEEL HOLLOW SECTION (89.01 KG/M)

180X180X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (90.21 KG/M)
180X180X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (91.41 KG/M)
180X180X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (92.6 KG/M)
180X180X18MM (SHS) SQUARE STEEL HOLLOW SECTION (93.8 KG/M)
180X180X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (94.99 KG/M)
180X180X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (96.17 KG/M)
180X180X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (97.36 KG/M)
180X180X19MM (SHS) SQUARE STEEL HOLLOW SECTION (98.54 KG/M)
180X180X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (99.72 KG/M)
180X180X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (100.89 KG/M)
180X180X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (102.06 KG/M)
180X180X20MM (SHS) SQUARE STEEL HOLLOW SECTION (103.23 KG/M)
180X180X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (104.4 KG/M)
180X180X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (105.56 KG/M)
180X180X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (106.72 KG/M)
180X180X21MM (SHS) SQUARE STEEL HOLLOW SECTION (107.88 KG/M)
180X180X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (109.03 KG/M)
180X180X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (110.18 KG/M)
180X180X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (111.33 KG/M)
180X180X22MM (SHS) SQUARE STEEL HOLLOW SECTION (112.47 KG/M)
180X180X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (113.61 KG/M)
180X180X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (114.75 KG/M)
180X180X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (115.88 KG/M)
180X180X23MM (SHS) SQUARE STEEL HOLLOW SECTION (117.02 KG/M)
180X180X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (118.14 KG/M)
180X180X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (119.27 KG/M)
180X180X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (120.39 KG/M)
180X180X24MM (SHS) SQUARE STEEL HOLLOW SECTION (121.51 KG/M)
180X180X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (122.63 KG/M)
180X180X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (123.74 KG/M)
180X180X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (124.85 KG/M)
180X180X25MM (SHS) SQUARE STEEL HOLLOW SECTION (125.96 KG/M)
200X200X2.75MM (SHS) SQUARE STEEL HOLLOW SECTION (17.09 KG/M)
200X200X3MM (SHS) SQUARE STEEL HOLLOW SECTION (18.63 KG/M)
200X200X3.25MM (SHS) SQUARE STEEL HOLLOW SECTION (20.16 KG/M)
200X200X3.5MM (SHS) SQUARE STEEL HOLLOW SECTION (21.69 KG/M)
200X200X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (23.22 KG/M)
200X200X4MM (SHS) SQUARE STEEL HOLLOW SECTION (24.74 KG/M)
200X200X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (26.26 KG/M)
200X200X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (27.77 KG/M)
200X200X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (29.29 KG/M)
200X200X5MM (SHS) SQUARE STEEL HOLLOW SECTION (30.8 KG/M)
200X200X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (32.31 KG/M)
200X200X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (33.81 KG/M)
200X200X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (35.31 KG/M)
200X200X6MM (SHS) SQUARE STEEL HOLLOW SECTION (36.81 KG/M)
200X200X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (38.31 KG/M)
200X200X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (38.61 KG/M)
200X200X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (39.8 KG/M)
200X200X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (41.29 KG/M)
200X200X7MM (SHS) SQUARE STEEL HOLLOW SECTION (42.77 KG/M)
200X200X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (44.26 KG/M)
200X200X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (45.74 KG/M)
200X200X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (47.21 KG/M)
200X200X8MM (SHS) SQUARE STEEL HOLLOW SECTION (48.69 KG/M)
200X200X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (50.16 KG/M)
200X200X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (51.63 KG/M)
200X200X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (53.09 KG/M)

200X200X9MM (SHS) SQUARE STEEL HOLLOW SECTION (54.55 KG/M)
200X200X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (56.01 KG/M)
200X200X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (57.46 KG/M)
200X200X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (58.92 KG/M)
200X200X10MM (SHS) SQUARE STEEL HOLLOW SECTION (60.37 KG/M)
200X200X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (61.81 KG/M)
200X200X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (63.25 KG/M)
200X200X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (64.69 KG/M)
200X200X11MM (SHS) SQUARE STEEL HOLLOW SECTION (66.13 KG/M)
200X200X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (67.56 KG/M)
200X200X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (69 KG/M)
200X200X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (70.42 KG/M)
200X200X12MM (SHS) SQUARE STEEL HOLLOW SECTION (71.85 KG/M)
200X200X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (73.27 KG/M)
200X200X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (74.69 KG/M)
200X200X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (76.1 KG/M)
200X200X13MM (SHS) SQUARE STEEL HOLLOW SECTION (77.51 KG/M)
200X200X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (78.92 KG/M)
200X200X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (80.33 KG/M)
200X200X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (81.73 KG/M)
200X200X14MM (SHS) SQUARE STEEL HOLLOW SECTION (83.13 KG/M)
200X200X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (84.53 KG/M)
200X200X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (85.92 KG/M)
200X200X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (87.31 KG/M)
200X200X15MM (SHS) SQUARE STEEL HOLLOW SECTION (88.7 KG/M)
200X200X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (90.08 KG/M)
200X200X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (91.46 KG/M)
200X200X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (92.84 KG/M)
200X200X16MM (SHS) SQUARE STEEL HOLLOW SECTION (94.22 KG/M)
200X200X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (95.59 KG/M)
200X200X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (96.96 KG/M)
200X200X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (98.32 KG/M)
200X200X17MM (SHS) SQUARE STEEL HOLLOW SECTION (99.69 KG/M)
200X200X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (101.05 KG/M)
200X200X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (102.4 KG/M)
200X200X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (103.76 KG/M)
200X200X18MM (SHS) SQUARE STEEL HOLLOW SECTION (105.11 KG/M)
200X200X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (106.45 KG/M)
200X200X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (107.8 KG/M)
200X200X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (109.14 KG/M)
200X200X19MM (SHS) SQUARE STEEL HOLLOW SECTION (110.48 KG/M)
200X200X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (111.81 KG/M)
200X200X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (113.14 KG/M)
200X200X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (114.47 KG/M)
200X200X20MM (SHS) SQUARE STEEL HOLLOW SECTION (115.8 KG/M)
200X200X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (117.12 KG/M)
200X200X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (118.44 KG/M)
200X200X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (119.76 KG/M)
200X200X21MM (SHS) SQUARE STEEL HOLLOW SECTION (121.07 KG/M)
200X200X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (122.38 KG/M)
200X200X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (123.69 KG/M)
200X200X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (124.99 KG/M)
200X200X22MM (SHS) SQUARE STEEL HOLLOW SECTION (126.29 KG/M)
200X200X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (127.59 KG/M)
200X200X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (128.89 KG/M)
200X200X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (130.18 KG/M)
200X200X23MM (SHS) SQUARE STEEL HOLLOW SECTION (131.47 KG/M)
200X200X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (132.75 KG/M)

200X200X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (134.04 KG/M)
200X200X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (135.32 KG/M)
200X200X24MM (SHS) SQUARE STEEL HOLLOW SECTION (136.59 KG/M)
200X200X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (137.86 KG/M)
200X200X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (139.13 KG/M)
200X200X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (140.4 KG/M)
200X200X25MM (SHS) SQUARE STEEL HOLLOW SECTION (141.67 KG/M)
200X200X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (142.93 KG/M)
200X200X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (144.19 KG/M)
200X200X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (145.44 KG/M)
200X200X26MM (SHS) SQUARE STEEL HOLLOW SECTION (146.69 KG/M)
200X200X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (147.94 KG/M)
200X200X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (149.19 KG/M)
200X200X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (150.43 KG/M)
200X200X27MM (SHS) SQUARE STEEL HOLLOW SECTION (151.67 KG/M)
200X200X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (152.9 KG/M)
200X200X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (154.14 KG/M)
200X200X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (155.37 KG/M)
200X200X28MM (SHS) SQUARE STEEL HOLLOW SECTION (156.59 KG/M)
200X200X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (157.82 KG/M)
200X200X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (159.04 KG/M)
200X200X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (160.26 KG/M)
200X200X29MM (SHS) SQUARE STEEL HOLLOW SECTION (161.47 KG/M)
200X200X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (162.68 KG/M)
200X200X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (163.89 KG/M)
200X200X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (165.1 KG/M)
200X200X30MM (SHS) SQUARE STEEL HOLLOW SECTION (166.3 KG/M)
250X250X3.75MM (SHS) SQUARE STEEL HOLLOW SECTION (29.11 KG/M)
250X250X4MM (SHS) SQUARE STEEL HOLLOW SECTION (31.02 KG/M)
250X250X4.25MM (SHS) SQUARE STEEL HOLLOW SECTION (32.93 KG/M)
250X250X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (34.84 KG/M)
250X250X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (36.75 KG/M)
250X250X5MM (SHS) SQUARE STEEL HOLLOW SECTION (38.65 KG/M)
250X250X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (40.55 KG/M)
250X250X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (42.45 KG/M)
250X250X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (44.35 KG/M)
250X250X6MM (SHS) SQUARE STEEL HOLLOW SECTION (46.24 KG/M)
250X250X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (48.12 KG/M)
250X250X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (48.5 KG/M)
250X250X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (50.01 KG/M)
250X250X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (51.89 KG/M)
250X250X7MM (SHS) SQUARE STEEL HOLLOW SECTION (53.77 KG/M)
250X250X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (55.65 KG/M)
250X250X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (57.52 KG/M)
250X250X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (59.39 KG/M)
250X250X8MM (SHS) SQUARE STEEL HOLLOW SECTION (61.25 KG/M)
250X250X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (63.12 KG/M)
250X250X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (64.98 KG/M)
250X250X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (66.83 KG/M)
250X250X9MM (SHS) SQUARE STEEL HOLLOW SECTION (68.69 KG/M)
250X250X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (70.54 KG/M)
250X250X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (72.39 KG/M)
250X250X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (74.23 KG/M)
250X250X10MM (SHS) SQUARE STEEL HOLLOW SECTION (76.07 KG/M)
250X250X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (77.91 KG/M)
250X250X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (79.75 KG/M)
250X250X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (81.58 KG/M)
250X250X11MM (SHS) SQUARE STEEL HOLLOW SECTION (83.41 KG/M)

250X250X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (85.24 KG/M)
250X250X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (87.06 KG/M)
250X250X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (88.88 KG/M)
250X250X12MM (SHS) SQUARE STEEL HOLLOW SECTION (90.7 KG/M)
250X250X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (92.51 KG/M)
250X250X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (94.32 KG/M)
250X250X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (96.13 KG/M)
250X250X13MM (SHS) SQUARE STEEL HOLLOW SECTION (97.93 KG/M)
250X250X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (99.74 KG/M)
250X250X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (101.53 KG/M)
250X250X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (103.33 KG/M)
250X250X14MM (SHS) SQUARE STEEL HOLLOW SECTION (105.12 KG/M)
250X250X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (106.91 KG/M)
250X250X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (108.7 KG/M)
250X250X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (110.48 KG/M)
250X250X15MM (SHS) SQUARE STEEL HOLLOW SECTION (112.26 KG/M)
250X250X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (114.04 KG/M)
250X250X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (115.81 KG/M)
250X250X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (117.58 KG/M)
250X250X16MM (SHS) SQUARE STEEL HOLLOW SECTION (119.35 KG/M)
250X250X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (121.12 KG/M)
250X250X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (122.88 KG/M)
250X250X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (124.64 KG/M)
250X250X17MM (SHS) SQUARE STEEL HOLLOW SECTION (126.39 KG/M)
250X250X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (128.14 KG/M)
250X250X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (129.89 KG/M)
250X250X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (131.64 KG/M)
250X250X18MM (SHS) SQUARE STEEL HOLLOW SECTION (133.38 KG/M)
250X250X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (135.12 KG/M)
250X250X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (136.86 KG/M)
250X250X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (138.59 KG/M)
250X250X19MM (SHS) SQUARE STEEL HOLLOW SECTION (140.32 KG/M)
250X250X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (142.05 KG/M)
250X250X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (143.78 KG/M)
250X250X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (145.5 KG/M)
250X250X20MM (SHS) SQUARE STEEL HOLLOW SECTION (147.22 KG/M)
250X250X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (148.93 KG/M)
250X250X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (150.64 KG/M)
250X250X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (152.35 KG/M)
250X250X21MM (SHS) SQUARE STEEL HOLLOW SECTION (154.06 KG/M)
250X250X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (155.76 KG/M)
250X250X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (157.46 KG/M)
250X250X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (159.16 KG/M)
250X250X22MM (SHS) SQUARE STEEL HOLLOW SECTION (160.85 KG/M)
250X250X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (162.54 KG/M)
250X250X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (164.23 KG/M)
250X250X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (165.91 KG/M)
250X250X23MM (SHS) SQUARE STEEL HOLLOW SECTION (167.6 KG/M)
250X250X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (169.27 KG/M)
250X250X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (170.95 KG/M)
250X250X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (172.62 KG/M)
250X250X24MM (SHS) SQUARE STEEL HOLLOW SECTION (174.29 KG/M)
250X250X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (175.96 KG/M)
250X250X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (177.62 KG/M)
250X250X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (179.28 KG/M)
250X250X25MM (SHS) SQUARE STEEL HOLLOW SECTION (180.94 KG/M)
250X250X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (182.59 KG/M)
250X250X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (184.24 KG/M)

250X250X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (185.89 KG/M)
250X250X26MM (SHS) SQUARE STEEL HOLLOW SECTION (187.53 KG/M)
250X250X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (189.17 KG/M)
250X250X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (190.81 KG/M)
250X250X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (192.45 KG/M)
250X250X27MM (SHS) SQUARE STEEL HOLLOW SECTION (194.08 KG/M)
250X250X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (195.71 KG/M)
250X250X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (197.33 KG/M)
250X250X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (198.96 KG/M)
250X250X28MM (SHS) SQUARE STEEL HOLLOW SECTION (200.58 KG/M)
250X250X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (202.19 KG/M)
250X250X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (203.81 KG/M)
250X250X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (205.42 KG/M)
250X250X29MM (SHS) SQUARE STEEL HOLLOW SECTION (207.03 KG/M)
250X250X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (208.63 KG/M)
250X250X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (210.23 KG/M)
250X250X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (211.83 KG/M)
250X250X30MM (SHS) SQUARE STEEL HOLLOW SECTION (213.42 KG/M)
280X280X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (47.63 KG/M)
280X280X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (49.76 KG/M)
280X280X6MM (SHS) SQUARE STEEL HOLLOW SECTION (51.89 KG/M)
280X280X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (54.01 KG/M)
280X280X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (56.14 KG/M)
280X280X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (58.25 KG/M)
280X280X7MM (SHS) SQUARE STEEL HOLLOW SECTION (60.37 KG/M)
280X280X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (62.48 KG/M)
280X280X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (64.59 KG/M)
280X280X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (66.69 KG/M)
280X280X8MM (SHS) SQUARE STEEL HOLLOW SECTION (68.79 KG/M)
280X280X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (70.89 KG/M)
280X280X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (72.99 KG/M)
280X280X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (75.08 KG/M)
280X280X9MM (SHS) SQUARE STEEL HOLLOW SECTION (77.17 KG/M)
280X280X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (79.26 KG/M)
280X280X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (81.34 KG/M)
280X280X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (83.42 KG/M)
280X280X10MM (SHS) SQUARE STEEL HOLLOW SECTION (85.5 KG/M)
280X280X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (87.57 KG/M)
280X280X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (89.64 KG/M)
280X280X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (91.71 KG/M)
280X280X11MM (SHS) SQUARE STEEL HOLLOW SECTION (93.78 KG/M)
280X280X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (95.84 KG/M)
280X280X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (97.9 KG/M)
280X280X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (99.95 KG/M)
280X280X12MM (SHS) SQUARE STEEL HOLLOW SECTION (102.01 KG/M)
280X280X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (104.06 KG/M)
280X280X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (106.1 KG/M)
280X280X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (108.15 KG/M)
280X280X13MM (SHS) SQUARE STEEL HOLLOW SECTION (110.19 KG/M)
280X280X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (112.22 KG/M)
280X280X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (114.26 KG/M)
280X280X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (116.29 KG/M)
280X280X14MM (SHS) SQUARE STEEL HOLLOW SECTION (118.32 KG/M)
280X280X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (120.34 KG/M)
280X280X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (122.36 KG/M)
280X280X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (124.38 KG/M)
280X280X15MM (SHS) SQUARE STEEL HOLLOW SECTION (126.4 KG/M)
280X280X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (128.41 KG/M)

280X280X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (130.42 KG/M)
280X280X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (132.43 KG/M)
280X280X16MM (SHS) SQUARE STEEL HOLLOW SECTION (134.43 KG/M)
280X280X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (136.43 KG/M)
280X280X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (138.43 KG/M)
280X280X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (140.42 KG/M)
280X280X17MM (SHS) SQUARE STEEL HOLLOW SECTION (142.41 KG/M)
280X280X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (144.4 KG/M)
280X280X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (146.39 KG/M)
280X280X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (148.37 KG/M)
280X280X18MM (SHS) SQUARE STEEL HOLLOW SECTION (150.35 KG/M)
280X280X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (152.32 KG/M)
280X280X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (154.29 KG/M)
280X280X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (156.26 KG/M)
280X280X19MM (SHS) SQUARE STEEL HOLLOW SECTION (158.23 KG/M)
280X280X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (160.19 KG/M)
280X280X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (162.15 KG/M)
280X280X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (164.11 KG/M)
280X280X20MM (SHS) SQUARE STEEL HOLLOW SECTION (166.06 KG/M)
280X280X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (168.02 KG/M)
280X280X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (169.96 KG/M)
280X280X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (171.91 KG/M)
280X280X21MM (SHS) SQUARE STEEL HOLLOW SECTION (173.85 KG/M)
280X280X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (175.79 KG/M)
280X280X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (177.72 KG/M)
280X280X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (179.66 KG/M)
280X280X22MM (SHS) SQUARE STEEL HOLLOW SECTION (181.59 KG/M)
280X280X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (183.51 KG/M)
280X280X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (185.44 KG/M)
280X280X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (187.36 KG/M)
280X280X23MM (SHS) SQUARE STEEL HOLLOW SECTION (189.27 KG/M)
280X280X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (191.19 KG/M)
280X280X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (193.1 KG/M)
280X280X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (195.01 KG/M)
280X280X24MM (SHS) SQUARE STEEL HOLLOW SECTION (196.91 KG/M)
280X280X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (198.81 KG/M)
280X280X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (200.71 KG/M)
280X280X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (202.61 KG/M)
280X280X25MM (SHS) SQUARE STEEL HOLLOW SECTION (204.5 KG/M)
280X280X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (206.39 KG/M)
280X280X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (208.27 KG/M)
280X280X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (210.16 KG/M)
280X280X26MM (SHS) SQUARE STEEL HOLLOW SECTION (212.04 KG/M)
280X280X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (213.91 KG/M)
280X280X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (215.79 KG/M)
280X280X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (217.66 KG/M)
280X280X27MM (SHS) SQUARE STEEL HOLLOW SECTION (219.53 KG/M)
280X280X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (221.39 KG/M)
280X280X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (223.25 KG/M)
280X280X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (225.11 KG/M)
280X280X28MM (SHS) SQUARE STEEL HOLLOW SECTION (226.97 KG/M)
280X280X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (228.82 KG/M)
280X280X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (230.67 KG/M)
280X280X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (232.51 KG/M)
280X280X29MM (SHS) SQUARE STEEL HOLLOW SECTION (234.36 KG/M)
280X280X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (236.2 KG/M)
280X280X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (238.03 KG/M)
280X280X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (239.87 KG/M)

280X280X30MM (SHS) SQUARE STEEL HOLLOW SECTION (241.7 KG/M)
300X300X4.5MM (SHS) SQUARE STEEL HOLLOW SECTION (41.91 KG/M)
300X300X4.75MM (SHS) SQUARE STEEL HOLLOW SECTION (44.21 KG/M)
300X300X5MM (SHS) SQUARE STEEL HOLLOW SECTION (46.51 KG/M)
300X300X5.25MM (SHS) SQUARE STEEL HOLLOW SECTION (48.8 KG/M)
300X300X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (51.09 KG/M)
300X300X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (53.38 KG/M)
300X300X6MM (SHS) SQUARE STEEL HOLLOW SECTION (55.66 KG/M)
300X300X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (58.4 KG/M)
300X300X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (60.22 KG/M)
300X300X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (62.49 KG/M)
300X300X7MM (SHS) SQUARE STEEL HOLLOW SECTION (64.77 KG/M)
300X300X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (67.03 KG/M)
300X300X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (69.3 KG/M)
300X300X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (71.56 KG/M)
300X300X8MM (SHS) SQUARE STEEL HOLLOW SECTION (73.82 KG/M)
300X300X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (76.08 KG/M)
300X300X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (78.33 KG/M)
300X300X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (80.58 KG/M)
300X300X9MM (SHS) SQUARE STEEL HOLLOW SECTION (82.83 KG/M)
300X300X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (85.07 KG/M)
300X300X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (87.31 KG/M)
300X300X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (89.55 KG/M)
300X300X10MM (SHS) SQUARE STEEL HOLLOW SECTION (91.78 KG/M)
300X300X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (94.01 KG/M)
300X300X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (96.24 KG/M)
300X300X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (98.47 KG/M)
300X300X11MM (SHS) SQUARE STEEL HOLLOW SECTION (100.69 KG/M)
300X300X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (102.91 KG/M)
300X300X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (105.12 KG/M)
300X300X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (107.34 KG/M)
300X300X12MM (SHS) SQUARE STEEL HOLLOW SECTION (109.55 KG/M)
300X300X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (111.75 KG/M)
300X300X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (113.96 KG/M)
300X300X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (116.16 KG/M)
300X300X13MM (SHS) SQUARE STEEL HOLLOW SECTION (118.35 KG/M)
300X300X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (120.55 KG/M)
300X300X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (122.74 KG/M)
300X300X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (124.93 KG/M)
300X300X14MM (SHS) SQUARE STEEL HOLLOW SECTION (127.11 KG/M)
300X300X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (129.3 KG/M)
300X300X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (131.47 KG/M)
300X300X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (133.65 KG/M)
300X300X15MM (SHS) SQUARE STEEL HOLLOW SECTION (135.82 KG/M)
300X300X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (137.99 KG/M)
300X300X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (140.16 KG/M)
300X300X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (142.32 KG/M)
300X300X16MM (SHS) SQUARE STEEL HOLLOW SECTION (144.48 KG/M)
300X300X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (146.64 KG/M)
300X300X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (148.79 KG/M)
300X300X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (150.95 KG/M)
300X300X17MM (SHS) SQUARE STEEL HOLLOW SECTION (153.09 KG/M)
300X300X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (155.24 KG/M)
300X300X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (157.38 KG/M)
300X300X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (159.52 KG/M)
300X300X18MM (SHS) SQUARE STEEL HOLLOW SECTION (161.66 KG/M)
300X300X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (163.79 KG/M)
300X300X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (165.92 KG/M)

300X300X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (168.04 KG/M)
300X300X19MM (SHS) SQUARE STEEL HOLLOW SECTION (170.17 KG/M)
300X300X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (172.29 KG/M)
300X300X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (174.41 KG/M)
300X300X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (176.52 KG/M)
300X300X20MM (SHS) SQUARE STEEL HOLLOW SECTION (178.63 KG/M)
300X300X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (180.74 KG/M)
300X300X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (182.84 KG/M)
300X300X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (184.95 KG/M)
300X300X21MM (SHS) SQUARE STEEL HOLLOW SECTION (187.04 KG/M)
300X300X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (189.14 KG/M)
300X300X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (191.23 KG/M)
300X300X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (193.32 KG/M)
300X300X22MM (SHS) SQUARE STEEL HOLLOW SECTION (195.41 KG/M)
300X300X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (197.49 KG/M)
300X300X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (199.57 KG/M)
300X300X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (201.65 KG/M)
300X300X23MM (SHS) SQUARE STEEL HOLLOW SECTION (203.72 KG/M)
300X300X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (205.79 KG/M)
300X300X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (207.86 KG/M)
300X300X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (209.93 KG/M)
300X300X24MM (SHS) SQUARE STEEL HOLLOW SECTION (211.99 KG/M)
300X300X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (214.05 KG/M)
300X300X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (216.1 KG/M)
300X300X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (218.16 KG/M)
300X300X25MM (SHS) SQUARE STEEL HOLLOW SECTION (220.21 KG/M)
300X300X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (222.25 KG/M)
300X300X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (224.3 KG/M)
300X300X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (226.34 KG/M)
300X300X26MM (SHS) SQUARE STEEL HOLLOW SECTION (228.37 KG/M)
300X300X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (230.41 KG/M)
300X300X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (232.44 KG/M)
300X300X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (234.47 KG/M)
300X300X27MM (SHS) SQUARE STEEL HOLLOW SECTION (236.49 KG/M)
300X300X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (238.51 KG/M)
300X300X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (240.53 KG/M)
300X300X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (242.55 KG/M)
300X300X28MM (SHS) SQUARE STEEL HOLLOW SECTION (244.56 KG/M)
300X300X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (246.57 KG/M)
300X300X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (248.57 KG/M)
300X300X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (250.58 KG/M)
300X300X29MM (SHS) SQUARE STEEL HOLLOW SECTION (252.58 KG/M)
300X300X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (254.58 KG/M)
300X300X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (256.57 KG/M)
300X300X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (258.56 KG/M)
300X300X30MM (SHS) SQUARE STEEL HOLLOW SECTION (260.55 KG/M)
350X350X5.5MM (SHS) SQUARE STEEL HOLLOW SECTION (59.73 KG/M)
350X350X5.75MM (SHS) SQUARE STEEL HOLLOW SECTION (62.41 KG/M)
350X350X6MM (SHS) SQUARE STEEL HOLLOW SECTION (65.09 KG/M)
350X350X6.25MM (SHS) SQUARE STEEL HOLLOW SECTION (67.76 KG/M)
350X350X6.3MM (SHS) SQUARE STEEL HOLLOW SECTION (68.29 KG/M)
350X350X6.5MM (SHS) SQUARE STEEL HOLLOW SECTION (70.43 KG/M)
350X350X6.75MM (SHS) SQUARE STEEL HOLLOW SECTION (73.1 KG/M)
350X350X7MM (SHS) SQUARE STEEL HOLLOW SECTION (75.76 KG/M)
350X350X7.25MM (SHS) SQUARE STEEL HOLLOW SECTION (78.42 KG/M)
350X350X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (81.08 KG/M)
350X350X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (83.73 KG/M)
350X350X8MM (SHS) SQUARE STEEL HOLLOW SECTION (86.39 KG/M)

350X350X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (89.03 KG/M)
350X350X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (91.68 KG/M)
350X350X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (94.32 KG/M)
350X350X9MM (SHS) SQUARE STEEL HOLLOW SECTION (96.96 KG/M)
350X350X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (99.6 KG/M)
350X350X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (102.23 KG/M)
350X350X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (104.86 KG/M)
350X350X10MM (SHS) SQUARE STEEL HOLLOW SECTION (107.49 KG/M)
350X350X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (110.11 KG/M)
350X350X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (112.73 KG/M)
350X350X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (115.35 KG/M)
350X350X11MM (SHS) SQUARE STEEL HOLLOW SECTION (117.97 KG/M)
350X350X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (120.58 KG/M)
350X350X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (123.19 KG/M)
350X350X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (125.79 KG/M)
350X350X12MM (SHS) SQUARE STEEL HOLLOW SECTION (128.4 KG/M)
350X350X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (131 KG/M)
350X350X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (133.59 KG/M)
350X350X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (136.18 KG/M)
350X350X13MM (SHS) SQUARE STEEL HOLLOW SECTION (138.77 KG/M)
350X350X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (141.36 KG/M)
350X350X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (143.95 KG/M)
350X350X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (146.53 KG/M)
350X350X14MM (SHS) SQUARE STEEL HOLLOW SECTION (149.1 KG/M)
350X350X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (151.68 KG/M)
350X350X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (154.25 KG/M)
350X350X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (156.82 KG/M)
350X350X15MM (SHS) SQUARE STEEL HOLLOW SECTION (159.38 KG/M)
350X350X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (161.95 KG/M)
350X350X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (164.51 KG/M)
350X350X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (167.06 KG/M)
350X350X16MM (SHS) SQUARE STEEL HOLLOW SECTION (169.62 KG/M)
350X350X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (172.17 KG/M)
350X350X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (174.71 KG/M)
350X350X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (177.26 KG/M)
350X350X17MM (SHS) SQUARE STEEL HOLLOW SECTION (179.8 KG/M)
350X350X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (182.34 KG/M)
350X350X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (184.87 KG/M)
350X350X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (187.4 KG/M)
350X350X18MM (SHS) SQUARE STEEL HOLLOW SECTION (189.93 KG/M)
350X350X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (192.46 KG/M)
350X350X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (194.98 KG/M)
350X350X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (197.5 KG/M)
350X350X19MM (SHS) SQUARE STEEL HOLLOW SECTION (200.01 KG/M)
350X350X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (202.53 KG/M)
350X350X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (205.04 KG/M)
350X350X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (207.54 KG/M)
350X350X20MM (SHS) SQUARE STEEL HOLLOW SECTION (210.05 KG/M)
350X350X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (212.55 KG/M)
350X350X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (215.05 KG/M)
350X350X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (217.54 KG/M)
350X350X21MM (SHS) SQUARE STEEL HOLLOW SECTION (220.03 KG/M)
350X350X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (222.52 KG/M)
350X350X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (225.01 KG/M)
350X350X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (227.49 KG/M)
350X350X22MM (SHS) SQUARE STEEL HOLLOW SECTION (229.97 KG/M)
350X350X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (232.44 KG/M)
350X350X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (234.92 KG/M)

350X350X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (237.39 KG/M)
350X350X23MM (SHS) SQUARE STEEL HOLLOW SECTION (239.85 KG/M)
350X350X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (242.32 KG/M)
350X350X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (244.78 KG/M)
350X350X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (247.23 KG/M)
350X350X24MM (SHS) SQUARE STEEL HOLLOW SECTION (249.69 KG/M)
350X350X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (252.14 KG/M)
350X350X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (254.59 KG/M)
350X350X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (257.03 KG/M)
350X350X25MM (SHS) SQUARE STEEL HOLLOW SECTION (259.48 KG/M)
350X350X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (261.91 KG/M)
350X350X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (264.35 KG/M)
350X350X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (266.78 KG/M)
350X350X26MM (SHS) SQUARE STEEL HOLLOW SECTION (269.21 KG/M)
350X350X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (271.64 KG/M)
350X350X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (274.06 KG/M)
350X350X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (276.48 KG/M)
350X350X27MM (SHS) SQUARE STEEL HOLLOW SECTION (278.9 KG/M)
350X350X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (281.32 KG/M)
350X350X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (283.73 KG/M)
350X350X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (286.14 KG/M)
350X350X28MM (SHS) SQUARE STEEL HOLLOW SECTION (288.54 KG/M)
350X350X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (290.94 KG/M)
350X350X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (293.34 KG/M)
350X350X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (295.74 KG/M)
350X350X29MM (SHS) SQUARE STEEL HOLLOW SECTION (298.13 KG/M)
350X350X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (300.52 KG/M)
350X350X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (302.91 KG/M)
350X350X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (305.29 KG/M)
350X350X30MM (SHS) SQUARE STEEL HOLLOW SECTION (307.67 KG/M)
400X400X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (92.86 KG/M)
400X400X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (95.91 KG/M)
400X400X8MM (SHS) SQUARE STEEL HOLLOW SECTION (98.95 KG/M)
400X400X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (101.99 KG/M)
400X400X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (105.03 KG/M)
400X400X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (108.07 KG/M)
400X400X9MM (SHS) SQUARE STEEL HOLLOW SECTION (111.1 KG/M)
400X400X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (114.13 KG/M)
400X400X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (117.15 KG/M)
400X400X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (120.18 KG/M)
400X400X10MM (SHS) SQUARE STEEL HOLLOW SECTION (123.2 KG/M)
400X400X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (126.21 KG/M)
400X400X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (129.23 KG/M)
400X400X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (132.24 KG/M)
400X400X11MM (SHS) SQUARE STEEL HOLLOW SECTION (135.25 KG/M)
400X400X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (138.25 KG/M)
400X400X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (141.25 KG/M)
400X400X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (144.25 KG/M)
400X400X12MM (SHS) SQUARE STEEL HOLLOW SECTION (147.25 KG/M)
400X400X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (150.24 KG/M)
400X400X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (153.23 KG/M)
400X400X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (156.21 KG/M)
400X400X13MM (SHS) SQUARE STEEL HOLLOW SECTION (159.2 KG/M)
400X400X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (162.17 KG/M)
400X400X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (165.15 KG/M)
400X400X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (168.13 KG/M)
400X400X14MM (SHS) SQUARE STEEL HOLLOW SECTION (171.1 KG/M)
400X400X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (174.06 KG/M)

400X400X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (177.03 KG/M)
400X400X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (179.99 KG/M)
400X400X15MM (SHS) SQUARE STEEL HOLLOW SECTION (182.95 KG/M)
400X400X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (185.9 KG/M)
400X400X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (188.85 KG/M)
400X400X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (191.8 KG/M)
400X400X16MM (SHS) SQUARE STEEL HOLLOW SECTION (194.75 KG/M)
400X400X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (197.69 KG/M)
400X400X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (200.63 KG/M)
400X400X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (203.57 KG/M)
400X400X17MM (SHS) SQUARE STEEL HOLLOW SECTION (206.5 KG/M)
400X400X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (209.43 KG/M)
400X400X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (212.36 KG/M)
400X400X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (215.28 KG/M)
400X400X18MM (SHS) SQUARE STEEL HOLLOW SECTION (218.2 KG/M)
400X400X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (221.12 KG/M)
400X400X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (224.04 KG/M)
400X400X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (226.95 KG/M)
400X400X19MM (SHS) SQUARE STEEL HOLLOW SECTION (229.86 KG/M)
400X400X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (232.76 KG/M)
400X400X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (235.67 KG/M)
400X400X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (238.57 KG/M)
400X400X20MM (SHS) SQUARE STEEL HOLLOW SECTION (241.46 KG/M)
400X400X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (244.36 KG/M)
400X400X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (247.25 KG/M)
400X400X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (250.13 KG/M)
400X400X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (255.9 KG/M)
400X400X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (258.78 KG/M)
400X400X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (261.65 KG/M)
400X400X22MM (SHS) SQUARE STEEL HOLLOW SECTION (264.52 KG/M)
400X400X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (267.39 KG/M)
400X400X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (270.26 KG/M)
400X400X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (273.12 KG/M)
400X400X23MM (SHS) SQUARE STEEL HOLLOW SECTION (275.98 KG/M)
400X400X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (278.84 KG/M)
400X400X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (281.69 KG/M)
400X400X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (284.54 KG/M)
400X400X24MM (SHS) SQUARE STEEL HOLLOW SECTION (287.39 KG/M)
400X400X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (290.23 KG/M)
400X400X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (293.07 KG/M)
400X400X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (295.91 KG/M)
400X400X25MM (SHS) SQUARE STEEL HOLLOW SECTION (298.75 KG/M)
400X400X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (301.58 KG/M)
400X400X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (304.41 KG/M)
400X400X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (307.23 KG/M)
400X400X26MM (SHS) SQUARE STEEL HOLLOW SECTION (310.05 KG/M)
400X400X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (312.87 KG/M)
400X400X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (315.69 KG/M)
400X400X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (318.5 KG/M)
400X400X27MM (SHS) SQUARE STEEL HOLLOW SECTION (321.31 KG/M)
400X400X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (324.12 KG/M)
400X400X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (326.92 KG/M)
400X400X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (329.73 KG/M)
400X400X28MM (SHS) SQUARE STEEL HOLLOW SECTION (332.52 KG/M)
400X400X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (335.32 KG/M)
400X400X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (338.11 KG/M)
400X400X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (340.9 KG/M)
400X400X29MM (SHS) SQUARE STEEL HOLLOW SECTION (343.68 KG/M)

400X400X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (346.47 KG/M)
400X400X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (349.25 KG/M)
400X400X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (352.02 KG/M)
400X400X30MM (SHS) SQUARE STEEL HOLLOW SECTION (354.8 KG/M)
400X400X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (357.57 KG/M)
400X400X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (360.33 KG/M)
400X400X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (363.1 KG/M)
400X400X31MM (SHS) SQUARE STEEL HOLLOW SECTION (365.86 KG/M)
400X400X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (368.62 KG/M)
400X400X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (371.37 KG/M)
400X400X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (374.12 KG/M)
400X400X32MM (SHS) SQUARE STEEL HOLLOW SECTION (376.87 KG/M)
400X400X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (385.1 KG/M)
400X400X33MM (SHS) SQUARE STEEL HOLLOW SECTION (387.83 KG/M)
400X400X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (390.57 KG/M)
400X400X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (393.3 KG/M)
400X400X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (396.02 KG/M)
400X400X34MM (SHS) SQUARE STEEL HOLLOW SECTION (398.75 KG/M)
400X400X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (401.47 KG/M)
400X400X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (404.19 KG/M)
400X400X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (406.9 KG/M)
400X400X35MM (SHS) SQUARE STEEL HOLLOW SECTION (409.61 KG/M)
400X400X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (412.32 KG/M)
400X400X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (415.03 KG/M)
400X400X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (417.73 KG/M)
400X400X36MM (SHS) SQUARE STEEL HOLLOW SECTION (420.43 KG/M)
400X400X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (423.12 KG/M)
400X400X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (425.82 KG/M)
400X400X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (428.51 KG/M)
400X400X37MM (SHS) SQUARE STEEL HOLLOW SECTION (431.19 KG/M)
400X400X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (433.88 KG/M)
400X400X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (436.56 KG/M)
400X400X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (439.24 KG/M)
400X400X38MM (SHS) SQUARE STEEL HOLLOW SECTION (441.91 KG/M)
400X400X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (444.58 KG/M)
400X400X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (447.25 KG/M)
400X400X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (449.92 KG/M)
400X400X39MM (SHS) SQUARE STEEL HOLLOW SECTION (452.58 KG/M)
400X400X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (455.24 KG/M)
400X400X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (457.89 KG/M)
400X400X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (460.55 KG/M)
400X400X40MM (SHS) SQUARE STEEL HOLLOW SECTION (463.2 KG/M)
450X450X7.5MM (SHS) SQUARE STEEL HOLLOW SECTION (104.64 KG/M)
450X450X7.75MM (SHS) SQUARE STEEL HOLLOW SECTION (108.08 KG/M)
450X450X8MM (SHS) SQUARE STEEL HOLLOW SECTION (111.52 KG/M)
450X450X8.25MM (SHS) SQUARE STEEL HOLLOW SECTION (114.95 KG/M)
450X450X8.5MM (SHS) SQUARE STEEL HOLLOW SECTION (118.38 KG/M)
450X450X8.75MM (SHS) SQUARE STEEL HOLLOW SECTION (121.81 KG/M)
450X450X9MM (SHS) SQUARE STEEL HOLLOW SECTION (125.24 KG/M)
450X450X9.25MM (SHS) SQUARE STEEL HOLLOW SECTION (128.66 KG/M)
450X450X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (132.08 KG/M)
450X450X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (135.49 KG/M)
450X450X10MM (SHS) SQUARE STEEL HOLLOW SECTION (138.91 KG/M)
450X450X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (142.31 KG/M)
450X450X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (145.72 KG/M)
450X450X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (149.12 KG/M)
450X450X11MM (SHS) SQUARE STEEL HOLLOW SECTION (152.52 KG/M)
450X450X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (155.92 KG/M)

450X450X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (159.32 KG/M)
450X450X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (162.71 KG/M)
450X450X12MM (SHS) SQUARE STEEL HOLLOW SECTION (166.09 KG/M)
450X450X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (169.48 KG/M)
450X450X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (172.86 KG/M)
450X450X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (176.24 KG/M)
450X450X13MM (SHS) SQUARE STEEL HOLLOW SECTION (179.62 KG/M)
450X450X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (182.99 KG/M)
450X450X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (186.36 KG/M)
450X450X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (189.72 KG/M)
450X450X14MM (SHS) SQUARE STEEL HOLLOW SECTION (193.09 KG/M)
450X450X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (196.45 KG/M)
450X450X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (199.8 KG/M)
450X450X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (196.45 KG/M)
450X450X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (199.8 KG/M)
450X450X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (203.16 KG/M)
450X450X15MM (SHS) SQUARE STEEL HOLLOW SECTION (206.51 KG/M)
450X450X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (209.86 KG/M)
450X450X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (213.2 KG/M)
450X450X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (216.54 KG/M)
450X450X16MM (SHS) SQUARE STEEL HOLLOW SECTION (219.88 KG/M)
450X450X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (223.22 KG/M)
450X450X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (226.55 KG/M)
450X450X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (229.88 KG/M)
450X450X17MM (SHS) SQUARE STEEL HOLLOW SECTION (233.2 KG/M)
450X450X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (236.53 KG/M)
450X450X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (239.85 KG/M)
450X450X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (243.16 KG/M)
450X450X18MM (SHS) SQUARE STEEL HOLLOW SECTION (246.48 KG/M)
450X450X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (249.79 KG/M)
450X450X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (253.1 KG/M)
450X450X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (256.4 KG/M)
450X450X19MM (SHS) SQUARE STEEL HOLLOW SECTION (259.7 KG/M)
450X450X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (263 KG/M)
450X450X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (266.3 KG/M)
450X450X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (269.59 KG/M)
450X450X20MM (SHS) SQUARE STEEL HOLLOW SECTION (272.88 KG/M)
450X450X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (276.16 KG/M)
450X450X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (279.45 KG/M)
450X450X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (282.73 KG/M)
450X450X21MM (SHS) SQUARE STEEL HOLLOW SECTION (286 KG/M)
450X450X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (289.28 KG/M)
450X450X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (292.55 KG/M)
450X450X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (295.82 KG/M)
450X450X22MM (SHS) SQUARE STEEL HOLLOW SECTION (299.08 KG/M)
450X450X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (302.34 KG/M)
450X450X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (305.6 KG/M)
450X450X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (308.86 KG/M)
450X450X23MM (SHS) SQUARE STEEL HOLLOW SECTION (312.11 KG/M)
450X450X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (315.36 KG/M)
450X450X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (318.6 KG/M)
450X450X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (321.85 KG/M)
450X450X24MM (SHS) SQUARE STEEL HOLLOW SECTION (325.09 KG/M)
450X450X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (328.32 KG/M)
450X450X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (331.56 KG/M)
450X450X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (334.79 KG/M)
450X450X25MM (SHS) SQUARE STEEL HOLLOW SECTION (338.02 KG/M)
450X450X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (341.24 KG/M)

450X450X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (344.46 KG/M)
450X450X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (347.68 KG/M)
450X450X26MM (SHS) SQUARE STEEL HOLLOW SECTION (350.9 KG/M)
450X450X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (354.11 KG/M)
450X450X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (357.32 KG/M)
450X450X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (360.52 KG/M)
450X450X27MM (SHS) SQUARE STEEL HOLLOW SECTION (363.73 KG/M)
450X450X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (366.93 KG/M)
450X450X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (370.12 KG/M)
450X450X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (373.32 KG/M)
450X450X28MM (SHS) SQUARE STEEL HOLLOW SECTION (376.51 KG/M)
450X450X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (379.69 KG/M)
450X450X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (382.88 KG/M)
450X450X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (386.06 KG/M)
450X450X29MM (SHS) SQUARE STEEL HOLLOW SECTION (389.24 KG/M)
450X450X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (392.41 KG/M)
450X450X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (395.58 KG/M)
450X450X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (398.75 KG/M)
450X450X30MM (SHS) SQUARE STEEL HOLLOW SECTION (401.92 KG/M)
450X450X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (405.08 KG/M)
450X450X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (408.24 KG/M)
450X450X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (411.4 KG/M)
450X450X31MM (SHS) SQUARE STEEL HOLLOW SECTION (414.55 KG/M)
450X450X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (417.7 KG/M)
450X450X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (420.85 KG/M)
450X450X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (423.99 KG/M)
450X450X32MM (SHS) SQUARE STEEL HOLLOW SECTION (427.14 KG/M)
450X450X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (430.27 KG/M)
450X450X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (433.41 KG/M)
450X450X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (436.54 KG/M)
450X450X33MM (SHS) SQUARE STEEL HOLLOW SECTION (439.67 KG/M)
450X450X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (442.8 KG/M)
450X450X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (445.92 KG/M)
450X450X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (449.04 KG/M)
450X450X34MM (SHS) SQUARE STEEL HOLLOW SECTION (452.15 KG/M)
450X450X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (455.27 KG/M)
450X450X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (458.38 KG/M)
450X450X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (461.49 KG/M)
450X450X35MM (SHS) SQUARE STEEL HOLLOW SECTION (464.59 KG/M)
450X450X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (467.69 KG/M)
450X450X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (470.79 KG/M)
450X450X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (473.88 KG/M)
450X450X36MM (SHS) SQUARE STEEL HOLLOW SECTION (476.98 KG/M)
450X450X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (480.07 KG/M)
450X450X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (483.15 KG/M)
450X450X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (486.23 KG/M)
450X450X37MM (SHS) SQUARE STEEL HOLLOW SECTION (489.31 KG/M)
450X450X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (492.39 KG/M)
450X450X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (495.46 KG/M)
450X450X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (498.53 KG/M)
450X450X38MM (SHS) SQUARE STEEL HOLLOW SECTION (501.6 KG/M)
450X450X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (504.67 KG/M)
450X450X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (507.73 KG/M)
450X450X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (510.78 KG/M)
450X450X39MM (SHS) SQUARE STEEL HOLLOW SECTION (513.84 KG/M)
450X450X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (516.89 KG/M)
450X450X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (519.94 KG/M)
450X450X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (522.99 KG/M)

450X450X40MM (SHS) SQUARE STEEL HOLLOW SECTION (526.03 KG/M)
500X500X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (147 KG/M)
500X500X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (150.81 KG/M)
500X500X10MM (SHS) SQUARE STEEL HOLLOW SECTION (154.61 KG/M)
500X500X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (158.42 KG/M)
500X500X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (162.21 KG/M)
500X500X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (166.01 KG/M)
500X500X11MM (SHS) SQUARE STEEL HOLLOW SECTION (169.8 KG/M)
500X500X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (173.59 KG/M)
500X500X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (177.38 KG/M)
500X500X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (181.16 KG/M)
500X500X12MM (SHS) SQUARE STEEL HOLLOW SECTION (184.94 KG/M)
500X500X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (188.72 KG/M)
500X500X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (192.5 KG/M)
500X500X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (196.27 KG/M)
500X500X13MM (SHS) SQUARE STEEL HOLLOW SECTION (200.04 KG/M)
500X500X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (203.8 KG/M)
500X500X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (207.56 KG/M)
500X500X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (211.32 KG/M)
500X500X14MM (SHS) SQUARE STEEL HOLLOW SECTION (215.08 KG/M)
500X500X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (218.83 KG/M)
500X500X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (222.58 KG/M)
500X500X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (226.33 KG/M)
500X500X15MM (SHS) SQUARE STEEL HOLLOW SECTION (230.07 KG/M)
500X500X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (233.81 KG/M)
500X500X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (237.55 KG/M)
500X500X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (241.28 KG/M)
500X500X16MM (SHS) SQUARE STEEL HOLLOW SECTION (245.01 KG/M)
500X500X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (248.74 KG/M)
500X500X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (252.47 KG/M)
500X500X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (256.19 KG/M)
500X500X17MM (SHS) SQUARE STEEL HOLLOW SECTION (259.91 KG/M)
500X500X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (263.62 KG/M)
500X500X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (267.34 KG/M)
500X500X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (271.05 KG/M)
500X500X18MM (SHS) SQUARE STEEL HOLLOW SECTION (274.75 KG/M)
500X500X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (278.46 KG/M)
500X500X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (282.16 KG/M)
500X500X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (285.85 KG/M)
500X500X19MM (SHS) SQUARE STEEL HOLLOW SECTION (289.55 KG/M)
500X500X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (293.24 KG/M)
500X500X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (296.93 KG/M)
500X500X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (300.61 KG/M)
500X500X20MM (SHS) SQUARE STEEL HOLLOW SECTION (304.29 KG/M)
500X500X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (307.97 KG/M)
500X500X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (311.65 KG/M)
500X500X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (315.32 KG/M)
500X500X21MM (SHS) SQUARE STEEL HOLLOW SECTION (318.99 KG/M)
500X500X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (322.66 KG/M)
500X500X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (326.32 KG/M)
500X500X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (329.98 KG/M)
500X500X22MM (SHS) SQUARE STEEL HOLLOW SECTION (333.64 KG/M)
500X500X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (337.29 KG/M)
500X500X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (340.94 KG/M)
500X500X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (344.59 KG/M)
500X500X23MM (SHS) SQUARE STEEL HOLLOW SECTION (348.24 KG/M)
500X500X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (351.88 KG/M)
500X500X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (355.52 KG/M)

500X500X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (359.15 KG/M)
500X500X24MM (SHS) SQUARE STEEL HOLLOW SECTION (362.79 KG/M)
500X500X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (366.42 KG/M)
500X500X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (370.04 KG/M)
500X500X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (373.67 KG/M)
500X500X25MM (SHS) SQUARE STEEL HOLLOW SECTION (377.29 KG/M)
500X500X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (380.9 KG/M)
500X500X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (384.52 KG/M)
500X500X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (388.13 KG/M)
500X500X26MM (SHS) SQUARE STEEL HOLLOW SECTION (391.74 KG/M)
500X500X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (395.34 KG/M)
500X500X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (398.94 KG/M)
500X500X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (402.54 KG/M)
500X500X27MM (SHS) SQUARE STEEL HOLLOW SECTION (406.14 KG/M)
500X500X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (409.73 KG/M)
500X500X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (413.32 KG/M)
500X500X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (416.91 KG/M)
500X500X28MM (SHS) SQUARE STEEL HOLLOW SECTION (420.49 KG/M)
500X500X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (424.07 KG/M)
500X500X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (427.65 KG/M)
500X500X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (431.22 KG/M)
500X500X29MM (SHS) SQUARE STEEL HOLLOW SECTION (434.79 KG/M)
500X500X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (438.36 KG/M)
500X500X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (441.92 KG/M)
500X500X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (445.48 KG/M)
500X500X30MM (SHS) SQUARE STEEL HOLLOW SECTION (449.04 KG/M)
500X500X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (452.6 KG/M)
500X500X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (456.15 KG/M)
500X500X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (459.7 KG/M)
500X500X31MM (SHS) SQUARE STEEL HOLLOW SECTION (463.25 KG/M)
500X500X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (466.79 KG/M)
500X500X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (470.33 KG/M)
500X500X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (473.87 KG/M)
500X500X32MM (SHS) SQUARE STEEL HOLLOW SECTION (477.4 KG/M)
500X500X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (480.93 KG/M)
500X500X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (484.46 KG/M)
500X500X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (487.98 KG/M)
500X500X33MM (SHS) SQUARE STEEL HOLLOW SECTION (491.51 KG/M)
500X500X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (495.02 KG/M)
500X500X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (498.54 KG/M)
500X500X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (502.05 KG/M)
500X500X34MM (SHS) SQUARE STEEL HOLLOW SECTION (505.56 KG/M)
500X500X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (509.07 KG/M)
500X500X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (512.57 KG/M)
500X500X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (516.07 KG/M)
500X500X35MM (SHS) SQUARE STEEL HOLLOW SECTION (519.57 KG/M)
500X500X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (523.06 KG/M)
500X500X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (526.55 KG/M)
500X500X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (530.04 KG/M)
500X500X36MM (SHS) SQUARE STEEL HOLLOW SECTION (533.53 KG/M)
500X500X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (537.01 KG/M)
500X500X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (540.49 KG/M)
500X500X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (543.96 KG/M)
500X500X37MM (SHS) SQUARE STEEL HOLLOW SECTION (547.43 KG/M)
500X500X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (550.9 KG/M)
500X500X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (554.37 KG/M)
500X500X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (557.83 KG/M)
500X500X38MM (SHS) SQUARE STEEL HOLLOW SECTION (561.29 KG/M)

500X500X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (564.75 KG/M)
500X500X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (568.2 KG/M)
500X500X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (571.65 KG/M)
500X500X39MM (SHS) SQUARE STEEL HOLLOW SECTION (575.1 KG/M)
500X500X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (578.54 KG/M)
500X500X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (581.99 KG/M)
500X500X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (585.42 KG/M)
500X500X40MM (SHS) SQUARE STEEL HOLLOW SECTION (588.86 KG/M)
550X550X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (161.92 KG/M)
550X550X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (166.12 KG/M)
550X550X10MM (SHS) SQUARE STEEL HOLLOW SECTION (170.32 KG/M)
550X550X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (174.52 KG/M)
550X550X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (178.71 KG/M)
550X550X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (182.9 KG/M)
550X550X11MM (SHS) SQUARE STEEL HOLLOW SECTION (187.08 KG/M)
550X550X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (191.26 KG/M)
550X550X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (195.44 KG/M)
550X550X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (199.62 KG/M)
550X550X12MM (SHS) SQUARE STEEL HOLLOW SECTION (203.79 KG/M)
550X550X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (207.96 KG/M)
550X550X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (212.13 KG/M)
550X550X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (216.3 KG/M)
550X550X13MM (SHS) SQUARE STEEL HOLLOW SECTION (220.46 KG/M)
550X550X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (224.61 KG/M)
550X550X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (228.77 KG/M)
550X550X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (232.92 KG/M)
550X550X14MM (SHS) SQUARE STEEL HOLLOW SECTION (237.07 KG/M)
550X550X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (241.21 KG/M)
550X550X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (261.9 KG/M)
550X550X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (266.02 KG/M)
550X550X16MM (SHS) SQUARE STEEL HOLLOW SECTION (270.15 KG/M)
550X550X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (274.27 KG/M)
550X550X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (278.39 KG/M)
550X550X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (282.5 KG/M)
550X550X17MM (SHS) SQUARE STEEL HOLLOW SECTION (286.61 KG/M)
550X550X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (290.72 KG/M)
550X550X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (294.83 KG/M)
550X550X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (298.93 KG/M)
550X550X18MM (SHS) SQUARE STEEL HOLLOW SECTION (303.03 KG/M)
550X550X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (307.12 KG/M)
550X550X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (311.22 KG/M)
550X550X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (315.31 KG/M)
550X550X19MM (SHS) SQUARE STEEL HOLLOW SECTION (319.39 KG/M)
550X550X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (323.48 KG/M)
550X550X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (327.56 KG/M)
550X550X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (331.64 KG/M)
550X550X20MM (SHS) SQUARE STEEL HOLLOW SECTION (335.71 KG/M)
550X550X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (339.78 KG/M)
550X550X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (343.85 KG/M)
550X550X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (347.92 KG/M)
550X550X21MM (SHS) SQUARE STEEL HOLLOW SECTION (351.98 KG/M)
550X550X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (356.04 KG/M)
550X550X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (360.09 KG/M)
550X550X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (364.15 KG/M)
550X550X22MM (SHS) SQUARE STEEL HOLLOW SECTION (368.2 KG/M)
550X550X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (372.24 KG/M)
550X550X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (376.29 KG/M)
550X550X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (380.33 KG/M)

550X550X23MM (SHS) SQUARE STEEL HOLLOW SECTION (384.37 KG/M)
550X550X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (388.4 KG/M)
550X550X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (392.43 KG/M)
550X550X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (396.46 KG/M)
550X550X24MM (SHS) SQUARE STEEL HOLLOW SECTION (400.49 KG/M)
550X550X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (404.51 KG/M)
550X550X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (408.53 KG/M)
550X550X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (412.54 KG/M)
550X550X25MM (SHS) SQUARE STEEL HOLLOW SECTION (416.56 KG/M)
550X550X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (420.57 KG/M)
550X550X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (424.57 KG/M)
550X550X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (428.58 KG/M)
550X550X26MM (SHS) SQUARE STEEL HOLLOW SECTION (432.58 KG/M)
550X550X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (436.57 KG/M)
550X550X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (440.57 KG/M)
550X550X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (444.56 KG/M)
550X550X27MM (SHS) SQUARE STEEL HOLLOW SECTION (448.55 KG/M)
550X550X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (452.53 KG/M)
550X550X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (456.52 KG/M)
550X550X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (460.49 KG/M)
550X550X28MM (SHS) SQUARE STEEL HOLLOW SECTION (464.47 KG/M)
550X550X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (468.44 KG/M)
550X550X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (472.41 KG/M)
550X550X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (476.38 KG/M)
550X550X29MM (SHS) SQUARE STEEL HOLLOW SECTION (480.34 KG/M)
550X550X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (484.3 KG/M)
550X550X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (488.26 KG/M)
550X550X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (492.22 KG/M)
550X550X30MM (SHS) SQUARE STEEL HOLLOW SECTION (496.17 KG/M)
550X550X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (500.12 KG/M)
550X550X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (504.06 KG/M)
550X550X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (508 KG/M)
550X550X31MM (SHS) SQUARE STEEL HOLLOW SECTION (511.94 KG/M)
550X550X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (515.88 KG/M)
550X550X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (519.81 KG/M)
550X550X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (523.74 KG/M)
550X550X32MM (SHS) SQUARE STEEL HOLLOW SECTION (527.67 KG/M)
550X550X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (531.59 KG/M)
550X550X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (535.51 KG/M)
550X550X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (539.43 KG/M)
550X550X33MM (SHS) SQUARE STEEL HOLLOW SECTION (543.34 KG/M)
550X550X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (547.25 KG/M)
550X550X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (551.16 KG/M)
550X550X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (555.07 KG/M)
550X550X34MM (SHS) SQUARE STEEL HOLLOW SECTION (558.97 KG/M)
550X550X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (562.87 KG/M)
550X550X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (566.76 KG/M)
550X550X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (570.66 KG/M)
550X550X35MM (SHS) SQUARE STEEL HOLLOW SECTION (574.55 KG/M)
550X550X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (578.43 KG/M)
550X550X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (582.32 KG/M)
550X550X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (586.2 KG/M)
550X550X36MM (SHS) SQUARE STEEL HOLLOW SECTION (590.07 KG/M)
550X550X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (593.95 KG/M)
550X550X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (597.82 KG/M)
550X550X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (601.69 KG/M)
550X550X37MM (SHS) SQUARE STEEL HOLLOW SECTION (605.55 KG/M)
550X550X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (609.41 KG/M)

550X550X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (613.27 KG/M)
550X550X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (617.13 KG/M)
550X550X38MM (SHS) SQUARE STEEL HOLLOW SECTION (620.98 KG/M)
550X550X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (624.83 KG/M)
550X550X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (628.68 KG/M)
550X550X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (632.52 KG/M)
550X550X39MM (SHS) SQUARE STEEL HOLLOW SECTION (636.36 KG/M)
550X550X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (640.2 KG/M)
550X550X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (644.03 KG/M)
550X550X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (647.86 KG/M)
550X550X40MM (SHS) SQUARE STEEL HOLLOW SECTION (651.69 KG/M)
550X550X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (655.52 KG/M)
550X550X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (659.34 KG/M)
550X550X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (663.16 KG/M)
550X550X41MM (SHS) SQUARE STEEL HOLLOW SECTION (666.97 KG/M)
550X550X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (670.79 KG/M)
550X550X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (674.6 KG/M)
550X550X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (678.4 KG/M)
550X550X42MM (SHS) SQUARE STEEL HOLLOW SECTION (682.2 KG/M)
550X550X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (686.01 KG/M)
550X550X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (689.8 KG/M)
550X550X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (693.6 KG/M)
550X550X43MM (SHS) SQUARE STEEL HOLLOW SECTION (697.39 KG/M)
550X550X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (701.18 KG/M)
550X550X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (704.96 KG/M)
550X550X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (708.74 KG/M)
550X550X44MM (SHS) SQUARE STEEL HOLLOW SECTION (712.52 KG/M)
550X550X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (716.3 KG/M)
550X550X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (720.07 KG/M)
550X550X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (723.84 KG/M)
550X550X45MM (SHS) SQUARE STEEL HOLLOW SECTION (727.6 KG/M)
550X550X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (731.37 KG/M)
550X550X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (735.13 KG/M)
550X550X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (738.89 KG/M)
550X550X46MM (SHS) SQUARE STEEL HOLLOW SECTION (742.64 KG/M)
550X550X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (746.39 KG/M)
550X550X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (750.14 KG/M)
550X550X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (753.88 KG/M)
550X550X47MM (SHS) SQUARE STEEL HOLLOW SECTION (757.62 KG/M)
550X550X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (761.36 KG/M)
550X550X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (765.1 KG/M)
550X550X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (768.83 KG/M)
550X550X48MM (SHS) SQUARE STEEL HOLLOW SECTION (772.56 KG/M)
550X550X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (776.29 KG/M)
550X550X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (780.01 KG/M)
550X550X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (783.73 KG/M)
550X550X49MM (SHS) SQUARE STEEL HOLLOW SECTION (787.45 KG/M)
550X550X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (791.16 KG/M)
550X550X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (794.87 KG/M)
550X550X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (798.58 KG/M)
550X550X50MM (SHS) SQUARE STEEL HOLLOW SECTION (802.28 KG/M)
600X600X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (176.85 KG/M)
600X600X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (181.44 KG/M)
600X600X10MM (SHS) SQUARE STEEL HOLLOW SECTION (186.03 KG/M)
600X600X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (190.62 KG/M)
600X600X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (195.2 KG/M)
600X600X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (199.78 KG/M)
600X600X11MM (SHS) SQUARE STEEL HOLLOW SECTION (204.36 KG/M)

600X600X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (208.94 KG/M)
600X600X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (213.51 KG/M)
600X600X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (218.08 KG/M)
600X600X12MM (SHS) SQUARE STEEL HOLLOW SECTION (222.64 KG/M)
600X600X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (227.21 KG/M)
600X600X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (231.77 KG/M)
600X600X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (236.32 KG/M)
600X600X13MM (SHS) SQUARE STEEL HOLLOW SECTION (240.88 KG/M)
600X600X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (245.43 KG/M)
600X600X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (249.97 KG/M)
600X600X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (254.52 KG/M)
600X600X14MM (SHS) SQUARE STEEL HOLLOW SECTION (259.06 KG/M)
600X600X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (263.6 KG/M)
600X600X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (268.13 KG/M)
600X600X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (272.67 KG/M)
600X600X15MM (SHS) SQUARE STEEL HOLLOW SECTION (277.19 KG/M)
600X600X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (281.72 KG/M)
600X600X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (286.24 KG/M)
600X600X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (290.76 KG/M)
600X600X16MM (SHS) SQUARE STEEL HOLLOW SECTION (295.28 KG/M)
600X600X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (299.79 KG/M)
600X600X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (304.3 KG/M)
600X600X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (308.81 KG/M)
600X600X17MM (SHS) SQUARE STEEL HOLLOW SECTION (313.32 KG/M)
600X600X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (317.82 KG/M)
600X600X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (322.31 KG/M)
600X600X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (326.81 KG/M)
600X600X18MM (SHS) SQUARE STEEL HOLLOW SECTION (331.3 KG/M)
600X600X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (335.79 KG/M)
600X600X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (340.28 KG/M)
600X600X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (344.76 KG/M)
600X600X19MM (SHS) SQUARE STEEL HOLLOW SECTION (349.24 KG/M)
600X600X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (353.72 KG/M)
600X600X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (358.19 KG/M)
600X600X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (362.66 KG/M)
600X600X20MM (SHS) SQUARE STEEL HOLLOW SECTION (367.13 KG/M)
600X600X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (371.59 KG/M)
600X600X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (376.05 KG/M)
600X600X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (380.51 KG/M)
600X600X21MM (SHS) SQUARE STEEL HOLLOW SECTION (384.96 KG/M)
600X600X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (389.42 KG/M)
600X600X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (393.87 KG/M)
600X600X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (398.31 KG/M)
600X600X22MM (SHS) SQUARE STEEL HOLLOW SECTION (402.75 KG/M)
600X600X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (407.19 KG/M)
600X600X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (411.63 KG/M)
600X600X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (416.06 KG/M)
600X600X23MM (SHS) SQUARE STEEL HOLLOW SECTION (420.49 KG/M)
600X600X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (424.92 KG/M)
600X600X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (429.35 KG/M)
600X600X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (433.77 KG/M)
600X600X24MM (SHS) SQUARE STEEL HOLLOW SECTION (438.18 KG/M)
600X600X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (442.6 KG/M)
600X600X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (447.01 KG/M)
600X600X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (451.42 KG/M)
600X600X25MM (SHS) SQUARE STEEL HOLLOW SECTION (455.83 KG/M)
600X600X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (460.23 KG/M)
600X600X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (464.63 KG/M)

600X600X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (469.02 KG/M)
600X600X26MM (SHS) SQUARE STEEL HOLLOW SECTION (473.42 KG/M)
600X600X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (477.81 KG/M)
600X600X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (482.19 KG/M)
600X600X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (486.58 KG/M)
600X600X27MM (SHS) SQUARE STEEL HOLLOW SECTION (490.96 KG/M)
600X600X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (495.34 KG/M)
600X600X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (499.71 KG/M)
600X600X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (504.08 KG/M)
600X600X28MM (SHS) SQUARE STEEL HOLLOW SECTION (508.45 KG/M)
600X600X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (512.82 KG/M)
600X600X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (517.18 KG/M)
600X600X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (521.54 KG/M)
600X600X29MM (SHS) SQUARE STEEL HOLLOW SECTION (525.9 KG/M)
600X600X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (530.25 KG/M)
600X600X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (534.6 KG/M)
600X600X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (538.95 KG/M)
600X600X30MM (SHS) SQUARE STEEL HOLLOW SECTION (543.29 KG/M)
600X600X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (547.63 KG/M)
600X600X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (551.97 KG/M)
600X600X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (556.3 KG/M)
600X600X31MM (SHS) SQUARE STEEL HOLLOW SECTION (560.64 KG/M)
600X600X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (564.97 KG/M)
600X600X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (569.29 KG/M)
600X600X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (573.61 KG/M)
600X600X32MM (SHS) SQUARE STEEL HOLLOW SECTION (577.93 KG/M)
600X600X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (582.25 KG/M)
600X600X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (586.56 KG/M)
600X600X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (590.87 KG/M)
600X600X33MM (SHS) SQUARE STEEL HOLLOW SECTION (595.18 KG/M)
600X600X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (599.48 KG/M)
600X600X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (603.78 KG/M)
600X600X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (608.08 KG/M)
600X600X34MM (SHS) SQUARE STEEL HOLLOW SECTION (612.38 KG/M)
600X600X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (616.67 KG/M)
600X600X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (620.96 KG/M)
600X600X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (625.24 KG/M)
600X600X35MM (SHS) SQUARE STEEL HOLLOW SECTION (629.52 KG/M)
600X600X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (633.8 KG/M)
600X600X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (638.08 KG/M)
600X600X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (642.35 KG/M)
600X600X36MM (SHS) SQUARE STEEL HOLLOW SECTION (646.62 KG/M)
600X600X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (650.89 KG/M)
600X600X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (655.15 KG/M)
600X600X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (659.41 KG/M)
600X600X37MM (SHS) SQUARE STEEL HOLLOW SECTION (663.67 KG/M)
600X600X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (667.93 KG/M)
600X600X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (672.18 KG/M)
600X600X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (676.43 KG/M)
600X600X38MM (SHS) SQUARE STEEL HOLLOW SECTION (680.67 KG/M)
600X600X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (684.91 KG/M)
600X600X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (689.15 KG/M)
600X600X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (693.39 KG/M)
600X600X39MM (SHS) SQUARE STEEL HOLLOW SECTION (697.62 KG/M)
600X600X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (701.85 KG/M)
600X600X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (706.08 KG/M)
600X600X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (710.3 KG/M)
600X600X40MM (SHS) SQUARE STEEL HOLLOW SECTION (714.52 KG/M)

600X600X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (718.74 KG/M)
600X600X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (722.96 KG/M)
600X600X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (727.17 KG/M)
600X600X41MM (SHS) SQUARE STEEL HOLLOW SECTION (731.38 KG/M)
600X600X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (735.58 KG/M)
600X600X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (739.78 KG/M)
600X600X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (743.98 KG/M)
600X600X42MM (SHS) SQUARE STEEL HOLLOW SECTION (748.18 KG/M)
600X600X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (752.37 KG/M)
600X600X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (756.56 KG/M)
600X600X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (760.75 KG/M)
600X600X43MM (SHS) SQUARE STEEL HOLLOW SECTION (764.93 KG/M)
600X600X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (769.11 KG/M)
600X600X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (773.29 KG/M)
600X600X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (777.46 KG/M)
600X600X44MM (SHS) SQUARE STEEL HOLLOW SECTION (781.64 KG/M)
600X600X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (785.8 KG/M)
600X600X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (789.97 KG/M)
600X600X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (794.13 KG/M)
600X600X45MM (SHS) SQUARE STEEL HOLLOW SECTION (798.29 KG/M)
600X600X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (802.45 KG/M)
600X600X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (806.6 KG/M)
600X600X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (810.75 KG/M)
600X600X46MM (SHS) SQUARE STEEL HOLLOW SECTION (814.9 KG/M)
600X600X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (819.04 KG/M)
600X600X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (823.18 KG/M)
600X600X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (827.32 KG/M)
600X600X47MM (SHS) SQUARE STEEL HOLLOW SECTION (831.45 KG/M)
600X600X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (835.58 KG/M)
600X600X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (839.71 KG/M)
600X600X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (843.84 KG/M)
600X600X48MM (SHS) SQUARE STEEL HOLLOW SECTION (847.96 KG/M)
600X600X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (852.08 KG/M)
600X600X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (856.19 KG/M)
600X600X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (860.31 KG/M)
600X600X49MM (SHS) SQUARE STEEL HOLLOW SECTION (864.42 KG/M)
600X600X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (868.52 KG/M)
600X600X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (872.63 KG/M)
600X600X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (876.73 KG/M)
600X600X50MM (SHS) SQUARE STEEL HOLLOW SECTION (880.82 KG/M)
650X650X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (191.77 KG/M)
650X650X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (191.77 KG/M)
650X650X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (196.75 KG/M)
650X650X10MM (SHS) SQUARE STEEL HOLLOW SECTION (201.74 KG/M)
650X650X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (206.72 KG/M)
650X650X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (211.69 KG/M)
650X650X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (216.67 KG/M)
650X650X11MM (SHS) SQUARE STEEL HOLLOW SECTION (221.64 KG/M)
650X650X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (226.61 KG/M)
650X650X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (231.57 KG/M)
650X650X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (236.53 KG/M)
650X650X12MM (SHS) SQUARE STEEL HOLLOW SECTION (241.49 KG/M)
650X650X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (246.45 KG/M)
650X650X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (251.4 KG/M)
650X650X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (256.35 KG/M)
650X650X13MM (SHS) SQUARE STEEL HOLLOW SECTION (261.3 KG/M)
650X650X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (266.24 KG/M)
650X650X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (271.18 KG/M)

650X650X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (276.12 KG/M)
650X650X14MM (SHS) SQUARE STEEL HOLLOW SECTION (281.05 KG/M)
650X650X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (285.98 KG/M)
650X650X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (290.91 KG/M)
650X650X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (295.83 KG/M)
650X650X15MM (SHS) SQUARE STEEL HOLLOW SECTION (300.76 KG/M)
650X650X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (305.68 KG/M)
650X650X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (310.59 KG/M)
650X650X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (315.5 KG/M)
650X650X16MM (SHS) SQUARE STEEL HOLLOW SECTION (320.41 KG/M)
650X650X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (325.32 KG/M)
650X650X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (330.22 KG/M)
650X650X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (335.12 KG/M)
650X650X17MM (SHS) SQUARE STEEL HOLLOW SECTION (340.02 KG/M)
650X650X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (344.91 KG/M)
650X650X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (349.8 KG/M)
650X650X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (354.69 KG/M)
650X650X18MM (SHS) SQUARE STEEL HOLLOW SECTION (359.58 KG/M)
650X650X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (364.46 KG/M)
650X650X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (369.34 KG/M)
650X650X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (374.21 KG/M)
650X650X19MM (SHS) SQUARE STEEL HOLLOW SECTION (379.08 KG/M)
650X650X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (383.95 KG/M)
650X650X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (388.82 KG/M)
650X650X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (393.68 KG/M)
650X650X20MM (SHS) SQUARE STEEL HOLLOW SECTION (398.54 KG/M)
650X650X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (403.4 KG/M)
650X650X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (408.25 KG/M)
650X650X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (413.1 KG/M)
650X650X21MM (SHS) SQUARE STEEL HOLLOW SECTION (417.95 KG/M)
650X650X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (422.8 KG/M)
650X650X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (427.64 KG/M)
650X650X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (432.48 KG/M)
650X650X22MM (SHS) SQUARE STEEL HOLLOW SECTION (437.31 KG/M)
650X650X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (442.14 KG/M)
650X650X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (446.97 KG/M)
650X650X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (451.8 KG/M)
650X650X23MM (SHS) SQUARE STEEL HOLLOW SECTION (456.62 KG/M)
650X650X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (461.44 KG/M)
650X650X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (466.26 KG/M)
650X650X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (471.07 KG/M)
650X650X24MM (SHS) SQUARE STEEL HOLLOW SECTION (475.88 KG/M)
650X650X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (480.69 KG/M)
650X650X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (485.5 KG/M)
650X650X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (490.3 KG/M)
650X650X25MM (SHS) SQUARE STEEL HOLLOW SECTION (495.1 KG/M)
650X650X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (499.89 KG/M)
650X650X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (504.68 KG/M)
650X650X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (509.47 KG/M)
650X650X26MM (SHS) SQUARE STEEL HOLLOW SECTION (514.26 KG/M)
650X650X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (519.04 KG/M)
650X650X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (523.82 KG/M)
650X650X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (528.6 KG/M)
650X650X27MM (SHS) SQUARE STEEL HOLLOW SECTION (533.37 KG/M)
650X650X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (538.14 KG/M)
650X650X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (542.91 KG/M)
650X650X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (547.67 KG/M)
650X650X28MM (SHS) SQUARE STEEL HOLLOW SECTION (552.44 KG/M)

650X650X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (557.19 KG/M)
650X650X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (561.95 KG/M)
650X650X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (566.7 KG/M)
650X650X29MM (SHS) SQUARE STEEL HOLLOW SECTION (571.45 KG/M)
650X650X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (576.2 KG/M)
650X650X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (580.94 KG/M)
650X650X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (585.68 KG/M)
650X650X30MM (SHS) SQUARE STEEL HOLLOW SECTION (590.42 KG/M)
650X650X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (595.15 KG/M)
650X650X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (599.88 KG/M)
650X650X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (604.61 KG/M)
650X650X31MM (SHS) SQUARE STEEL HOLLOW SECTION (609.33 KG/M)
650X650X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (614.05 KG/M)
650X650X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (618.77 KG/M)
650X650X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (623.49 KG/M)
650X650X32MM (SHS) SQUARE STEEL HOLLOW SECTION (628.2 KG/M)
650X650X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (632.91 KG/M)
650X650X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (637.61 KG/M)
650X650X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (642.32 KG/M)
650X650X33MM (SHS) SQUARE STEEL HOLLOW SECTION (647.02 KG/M)
650X650X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (651.71 KG/M)
650X650X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (656.41 KG/M)
650X650X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (661.1 KG/M)
650X650X34MM (SHS) SQUARE STEEL HOLLOW SECTION (665.78 KG/M)
650X650X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (670.47 KG/M)
650X650X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (675.15 KG/M)
650X650X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (679.83 KG/M)
650X650X35MM (SHS) SQUARE STEEL HOLLOW SECTION (684.5 KG/M)
650X650X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (689.17 KG/M)
650X650X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (693.84 KG/M)
650X650X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (698.51 KG/M)
650X650X36MM (SHS) SQUARE STEEL HOLLOW SECTION (703.17 KG/M)
650X650X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (707.83 KG/M)
650X650X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (712.49 KG/M)
650X650X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (717.14 KG/M)
650X650X37MM (SHS) SQUARE STEEL HOLLOW SECTION (721.79 KG/M)
650X650X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (726.44 KG/M)
650X650X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (731.08 KG/M)
650X650X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (735.72 KG/M)
650X650X38MM (SHS) SQUARE STEEL HOLLOW SECTION (740.36 KG/M)
650X650X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (745 KG/M)
650X650X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (749.63 KG/M)
650X650X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (754.26 KG/M)
650X650X39MM (SHS) SQUARE STEEL HOLLOW SECTION (758.88 KG/M)
650X650X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (763.51 KG/M)
650X650X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (768.13 KG/M)
650X650X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (772.74 KG/M)
650X650X40MM (SHS) SQUARE STEEL HOLLOW SECTION (777.36 KG/M)
650X650X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (781.97 KG/M)
650X650X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (786.57 KG/M)
650X650X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (791.18 KG/M)
650X650X41MM (SHS) SQUARE STEEL HOLLOW SECTION (795.78 KG/M)
650X650X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (800.38 KG/M)
650X650X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (804.97 KG/M)
650X650X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (809.56 KG/M)
650X650X42MM (SHS) SQUARE STEEL HOLLOW SECTION (814.15 KG/M)
650X650X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (818.74 KG/M)
650X650X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (823.32 KG/M)

650X650X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (827.9 KG/M)
650X650X43MM (SHS) SQUARE STEEL HOLLOW SECTION (832.48 KG/M)
650X650X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (837.05 KG/M)
650X650X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (841.62 KG/M)
650X650X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (846.19 KG/M)
650X650X44MM (SHS) SQUARE STEEL HOLLOW SECTION (850.75 KG/M)
650X650X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (855.31 KG/M)
650X650X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (859.87 KG/M)
650X650X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (864.42 KG/M)
650X650X45MM (SHS) SQUARE STEEL HOLLOW SECTION (868.98 KG/M)
650X650X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (873.52 KG/M)
650X650X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (878.07 KG/M)
650X650X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (882.61 KG/M)
650X650X46MM (SHS) SQUARE STEEL HOLLOW SECTION (887.15 KG/M)
650X650X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (891.69 KG/M)
650X650X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (896.22 KG/M)
650X650X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (900.75 KG/M)
650X650X47MM (SHS) SQUARE STEEL HOLLOW SECTION (905.28 KG/M)
650X650X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (909.8 KG/M)
650X650X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (914.32 KG/M)
650X650X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (918.84 KG/M)
650X650X48MM (SHS) SQUARE STEEL HOLLOW SECTION (923.36 KG/M)
650X650X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (927.87 KG/M)
650X650X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (932.38 KG/M)
650X650X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (936.88 KG/M)
650X650X49MM (SHS) SQUARE STEEL HOLLOW SECTION (941.38 KG/M)
650X650X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (945.88 KG/M)
650X650X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (950.38 KG/M)
650X650X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (954.87 KG/M)
650X650X50MM (SHS) SQUARE STEEL HOLLOW SECTION (959.36 KG/M)
700X700X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (206.69 KG/M)
700X700X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (212.07 KG/M)
700X700X10MM (SHS) SQUARE STEEL HOLLOW SECTION (217.45 KG/M)
700X700X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (222.82 KG/M)
700X700X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (228.19 KG/M)
700X700X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (233.55 KG/M)
700X700X11MM (SHS) SQUARE STEEL HOLLOW SECTION (238.92 KG/M)
700X700X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (244.28 KG/M)
700X700X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (249.65 KG/M)
700X700X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (255.01 KG/M)
700X700X12MM (SHS) SQUARE STEEL HOLLOW SECTION (260.34 KG/M)
700X700X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (265.69 KG/M)
700X700X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (271.04 KG/M)
700X700X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (276.38 KG/M)
700X700X13MM (SHS) SQUARE STEEL HOLLOW SECTION (281.72 KG/M)
700X700X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (287.05 KG/M)
700X700X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (292.39 KG/M)
700X700X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (297.72 KG/M)
700X700X14MM (SHS) SQUARE STEEL HOLLOW SECTION (303.04 KG/M)
700X700X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (308.37 KG/M)
700X700X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (313.69 KG/M)
700X700X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (319 KG/M)
700X700X15MM (SHS) SQUARE STEEL HOLLOW SECTION (324.32 KG/M)
700X700X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (329.63 KG/M)
700X700X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (334.94 KG/M)
700X700X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (340.24 KG/M)
700X700X16MM (SHS) SQUARE STEEL HOLLOW SECTION (345.54 KG/M)
700X700X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (350.84 KG/M)
700X700X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (356.14 KG/M)

700X700X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (361.43 KG/M)
700X700X17MM (SHS) SQUARE STEEL HOLLOW SECTION (366.72 KG/M)
700X700X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (372.01 KG/M)
700X700X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (377.29 KG/M)
700X700X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (382.57 KG/M)
700X700X18MM (SHS) SQUARE STEEL HOLLOW SECTION (387.85 KG/M)
700X700X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (393.12 KG/M)
700X700X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (398.4 KG/M)
700X700X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (403.66 KG/M)
700X700X19MM (SHS) SQUARE STEEL HOLLOW SECTION (408.93 KG/M)
700X700X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (414.19 KG/M)
700X700X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (419.45 KG/M)
700X700X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (424.71 KG/M)
700X700X20MM (SHS) SQUARE STEEL HOLLOW SECTION (429.96 KG/M)
700X700X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (435.21 KG/M)
700X700X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (440.45 KG/M)
700X700X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (445.7 KG/M)
700X700X21MM (SHS) SQUARE STEEL HOLLOW SECTION (450.94 KG/M)
700X700X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (456.18 KG/M)
700X700X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (461.41 KG/M)
700X700X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (466.64 KG/M)
700X700X22MM (SHS) SQUARE STEEL HOLLOW SECTION (471.87 KG/M)
700X700X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (477.09 KG/M)
700X700X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (482.32 KG/M)
700X700X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (487.53 KG/M)
700X700X23MM (SHS) SQUARE STEEL HOLLOW SECTION (492.75 KG/M)
700X700X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (497.96 KG/M)
700X700X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (503.17 KG/M)
700X700X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (508.38 KG/M)
700X700X24MM (SHS) SQUARE STEEL HOLLOW SECTION (513.58 KG/M)
700X700X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (518.78 KG/M)
700X700X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (523.98 KG/M)
700X700X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (529.17 KG/M)
700X700X25MM (SHS) SQUARE STEEL HOLLOW SECTION (534.37 KG/M)
700X700X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (539.55 KG/M)
700X700X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (544.74 KG/M)
700X700X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (549.92 KG/M)
700X700X26MM (SHS) SQUARE STEEL HOLLOW SECTION (555.1 KG/M)
700X700X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (560.27 KG/M)
700X700X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (565.45 KG/M)
700X700X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (570.62 KG/M)
700X700X27MM (SHS) SQUARE STEEL HOLLOW SECTION (575.78 KG/M)
700X700X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (580.95 KG/M)
700X700X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (586.11 KG/M)
700X700X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (591.26 KG/M)
700X700X28MM (SHS) SQUARE STEEL HOLLOW SECTION (596.42 KG/M)
700X700X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (601.57 KG/M)
700X700X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (606.72 KG/M)
700X700X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (611.86 KG/M)
700X700X29MM (SHS) SQUARE STEEL HOLLOW SECTION (617 KG/M)
700X700X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (622.14 KG/M)
700X700X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (627.28 KG/M)
700X700X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (632.41 KG/M)
700X700X30MM (SHS) SQUARE STEEL HOLLOW SECTION (637.54 KG/M)
700X700X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (642.67 KG/M)
700X700X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (647.79 KG/M)
700X700X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (652.91 KG/M)
700X700X31MM (SHS) SQUARE STEEL HOLLOW SECTION (658.03 KG/M)

700X700X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (663.14 KG/M)
700X700X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (668.25 KG/M)
700X700X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (673.36 KG/M)
700X700X32MM (SHS) SQUARE STEEL HOLLOW SECTION (678.46 KG/M)
700X700X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (683.56 KG/M)
700X700X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (688.66 KG/M)
700X700X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (693.76 KG/M)
700X700X33MM (SHS) SQUARE STEEL HOLLOW SECTION (698.85 KG/M)
700X700X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (703.94 KG/M)
700X700X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (709.03 KG/M)
700X700X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (714.11 KG/M)
700X700X34MM (SHS) SQUARE STEEL HOLLOW SECTION (719.19 KG/M)
700X700X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (724.27 KG/M)
700X700X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (729.34 KG/M)
700X700X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (734.41 KG/M)
700X700X35MM (SHS) SQUARE STEEL HOLLOW SECTION (739.48 KG/M)
700X700X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (744.54 KG/M)
700X700X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (749.61 KG/M)
700X700X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (754.66 KG/M)
700X700X36MM (SHS) SQUARE STEEL HOLLOW SECTION (759.72 KG/M)
700X700X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (764.77 KG/M)
700X700X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (769.82 KG/M)
700X700X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (774.87 KG/M)
700X700X37MM (SHS) SQUARE STEEL HOLLOW SECTION (779.91 KG/M)
700X700X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (784.95 KG/M)
700X700X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (789.99 KG/M)
700X700X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (795.02 KG/M)
700X700X38MM (SHS) SQUARE STEEL HOLLOW SECTION (800.05 KG/M)
700X700X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (805.08 KG/M)
700X700X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (810.1 KG/M)
700X700X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (815.13 KG/M)
700X700X39MM (SHS) SQUARE STEEL HOLLOW SECTION (820.14 KG/M)
700X700X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (825.16 KG/M)
700X700X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (830.17 KG/M)
700X700X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (835.18 KG/M)
700X700X40MM (SHS) SQUARE STEEL HOLLOW SECTION (840.19 KG/M)
700X700X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (845.19 KG/M)
700X700X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (850.19 KG/M)
700X700X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (855.19 KG/M)
700X700X41MM (SHS) SQUARE STEEL HOLLOW SECTION (860.18 KG/M)
700X700X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (865.17 KG/M)
700X700X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (870.16 KG/M)
700X700X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (875.14 KG/M)
700X700X42MM (SHS) SQUARE STEEL HOLLOW SECTION (880.13 KG/M)
700X700X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (885.1 KG/M)
700X700X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (890.08 KG/M)
700X700X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (895.05 KG/M)
700X700X43MM (SHS) SQUARE STEEL HOLLOW SECTION (900.02 KG/M)
700X700X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (904.99 KG/M)
700X700X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (909.95 KG/M)
700X700X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (914.91 KG/M)
700X700X44MM (SHS) SQUARE STEEL HOLLOW SECTION (919.87 KG/M)
700X700X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (924.82 KG/M)
700X700X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (929.77 KG/M)
700X700X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (934.72 KG/M)
700X700X45MM (SHS) SQUARE STEEL HOLLOW SECTION (939.66 KG/M)
700X700X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (944.6 KG/M)
700X700X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (949.54 KG/M)

700X700X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (954.48 KG/M)
700X700X46MM (SHS) SQUARE STEEL HOLLOW SECTION (959.41 KG/M)
700X700X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (964.34 KG/M)
700X700X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (969.26 KG/M)
700X700X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (974.19 KG/M)
700X700X47MM (SHS) SQUARE STEEL HOLLOW SECTION (979.11 KG/M)
700X700X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (984.02 KG/M)
700X700X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (988.94 KG/M)
700X700X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (993.85 KG/M)
700X700X48MM (SHS) SQUARE STEEL HOLLOW SECTION (998.75 KG/M)
700X700X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1003.66 KG/M)
700X700X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1008.56 KG/M)
700X700X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1013.46 KG/M)
700X700X49MM (SHS) SQUARE STEEL HOLLOW SECTION (1018.35 KG/M)
700X700X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1023.25 KG/M)
700X700X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1028.13 KG/M)
700X700X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1033.02 KG/M)
700X700X50MM (SHS) SQUARE STEEL HOLLOW SECTION (1037.9 KG/M)
750X750X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (221.61 KG/M)
750X750X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (227.38 KG/M)
750X750X10MM (SHS) SQUARE STEEL HOLLOW SECTION (233.15 KG/M)
750X750X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (238.92 KG/M)
750X750X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (244.68 KG/M)
750X750X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (250.44 KG/M)
750X750X11MM (SHS) SQUARE STEEL HOLLOW SECTION (256.2 KG/M)
750X750X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (261.95 KG/M)
750X750X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (273.45 KG/M)
750X750X12MM (SHS) SQUARE STEEL HOLLOW SECTION (279.19 KG/M)
750X750X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (284.93 KG/M)
750X750X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (290.67 KG/M)
750X750X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (296.41 KG/M)
750X750X13MM (SHS) SQUARE STEEL HOLLOW SECTION (302.14 KG/M)
750X750X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (307.87 KG/M)
750X750X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (313.59 KG/M)
750X750X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (319.31 KG/M)
750X750X14MM (SHS) SQUARE STEEL HOLLOW SECTION (325.03 KG/M)
750X750X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (330.75 KG/M)
750X750X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (336.46 KG/M)
750X750X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (342.17 KG/M)
750X750X15MM (SHS) SQUARE STEEL HOLLOW SECTION (347.88 KG/M)
750X750X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (353.58 KG/M)
750X750X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (359.29 KG/M)
750X750X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (364.98 KG/M)
750X750X16MM (SHS) SQUARE STEEL HOLLOW SECTION (370.68 KG/M)
750X750X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (376.37 KG/M)
750X750X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (382.06 KG/M)
750X750X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (387.74 KG/M)
750X750X17MM (SHS) SQUARE STEEL HOLLOW SECTION (393.43 KG/M)
750X750X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (399.11 KG/M)
750X750X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (404.78 KG/M)
750X750X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (410.45 KG/M)
750X750X18MM (SHS) SQUARE STEEL HOLLOW SECTION (416.12 KG/M)
750X750X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (421.79 KG/M)
750X750X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (427.46 KG/M)
750X750X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (433.12 KG/M)
750X750X19MM (SHS) SQUARE STEEL HOLLOW SECTION (438.77 KG/M)
750X750X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (444.43 KG/M)
750X750X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (450.08 KG/M)

750X750X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (455.73 KG/M)
750X750X20MM (SHS) SQUARE STEEL HOLLOW SECTION (461.37 KG/M)
750X750X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (467.02 KG/M)
750X750X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (472.66 KG/M)
750X750X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (478.29 KG/M)
750X750X21MM (SHS) SQUARE STEEL HOLLOW SECTION (483.93 KG/M)
750X750X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (489.56 KG/M)
750X750X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (495.18 KG/M)
750X750X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (500.81 KG/M)
750X750X22MM (SHS) SQUARE STEEL HOLLOW SECTION (506.43 KG/M)
750X750X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (512.04 KG/M)
750X750X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (517.66 KG/M)
750X750X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (523.27 KG/M)
750X750X23MM (SHS) SQUARE STEEL HOLLOW SECTION (528.88 KG/M)
750X750X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (534.48 KG/M)
750X750X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (540.09 KG/M)
750X750X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (545.69 KG/M)
750X750X24MM (SHS) SQUARE STEEL HOLLOW SECTION (551.28 KG/M)
750X750X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (556.87 KG/M)
750X750X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (562.46 KG/M)
750X750X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (568.05 KG/M)
750X750X25MM (SHS) SQUARE STEEL HOLLOW SECTION (573.64 KG/M)
750X750X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (579.22 KG/M)
750X750X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (584.79 KG/M)
750X750X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (590.37 KG/M)
750X750X26MM (SHS) SQUARE STEEL HOLLOW SECTION (595.94 KG/M)
750X750X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (601.51 KG/M)
750X750X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (607.07 KG/M)
750X750X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (612.64 KG/M)
750X750X27MM (SHS) SQUARE STEEL HOLLOW SECTION (618.19 KG/M)
750X750X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (623.75 KG/M)
750X750X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (629.3 KG/M)
750X750X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (634.85 KG/M)
750X750X28MM (SHS) SQUARE STEEL HOLLOW SECTION (640.4 KG/M)
750X750X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (645.94 KG/M)
750X750X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (651.48 KG/M)
750X750X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (657.02 KG/M)
750X750X29MM (SHS) SQUARE STEEL HOLLOW SECTION (662.56 KG/M)
750X750X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (668.09 KG/M)
750X750X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (673.62 KG/M)
750X750X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (679.14 KG/M)
750X750X30MM (SHS) SQUARE STEEL HOLLOW SECTION (684.66 KG/M)
750X750X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (690.18 KG/M)
750X750X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (695.7 KG/M)
750X750X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (701.21 KG/M)
750X750X31MM (SHS) SQUARE STEEL HOLLOW SECTION (706.72 KG/M)
750X750X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (712.23 KG/M)
750X750X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (717.73 KG/M)
750X750X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (723.23 KG/M)
750X750X32MM (SHS) SQUARE STEEL HOLLOW SECTION (728.73 KG/M)
750X750X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (734.22 KG/M)
750X750X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (739.71 KG/M)
750X750X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (745.2 KG/M)
750X750X33MM (SHS) SQUARE STEEL HOLLOW SECTION (750.69 KG/M)
750X750X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (756.17 KG/M)
750X750X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (761.65 KG/M)
750X750X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (767.12 KG/M)
750X750X34MM (SHS) SQUARE STEEL HOLLOW SECTION (772.6 KG/M)

750X750X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (778.07 KG/M)
750X750X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (783.53 KG/M)
750X750X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (789 KG/M)
750X750X35MM (SHS) SQUARE STEEL HOLLOW SECTION (794.46 KG/M)
750X750X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (799.92 KG/M)
750X750X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (805.37 KG/M)
750X750X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (810.82 KG/M)
750X750X36MM (SHS) SQUARE STEEL HOLLOW SECTION (816.27 KG/M)
750X750X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (821.71 KG/M)
750X750X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (827.16 KG/M)
750X750X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (832.59 KG/M)
750X750X37MM (SHS) SQUARE STEEL HOLLOW SECTION (838.03 KG/M)
750X750X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (843.46 KG/M)
750X750X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (848.89 KG/M)
750X750X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (854.32 KG/M)
750X750X38MM (SHS) SQUARE STEEL HOLLOW SECTION (859.74 KG/M)
750X750X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (865.16 KG/M)
750X750X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (870.58 KG/M)
750X750X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (875.99 KG/M)
750X750X39MM (SHS) SQUARE STEEL HOLLOW SECTION (881.41 KG/M)
750X750X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (886.81 KG/M)
750X750X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (892.22 KG/M)
750X750X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (897.62 KG/M)
750X750X40MM (SHS) SQUARE STEEL HOLLOW SECTION (903.02 KG/M)
750X750X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (908.42 KG/M)
750X750X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (913.81 KG/M)
750X750X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (919.2 KG/M)
750X750X41MM (SHS) SQUARE STEEL HOLLOW SECTION (924.58 KG/M)
750X750X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (929.97 KG/M)
750X750X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (935.35 KG/M)
750X750X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (940.72 KG/M)
750X750X42MM (SHS) SQUARE STEEL HOLLOW SECTION (946.1 KG/M)
750X750X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (951.47 KG/M)
750X750X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (956.84 KG/M)
750X750X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (962.2 KG/M)
750X750X43MM (SHS) SQUARE STEEL HOLLOW SECTION (967.56 KG/M)
750X750X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (972.92 KG/M)
750X750X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (978.28 KG/M)
750X750X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (983.63 KG/M)
750X750X44MM (SHS) SQUARE STEEL HOLLOW SECTION (988.98 KG/M)
750X750X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (994.33 KG/M)
750X750X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (999.67 KG/M)
750X750X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1005.01 KG/M)
750X750X45MM (SHS) SQUARE STEEL HOLLOW SECTION (1010.35 KG/M)
750X750X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1015.68 KG/M)
750X750X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1021.01 KG/M)
750X750X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1026.34 KG/M)
750X750X46MM (SHS) SQUARE STEEL HOLLOW SECTION (1031.67 KG/M)
750X750X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1036.99 KG/M)
750X750X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1042.31 KG/M)
750X750X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1047.62 KG/M)
750X750X47MM (SHS) SQUARE STEEL HOLLOW SECTION (1052.93 KG/M)
750X750X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1058.24 KG/M)
750X750X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1063.55 KG/M)
750X750X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1068.85 KG/M)
750X750X48MM (SHS) SQUARE STEEL HOLLOW SECTION (1074.15 KG/M)
750X750X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1079.45 KG/M)
750X750X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1084.74 KG/M)

750X750X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1090.04 KG/M)
750X750X49MM (SHS) SQUARE STEEL HOLLOW SECTION (1095.32 KG/M)
750X750X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1100.61 KG/M)
750X750X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1105.89 KG/M)
750X750X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1111.17 KG/M)
750X750X50MM (SHS) SQUARE STEEL HOLLOW SECTION (1116.44 KG/M)
800X800X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (236.54 KG/M)
800X800X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (242.7 KG/M)
800X800X10MM (SHS) SQUARE STEEL HOLLOW SECTION (248.86 KG/M)
800X800X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (255.02 KG/M)
800X800X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (261.17 KG/M)
800X800X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (267.33 KG/M)
800X800X11MM (SHS) SQUARE STEEL HOLLOW SECTION (273.48 KG/M)
800X800X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (279.62 KG/M)
800X800X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (291.9 KG/M)
800X800X12MM (SHS) SQUARE STEEL HOLLOW SECTION (298.04 KG/M)
800X800X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (304.18 KG/M)
800X800X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (310.31 KG/M)
800X800X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (316.43 KG/M)
800X800X13MM (SHS) SQUARE STEEL HOLLOW SECTION (322.56 KG/M)
800X800X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (328.68 KG/M)
800X800X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (334.8 KG/M)
800X800X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (340.91 KG/M)
800X800X14MM (SHS) SQUARE STEEL HOLLOW SECTION (347.02 KG/M)
800X800X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (353.13 KG/M)
800X800X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (359.24 KG/M)
800X800X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (365.34 KG/M)
800X800X15MM (SHS) SQUARE STEEL HOLLOW SECTION (371.44 KG/M)
800X800X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (377.54 KG/M)
800X800X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (383.63 KG/M)
800X800X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (389.72 KG/M)
800X800X16MM (SHS) SQUARE STEEL HOLLOW SECTION (395.81 KG/M)
800X800X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (401.89 KG/M)
800X800X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (407.98 KG/M)
800X800X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (414.05 KG/M)
800X800X17MM (SHS) SQUARE STEEL HOLLOW SECTION (420.13 KG/M)
800X800X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (426.2 KG/M)
800X800X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (432.27 KG/M)
800X800X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (438.34 KG/M)
800X800X18MM (SHS) SQUARE STEEL HOLLOW SECTION (444.4 KG/M)
800X800X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (450.46 KG/M)
800X800X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (456.52 KG/M)
800X800X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (462.57 KG/M)
800X800X19MM (SHS) SQUARE STEEL HOLLOW SECTION (468.62 KG/M)
800X800X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (474.67 KG/M)
800X800X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (480.71 KG/M)
800X800X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (486.75 KG/M)
800X800X20MM (SHS) SQUARE STEEL HOLLOW SECTION (492.79 KG/M)
800X800X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (498.83 KG/M)
800X800X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (504.86 KG/M)
800X800X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (510.89 KG/M)
800X800X21MM (SHS) SQUARE STEEL HOLLOW SECTION (516.91 KG/M)
800X800X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (522.93 KG/M)
800X800X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (528.95 KG/M)
800X800X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (534.97 KG/M)
800X800X22MM (SHS) SQUARE STEEL HOLLOW SECTION (540.98 KG/M)
800X800X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (546.99 KG/M)
800X800X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (553 KG/M)

800X800X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (559.01 KG/M)
800X800X23MM (SHS) SQUARE STEEL HOLLOW SECTION (565.01 KG/M)
800X800X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (571.01 KG/M)
800X800X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (577 KG/M)
800X800X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (582.99 KG/M)
800X800X24MM (SHS) SQUARE STEEL HOLLOW SECTION (588.98 KG/M)
800X800X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (594.97 KG/M)
800X800X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (600.95 KG/M)
800X800X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (606.93 KG/M)
800X800X25MM (SHS) SQUARE STEEL HOLLOW SECTION (612.91 KG/M)
800X800X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (618.88 KG/M)
800X800X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (624.85 KG/M)
800X800X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (630.82 KG/M)
800X800X26MM (SHS) SQUARE STEEL HOLLOW SECTION (636.78 KG/M)
800X800X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (642.74 KG/M)
800X800X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (648.7 KG/M)
800X800X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (654.65 KG/M)
800X800X27MM (SHS) SQUARE STEEL HOLLOW SECTION (660.61 KG/M)
800X800X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (666.55 KG/M)
800X800X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (672.5 KG/M)
800X800X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (678.44 KG/M)
800X800X28MM (SHS) SQUARE STEEL HOLLOW SECTION (684.38 KG/M)
800X800X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (690.32 KG/M)
800X800X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (696.25 KG/M)
800X800X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (702.18 KG/M)
800X800X29MM (SHS) SQUARE STEEL HOLLOW SECTION (708.11 KG/M)
800X800X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (714.03 KG/M)
800X800X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (719.95 KG/M)
800X800X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (725.87 KG/M)
800X800X30MM (SHS) SQUARE STEEL HOLLOW SECTION (731.79 KG/M)
800X800X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (737.7 KG/M)
800X800X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (743.61 KG/M)
800X800X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (749.51 KG/M)
800X800X31MM (SHS) SQUARE STEEL HOLLOW SECTION (755.42 KG/M)
800X800X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (761.31 KG/M)
800X800X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (767.21 KG/M)
850X850X9.5MM (SHS) SQUARE STEEL HOLLOW SECTION (251.46 KG/M)
850X850X9.75MM (SHS) SQUARE STEEL HOLLOW SECTION (258.02 KG/M)
850X850X10MM (SHS) SQUARE STEEL HOLLOW SECTION (264.57 KG/M)
850X850X10.25MM (SHS) SQUARE STEEL HOLLOW SECTION (271.12 KG/M)
850X850X10.5MM (SHS) SQUARE STEEL HOLLOW SECTION (277.67 KG/M)
850X850X10.75MM (SHS) SQUARE STEEL HOLLOW SECTION (284.21 KG/M)
850X850X11MM (SHS) SQUARE STEEL HOLLOW SECTION (290.75 KG/M)
850X850X11.25MM (SHS) SQUARE STEEL HOLLOW SECTION (297.29 KG/M)
850X850X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (310.36 KG/M)
850X850X12MM (SHS) SQUARE STEEL HOLLOW SECTION (316.89 KG/M)
850X850X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (323.42 KG/M)
850X850X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (329.94 KG/M)
850X850X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (336.46 KG/M)
850X850X13MM (SHS) SQUARE STEEL HOLLOW SECTION (342.98 KG/M)
850X850X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (349.49 KG/M)
850X850X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (356 KG/M)
850X850X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (362.51 KG/M)
850X850X14MM (SHS) SQUARE STEEL HOLLOW SECTION (369.02 KG/M)
850X850X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (375.52 KG/M)
850X850X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (382.02 KG/M)
850X850X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (388.51 KG/M)
850X850X15MM (SHS) SQUARE STEEL HOLLOW SECTION (395 KG/M)

850X850X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (401.49 KG/M)
850X850X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (407.98 KG/M)
850X850X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (414.46 KG/M)
850X850X16MM (SHS) SQUARE STEEL HOLLOW SECTION (420.94 KG/M)
850X850X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (427.42 KG/M)
850X850X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (433.89 KG/M)
850X850X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (440.37 KG/M)
850X850X17MM (SHS) SQUARE STEEL HOLLOW SECTION (446.83 KG/M)
850X850X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (453.3 KG/M)
850X850X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (459.76 KG/M)
850X850X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (466.22 KG/M)
850X850X18MM (SHS) SQUARE STEEL HOLLOW SECTION (472.67 KG/M)
850X850X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (479.13 KG/M)
850X850X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (485.57 KG/M)
850X850X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (492.02 KG/M)
850X850X19MM (SHS) SQUARE STEEL HOLLOW SECTION (498.46 KG/M)
850X850X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (504.9 KG/M)
850X850X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (511.34 KG/M)
850X850X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (517.78 KG/M)
850X850X20MM (SHS) SQUARE STEEL HOLLOW SECTION (524.21 KG/M)
850X850X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (530.63 KG/M)
850X850X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (537.06 KG/M)
850X850X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (543.48 KG/M)
850X850X21MM (SHS) SQUARE STEEL HOLLOW SECTION (549.9 KG/M)
850X850X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (556.31 KG/M)
850X850X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (562.73 KG/M)
850X850X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (569.14 KG/M)
850X850X22MM (SHS) SQUARE STEEL HOLLOW SECTION (575.54 KG/M)
850X850X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (581.94 KG/M)
850X850X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (588.34 KG/M)
850X850X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (594.74 KG/M)
850X850X23MM (SHS) SQUARE STEEL HOLLOW SECTION (601.14 KG/M)
850X850X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (607.53 KG/M)
850X850X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (613.91 KG/M)
850X850X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (620.3 KG/M)
850X850X24MM (SHS) SQUARE STEEL HOLLOW SECTION (626.68 KG/M)
850X850X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (633.06 KG/M)
850X850X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (639.43 KG/M)
850X850X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (645.81 KG/M)
850X850X25MM (SHS) SQUARE STEEL HOLLOW SECTION (652.17 KG/M)
850X850X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (658.54 KG/M)
850X850X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (664.9 KG/M)
850X850X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (671.26 KG/M)
850X850X26MM (SHS) SQUARE STEEL HOLLOW SECTION (677.62 KG/M)
850X850X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (683.97 KG/M)
850X850X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (690.33 KG/M)
850X850X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (696.67 KG/M)
850X850X27MM (SHS) SQUARE STEEL HOLLOW SECTION (703.02 KG/M)
850X850X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (709.36 KG/M)
850X850X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (715.7 KG/M)
850X850X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (722.03 KG/M)
850X850X28MM (SHS) SQUARE STEEL HOLLOW SECTION (728.36 KG/M)
850X850X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (734.69 KG/M)
850X850X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (741.02 KG/M)
850X850X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (747.34 KG/M)
850X850X29MM (SHS) SQUARE STEEL HOLLOW SECTION (753.66 KG/M)
850X850X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (759.98 KG/M)
850X850X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (766.29 KG/M)

850X850X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (772.6 KG/M)
850X850X30MM (SHS) SQUARE STEEL HOLLOW SECTION (778.91 KG/M)
850X850X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (785.22 KG/M)
850X850X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (791.52 KG/M)
850X850X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (797.81 KG/M)
850X850X31MM (SHS) SQUARE STEEL HOLLOW SECTION (804.11 KG/M)
850X850X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (810.4 KG/M)
850X850X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (816.69 KG/M)
850X850X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (822.98 KG/M)
850X850X32MM (SHS) SQUARE STEEL HOLLOW SECTION (829.26 KG/M)
850X850X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (835.54 KG/M)
850X850X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (841.82 KG/M)
850X850X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (848.09 KG/M)
850X850X33MM (SHS) SQUARE STEEL HOLLOW SECTION (854.36 KG/M)
850X850X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (860.63 KG/M)
850X850X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (866.89 KG/M)
850X850X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (873.15 KG/M)
850X850X34MM (SHS) SQUARE STEEL HOLLOW SECTION (879.41 KG/M)
850X850X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (885.67 KG/M)
850X850X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (891.92 KG/M)
850X850X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (898.17 KG/M)
850X850X35MM (SHS) SQUARE STEEL HOLLOW SECTION (904.41 KG/M)
850X850X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (910.66 KG/M)
850X850X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (916.9 KG/M)
850X850X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (923.13 KG/M)
850X850X36MM (SHS) SQUARE STEEL HOLLOW SECTION (929.37 KG/M)
850X850X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (935.6 KG/M)
850X850X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (941.82 KG/M)
850X850X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (948.05 KG/M)
850X850X37MM (SHS) SQUARE STEEL HOLLOW SECTION (954.27 KG/M)
850X850X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (960.49 KG/M)
850X850X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (966.7 KG/M)
850X850X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (972.91 KG/M)
850X850X38MM (SHS) SQUARE STEEL HOLLOW SECTION (979.12 KG/M)
850X850X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (985.33 KG/M)
850X850X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (991.53 KG/M)
850X850X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (997.73 KG/M)
850X850X39MM (SHS) SQUARE STEEL HOLLOW SECTION (1003.93 KG/M)
850X850X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1010.12 KG/M)
850X850X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1016.31 KG/M)
850X850X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1022.5 KG/M)
850X850X40MM (SHS) SQUARE STEEL HOLLOW SECTION (1028.68 KG/M)
850X850X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1034.86 KG/M)
850X850X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1041.04 KG/M)
850X850X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1047.22 KG/M)
850X850X41MM (SHS) SQUARE STEEL HOLLOW SECTION (1053.39 KG/M)
850X850X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1059.56 KG/M)
850X850X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1065.72 KG/M)
850X850X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1071.89 KG/M)
850X850X42MM (SHS) SQUARE STEEL HOLLOW SECTION (1078.05 KG/M)
850X850X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1084.2 KG/M)
850X850X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1090.36 KG/M)
850X850X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1096.51 KG/M)
850X850X43MM (SHS) SQUARE STEEL HOLLOW SECTION (1102.65 KG/M)
850X850X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1108.8 KG/M)
850X850X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1114.94 KG/M)
850X850X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1121.08 KG/M)
850X850X44MM (SHS) SQUARE STEEL HOLLOW SECTION (1127.21 KG/M)

850X850X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1133.34 KG/M)
850X850X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1139.47 KG/M)
850X850X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1145.6 KG/M)
850X850X45MM (SHS) SQUARE STEEL HOLLOW SECTION (1151.72 KG/M)
850X850X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1157.84 KG/M)
850X850X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1163.96 KG/M)
850X850X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1170.07 KG/M)
850X850X46MM (SHS) SQUARE STEEL HOLLOW SECTION (1176.18 KG/M)
850X850X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1182.29 KG/M)
850X850X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1188.39 KG/M)
850X850X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1194.49 KG/M)
850X850X47MM (SHS) SQUARE STEEL HOLLOW SECTION (1200.59 KG/M)
850X850X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1206.68 KG/M)
850X850X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1212.78 KG/M)
850X850X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1218.86 KG/M)
850X850X48MM (SHS) SQUARE STEEL HOLLOW SECTION (1224.95 KG/M)
850X850X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1231.03 KG/M)
850X850X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1237.11 KG/M)
850X850X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1243.19 KG/M)
850X850X49MM (SHS) SQUARE STEEL HOLLOW SECTION (1249.26 KG/M)
850X850X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1255.33 KG/M)
850X850X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1261.4 KG/M)
850X850X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1267.46 KG/M)
850X850X50MM (SHS) SQUARE STEEL HOLLOW SECTION (1273.52 KG/M)
900X900X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (321.89 KG/M)
900X900X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (328.82 KG/M)
900X900X12MM (SHS) SQUARE STEEL HOLLOW SECTION (335.74 KG/M)
900X900X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (342.66 KG/M)
900X900X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (349.58 KG/M)
900X900X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (356.49 KG/M)
900X900X13MM (SHS) SQUARE STEEL HOLLOW SECTION (363.4 KG/M)
900X900X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (370.31 KG/M)
900X900X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (377.21 KG/M)
900X900X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (384.11 KG/M)
900X900X14MM (SHS) SQUARE STEEL HOLLOW SECTION (391.01 KG/M)
900X900X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (397.9 KG/M)
900X900X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (404.79 KG/M)
900X900X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (411.68 KG/M)
900X900X15MM (SHS) SQUARE STEEL HOLLOW SECTION (418.57 KG/M)
900X900X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (425.45 KG/M)
900X900X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (432.33 KG/M)
900X900X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (439.2 KG/M)
900X900X16MM (SHS) SQUARE STEEL HOLLOW SECTION (446.08 KG/M)
900X900X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (452.95 KG/M)
900X900X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (459.81 KG/M)
900X900X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (466.68 KG/M)
900X900X17MM (SHS) SQUARE STEEL HOLLOW SECTION (473.54 KG/M)
900X900X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (480.39 KG/M)
900X900X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (487.25 KG/M)
900X900X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (494.1 KG/M)
900X900X18MM (SHS) SQUARE STEEL HOLLOW SECTION (500.95 KG/M)
900X900X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (507.79 KG/M)
900X900X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (514.63 KG/M)
900X900X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (521.47 KG/M)
900X900X19MM (SHS) SQUARE STEEL HOLLOW SECTION (528.31 KG/M)
900X900X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (535.14 KG/M)
900X900X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (541.97 KG/M)
900X900X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (548.8 KG/M)

900X900X20MM (SHS) SQUARE STEEL HOLLOW SECTION (555.62 KG/M)
900X900X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (562.44 KG/M)
900X900X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (569.26 KG/M)
900X900X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (576.07 KG/M)
900X900X21MM (SHS) SQUARE STEEL HOLLOW SECTION (582.89 KG/M)
900X900X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (589.69 KG/M)
900X900X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (596.5 KG/M)
900X900X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (603.3 KG/M)
900X900X22MM (SHS) SQUARE STEEL HOLLOW SECTION (610.1 KG/M)
900X900X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (616.89 KG/M)
900X900X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (623.69 KG/M)
900X900X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (630.48 KG/M)
900X900X23MM (SHS) SQUARE STEEL HOLLOW SECTION (637.26 KG/M)
900X900X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (644.05 KG/M)
900X900X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (650.83 KG/M)
900X900X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (657.6 KG/M)
900X900X24MM (SHS) SQUARE STEEL HOLLOW SECTION (664.38 KG/M)
900X900X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (671.15 KG/M)
900X900X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (677.92 KG/M)
900X900X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (684.68 KG/M)
900X900X25MM (SHS) SQUARE STEEL HOLLOW SECTION (691.44 KG/M)
900X900X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (698.2 KG/M)
900X900X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (704.96 KG/M)
900X900X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (711.71 KG/M)
900X900X26MM (SHS) SQUARE STEEL HOLLOW SECTION (718.46 KG/M)
900X900X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (725.21 KG/M)
900X900X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (731.95 KG/M)
900X900X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (738.69 KG/M)
900X900X27MM (SHS) SQUARE STEEL HOLLOW SECTION (745.43 KG/M)
900X900X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (752.16 KG/M)
900X900X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (758.89 KG/M)
900X900X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (765.62 KG/M)
900X900X28MM (SHS) SQUARE STEEL HOLLOW SECTION (772.35 KG/M)
900X900X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (779.07 KG/M)
900X900X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (785.79 KG/M)
900X900X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (792.5 KG/M)
900X900X29MM (SHS) SQUARE STEEL HOLLOW SECTION (799.22 KG/M)
900X900X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (805.92 KG/M)
900X900X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (812.63 KG/M)
900X900X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (819.33 KG/M)
900X900X30MM (SHS) SQUARE STEEL HOLLOW SECTION (826.03 KG/M)
900X900X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (832.73 KG/M)
900X900X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (839.43 KG/M)
900X900X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (846.12 KG/M)
900X900X31MM (SHS) SQUARE STEEL HOLLOW SECTION (852.8 KG/M)
900X900X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (859.49 KG/M)
900X900X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (866.17 KG/M)
900X900X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (872.85 KG/M)
900X900X32MM (SHS) SQUARE STEEL HOLLOW SECTION (879.53 KG/M)
900X900X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (886.2 KG/M)
900X900X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (892.87 KG/M)
900X900X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (899.53 KG/M)
900X900X33MM (SHS) SQUARE STEEL HOLLOW SECTION (906.2 KG/M)
900X900X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (912.86 KG/M)
900X900X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (919.51 KG/M)
900X900X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (926.17 KG/M)
900X900X34MM (SHS) SQUARE STEEL HOLLOW SECTION (932.82 KG/M)
900X900X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (939.47 KG/M)

900X900X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (946.11 KG/M)
900X900X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (952.75 KG/M)
900X900X35MM (SHS) SQUARE STEEL HOLLOW SECTION (959.39 KG/M)
900X900X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (966.03 KG/M)
900X900X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (972.66 KG/M)
900X900X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (979.29 KG/M)
900X900X36MM (SHS) SQUARE STEEL HOLLOW SECTION (985.91 KG/M)
900X900X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (992.54 KG/M)
900X900X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (999.16 KG/M)
900X900X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1005.77 KG/M)
900X900X37MM (SHS) SQUARE STEEL HOLLOW SECTION (1012.39 KG/M)
900X900X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1019 KG/M)
900X900X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1025.61 KG/M)
900X900X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1032.21 KG/M)
900X900X38MM (SHS) SQUARE STEEL HOLLOW SECTION (1038.81 KG/M)
900X900X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1045.41 KG/M)
900X900X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1052.01 KG/M)
900X900X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1058.6 KG/M)
900X900X39MM (SHS) SQUARE STEEL HOLLOW SECTION (1065.19 KG/M)
900X900X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1071.77 KG/M)
900X900X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1078.36 KG/M)
900X900X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1084.94 KG/M)
900X900X40MM (SHS) SQUARE STEEL HOLLOW SECTION (1091.51 KG/M)
900X900X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1098.09 KG/M)
900X900X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1104.66 KG/M)
900X900X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1111.23 KG/M)
900X900X41MM (SHS) SQUARE STEEL HOLLOW SECTION (1117.79 KG/M)
900X900X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1124.35 KG/M)
900X900X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1130.91 KG/M)
900X900X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1137.47 KG/M)
900X900X42MM (SHS) SQUARE STEEL HOLLOW SECTION (1144.02 KG/M)
900X900X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1150.57 KG/M)
900X900X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1157.11 KG/M)
900X900X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1163.66 KG/M)
900X900X43MM (SHS) SQUARE STEEL HOLLOW SECTION (1170.2 KG/M)
900X900X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1176.73 KG/M)
900X900X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1183.27 KG/M)
900X900X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1189.8 KG/M)
900X900X44MM (SHS) SQUARE STEEL HOLLOW SECTION (1196.33 KG/M)
900X900X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1202.85 KG/M)
900X900X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1209.37 KG/M)
900X900X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1215.89 KG/M)
900X900X45MM (SHS) SQUARE STEEL HOLLOW SECTION (1222.41 KG/M)
900X900X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1228.92 KG/M)
900X900X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1235.43 KG/M)
900X900X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1241.93 KG/M)
900X900X46MM (SHS) SQUARE STEEL HOLLOW SECTION (1248.44 KG/M)
900X900X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1254.94 KG/M)
900X900X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1261.43 KG/M)
900X900X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1267.93 KG/M)
900X900X47MM (SHS) SQUARE STEEL HOLLOW SECTION (1274.42 KG/M)
900X900X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1280.9 KG/M)
900X900X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1287.39 KG/M)
900X900X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1293.87 KG/M)
900X900X48MM (SHS) SQUARE STEEL HOLLOW SECTION (1300.35 KG/M)
900X900X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1306.82 KG/M)
900X900X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1313.3 KG/M)
900X900X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1319.76 KG/M)

900X900X49MM (SHS) SQUARE STEEL HOLLOW SECTION (1326.23 KG/M)
900X900X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1332.69 KG/M)
900X900X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1339.15 KG/M)
900X900X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1345.61 KG/M)
900X900X50MM (SHS) SQUARE STEEL HOLLOW SECTION (1352.06 KG/M)
950X950X11.5MM (SHS) SQUARE STEEL HOLLOW SECTION (339.96 KG/M)
950X950X11.75MM (SHS) SQUARE STEEL HOLLOW SECTION (347.28 KG/M)
950X950X12MM (SHS) SQUARE STEEL HOLLOW SECTION (354.59 KG/M)
950X950X12.25MM (SHS) SQUARE STEEL HOLLOW SECTION (361.9 KG/M)
950X950X12.5MM (SHS) SQUARE STEEL HOLLOW SECTION (369.21 KG/M)
950X950X12.75MM (SHS) SQUARE STEEL HOLLOW SECTION (376.52 KG/M)
950X950X13MM (SHS) SQUARE STEEL HOLLOW SECTION (383.82 KG/M)
950X950X13.25MM (SHS) SQUARE STEEL HOLLOW SECTION (391.12 KG/M)
950X950X13.5MM (SHS) SQUARE STEEL HOLLOW SECTION (398.41 KG/M)
950X950X13.75MM (SHS) SQUARE STEEL HOLLOW SECTION (405.71 KG/M)
950X950X14MM (SHS) SQUARE STEEL HOLLOW SECTION (413 KG/M)
950X950X14.25MM (SHS) SQUARE STEEL HOLLOW SECTION (420.29 KG/M)
950X950X14.5MM (SHS) SQUARE STEEL HOLLOW SECTION (427.57 KG/M)
950X950X14.75MM (SHS) SQUARE STEEL HOLLOW SECTION (434.85 KG/M)
950X950X15MM (SHS) SQUARE STEEL HOLLOW SECTION (442.13 KG/M)
950X950X15.25MM (SHS) SQUARE STEEL HOLLOW SECTION (449.4 KG/M)
950X950X15.5MM (SHS) SQUARE STEEL HOLLOW SECTION (456.67 KG/M)
950X950X15.75MM (SHS) SQUARE STEEL HOLLOW SECTION (463.94 KG/M)
950X950X16MM (SHS) SQUARE STEEL HOLLOW SECTION (471.21 KG/M)
950X950X16.25MM (SHS) SQUARE STEEL HOLLOW SECTION (478.47 KG/M)
950X950X16.5MM (SHS) SQUARE STEEL HOLLOW SECTION (485.73 KG/M)
950X950X16.75MM (SHS) SQUARE STEEL HOLLOW SECTION (492.99 KG/M)
950X950X17MM (SHS) SQUARE STEEL HOLLOW SECTION (500.24 KG/M)
950X950X17.25MM (SHS) SQUARE STEEL HOLLOW SECTION (507.49 KG/M)
950X950X17.5MM (SHS) SQUARE STEEL HOLLOW SECTION (514.74 KG/M)
950X950X17.75MM (SHS) SQUARE STEEL HOLLOW SECTION (521.98 KG/M)
950X950X18MM (SHS) SQUARE STEEL HOLLOW SECTION (529.22 KG/M)
950X950X18.25MM (SHS) SQUARE STEEL HOLLOW SECTION (536.46 KG/M)
950X950X18.5MM (SHS) SQUARE STEEL HOLLOW SECTION (543.69 KG/M)
950X950X18.75MM (SHS) SQUARE STEEL HOLLOW SECTION (550.93 KG/M)
950X950X19MM (SHS) SQUARE STEEL HOLLOW SECTION (558.15 KG/M)
950X950X19.25MM (SHS) SQUARE STEEL HOLLOW SECTION (565.38 KG/M)
950X950X19.5MM (SHS) SQUARE STEEL HOLLOW SECTION (572.6 KG/M)
950X950X19.75MM (SHS) SQUARE STEEL HOLLOW SECTION (579.82 KG/M)
950X950X20MM (SHS) SQUARE STEEL HOLLOW SECTION (587.04 KG/M)
950X950X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (594.25 KG/M)
950X950X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (601.46 KG/M)
950X950X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (608.67 KG/M)
950X950X21MM (SHS) SQUARE STEEL HOLLOW SECTION (615.87 KG/M)
950X950X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (623.07 KG/M)
950X950X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (630.27 KG/M)
950X950X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (637.47 KG/M)
950X950X22MM (SHS) SQUARE STEEL HOLLOW SECTION (644.66 KG/M)
950X950X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (651.85 KG/M)
950X950X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (659.03 KG/M)
950X950X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (666.21 KG/M)
950X950X23MM (SHS) SQUARE STEEL HOLLOW SECTION (673.39 KG/M)
950X950X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (680.57 KG/M)
950X950X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (687.74 KG/M)
950X950X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (694.91 KG/M)
950X950X24MM (SHS) SQUARE STEEL HOLLOW SECTION (702.08 KG/M)
950X950X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (709.24 KG/M)
950X950X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (716.4 KG/M)

950X950X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (723.56 KG/M)
950X950X25MM (SHS) SQUARE STEEL HOLLOW SECTION (730.71 KG/M)
950X950X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (737.87 KG/M)
950X950X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (745.01 KG/M)
950X950X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (752.16 KG/M)
950X950X26MM (SHS) SQUARE STEEL HOLLOW SECTION (759.3 KG/M)
950X950X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (766.44 KG/M)
950X950X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (773.58 KG/M)
950X950X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (780.71 KG/M)
950X950X27MM (SHS) SQUARE STEEL HOLLOW SECTION (787.84 KG/M)
950X950X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (794.97 KG/M)
950X950X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (802.09 KG/M)
950X950X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (809.21 KG/M)
950X950X28MM (SHS) SQUARE STEEL HOLLOW SECTION (816.33 KG/M)
950X950X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (823.44 KG/M)
950X950X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (830.55 KG/M)
950X950X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (837.66 KG/M)
950X950X29MM (SHS) SQUARE STEEL HOLLOW SECTION (844.77 KG/M)
950X950X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (851.87 KG/M)
950X950X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (858.97 KG/M)
950X950X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (866.07 KG/M)
950X950X30MM (SHS) SQUARE STEEL HOLLOW SECTION (873.16 KG/M)
950X950X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (880.25 KG/M)
950X950X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (887.34 KG/M)
950X950X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (894.42 KG/M)
950X950X31MM (SHS) SQUARE STEEL HOLLOW SECTION (901.5 KG/M)
950X950X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (908.58 KG/M)
950X950X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (915.65 KG/M)
950X950X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (922.72 KG/M)
950X950X32MM (SHS) SQUARE STEEL HOLLOW SECTION (929.79 KG/M)
950X950X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (936.86 KG/M)
950X950X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (943.92 KG/M)
950X950X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (950.98 KG/M)
950X950X33MM (SHS) SQUARE STEEL HOLLOW SECTION (958.03 KG/M)
950X950X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (965.09 KG/M)
950X950X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (972.14 KG/M)
950X950X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (979.18 KG/M)
950X950X34MM (SHS) SQUARE STEEL HOLLOW SECTION (986.23 KG/M)
950X950X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (993.27 KG/M)
950X950X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1000.3 KG/M)
950X950X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1007.34 KG/M)
950X950X35MM (SHS) SQUARE STEEL HOLLOW SECTION (1014.37 KG/M)
950X950X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1021.4 KG/M)
950X950X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1028.42 KG/M)
950X950X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1035.44 KG/M)
950X950X36MM (SHS) SQUARE STEEL HOLLOW SECTION (1042.46 KG/M)
950X950X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1049.48 KG/M)
950X950X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1056.49 KG/M)
950X950X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1063.5 KG/M)
950X950X37MM (SHS) SQUARE STEEL HOLLOW SECTION (1070.51 KG/M)
950X950X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1077.51 KG/M)
950X950X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1084.51 KG/M)
950X950X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1091.51 KG/M)
950X950X38MM (SHS) SQUARE STEEL HOLLOW SECTION (1098.5 KG/M)
950X950X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1105.49 KG/M)
950X950X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1112.48 KG/M)
950X950X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1119.47 KG/M)
950X950X39MM (SHS) SQUARE STEEL HOLLOW SECTION (1126.45 KG/M)

950X950X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1133.43 KG/M)
950X950X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1140.4 KG/M)
950X950X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1147.38 KG/M)
950X950X40MM (SHS) SQUARE STEEL HOLLOW SECTION (1154.35 KG/M)
950X950X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1161.31 KG/M)
950X950X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1168.28 KG/M)
950X950X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1175.24 KG/M)
950X950X41MM (SHS) SQUARE STEEL HOLLOW SECTION (1182.19 KG/M)
950X950X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1189.15 KG/M)
950X950X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1196.1 KG/M)
950X950X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1203.05 KG/M)
950X950X42MM (SHS) SQUARE STEEL HOLLOW SECTION (1209.99 KG/M)
950X950X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1216.93 KG/M)
950X950X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1223.87 KG/M)
950X950X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1230.81 KG/M)
950X950X43MM (SHS) SQUARE STEEL HOLLOW SECTION (1237.74 KG/M)
950X950X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1244.67 KG/M)
950X950X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1251.6 KG/M)
950X950X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1258.52 KG/M)
950X950X44MM (SHS) SQUARE STEEL HOLLOW SECTION (1265.44 KG/M)
950X950X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1272.36 KG/M)
950X950X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1279.27 KG/M)
950X950X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1286.18 KG/M)
950X950X45MM (SHS) SQUARE STEEL HOLLOW SECTION (1293.09 KG/M)
950X950X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1300 KG/M)
950X950X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1306.9 KG/M)
950X950X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1313.8 KG/M)
950X950X46MM (SHS) SQUARE STEEL HOLLOW SECTION (1320.69 KG/M)
950X950X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1327.58 KG/M)
950X950X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1334.47 KG/M)
950X950X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1341.36 KG/M)
950X950X47MM (SHS) SQUARE STEEL HOLLOW SECTION (1348.24 KG/M)
950X950X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1355.12 KG/M)
950X950X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1362 KG/M)
950X950X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1368.88 KG/M)
950X950X48MM (SHS) SQUARE STEEL HOLLOW SECTION (1375.75 KG/M)
950X950X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1382.61 KG/M)
950X950X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1389.48 KG/M)
950X950X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1396.34 KG/M)
950X950X49MM (SHS) SQUARE STEEL HOLLOW SECTION (1403.2 KG/M)
950X950X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1410.05 KG/M)
950X950X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1416.91 KG/M)
950X950X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1423.76 KG/M)
950X950X50MM (SHS) SQUARE STEEL HOLLOW SECTION (1430.6 KG/M)
1000X1000X20MM (SHS) SQUARE STEEL HOLLOW SECTION (618.45 KG/M)
1000X1000X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (626.06 KG/M)
1000X1000X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (633.66 KG/M)
1000X1000X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (641.26 KG/M)
1000X1000X21MM (SHS) SQUARE STEEL HOLLOW SECTION (648.86 KG/M)
1000X1000X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (656.45 KG/M)
1000X1000X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (664.04 KG/M)
1000X1000X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (671.63 KG/M)
1000X1000X22MM (SHS) SQUARE STEEL HOLLOW SECTION (679.21 KG/M)
1000X1000X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (686.8 KG/M)
1000X1000X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (694.37 KG/M)
1000X1000X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (701.95 KG/M)
1000X1000X23MM (SHS) SQUARE STEEL HOLLOW SECTION (709.52 KG/M)
1000X1000X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (717.09 KG/M)

1000X1000X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (724.65 KG/M)
1000X1000X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (732.22 KG/M)
1000X1000X24MM (SHS) SQUARE STEEL HOLLOW SECTION (739.78 KG/M)
1000X1000X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (747.33 KG/M)
1000X1000X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (754.89 KG/M)
1000X1000X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (762.44 KG/M)
1000X1000X25MM (SHS) SQUARE STEEL HOLLOW SECTION (769.98 KG/M)
1000X1000X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (777.53 KG/M)
1000X1000X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (785.07 KG/M)
1000X1000X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (792.61 KG/M)
1000X1000X26MM (SHS) SQUARE STEEL HOLLOW SECTION (800.14 KG/M)
1000X1000X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (807.67 KG/M)
1000X1000X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (815.2 KG/M)
1000X1000X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (822.73 KG/M)
1000X1000X27MM (SHS) SQUARE STEEL HOLLOW SECTION (830.25 KG/M)
1000X1000X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (837.77 KG/M)
1000X1000X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (845.29 KG/M)
1000X1000X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (852.8 KG/M)
1000X1000X28MM (SHS) SQUARE STEEL HOLLOW SECTION (860.31 KG/M)
1000X1000X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (867.82 KG/M)
1000X1000X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (875.32 KG/M)
1000X1000X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (882.82 KG/M)
1000X1000X29MM (SHS) SQUARE STEEL HOLLOW SECTION (890.32 KG/M)
1000X1000X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (897.82 KG/M)
1000X1000X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (905.31 KG/M)
1000X1000X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (912.8 KG/M)
1000X1000X30MM (SHS) SQUARE STEEL HOLLOW SECTION (920.28 KG/M)
1000X1000X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (927.76 KG/M)
1000X1000X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (935.24 KG/M)
1000X1000X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (942.72 KG/M)
1000X1000X31MM (SHS) SQUARE STEEL HOLLOW SECTION (950.19 KG/M)
1000X1000X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (957.66 KG/M)
1000X1000X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (965.13 KG/M)
1000X1000X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (972.6 KG/M)
1000X1000X32MM (SHS) SQUARE STEEL HOLLOW SECTION (980.06 KG/M)
1000X1000X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (987.51 KG/M)
1000X1000X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (994.97 KG/M)
1000X1000X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1002.42 KG/M)
1000X1000X33MM (SHS) SQUARE STEEL HOLLOW SECTION (1009.87 KG/M)
1000X1000X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1017.31 KG/M)
1000X1000X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1024.76 KG/M)
1000X1000X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1032.2 KG/M)
1000X1000X34MM (SHS) SQUARE STEEL HOLLOW SECTION (1039.63 KG/M)
1000X1000X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1047.07 KG/M)
1000X1000X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1054.5 KG/M)
1000X1000X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1061.92 KG/M)
1000X1000X35MM (SHS) SQUARE STEEL HOLLOW SECTION (1069.35 KG/M)
1000X1000X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1076.77 KG/M)
1000X1000X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1084.19 KG/M)
1000X1000X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1091.6 KG/M)
1000X1000X36MM (SHS) SQUARE STEEL HOLLOW SECTION (1099.01 KG/M)
1000X1000X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1106.42 KG/M)
1000X1000X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1113.83 KG/M)
1000X1000X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1121.23 KG/M)
1000X1000X37MM (SHS) SQUARE STEEL HOLLOW SECTION (1128.63 KG/M)
1000X1000X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1136.02 KG/M)
1000X1000X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1143.42 KG/M)
1000X1000X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1150.81 KG/M)

1000X1000X38MM (SHS) SQUARE STEEL HOLLOW SECTION (1158.19 KG/M)
1000X1000X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1165.58 KG/M)
1000X1000X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1172.96 KG/M)
1000X1000X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1180.34 KG/M)
1000X1000X39MM (SHS) SQUARE STEEL HOLLOW SECTION (1187.71 KG/M)
1000X1000X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1195.08 KG/M)
1000X1000X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1202.45 KG/M)
1000X1000X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1209.82 KG/M)
1000X1000X40MM (SHS) SQUARE STEEL HOLLOW SECTION (1217.18 KG/M)
1000X1000X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1224.54 KG/M)
1000X1000X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1231.89 KG/M)
1000X1000X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1239.25 KG/M)
1000X1000X41MM (SHS) SQUARE STEEL HOLLOW SECTION (1246.6 KG/M)
1000X1000X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1253.94 KG/M)
1000X1000X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1261.29 KG/M)
1000X1000X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1268.63 KG/M)
1000X1000X42MM (SHS) SQUARE STEEL HOLLOW SECTION (1275.97 KG/M)
1000X1000X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1283.3 KG/M)
1000X1000X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1290.63 KG/M)
1000X1000X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1297.96 KG/M)
1000X1000X43MM (SHS) SQUARE STEEL HOLLOW SECTION (1305.29 KG/M)
1000X1000X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1312.61 KG/M)
1000X1000X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1319.93 KG/M)
1000X1000X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1327.24 KG/M)
1000X1000X44MM (SHS) SQUARE STEEL HOLLOW SECTION (1334.56 KG/M)
1000X1000X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1341.87 KG/M)
1000X1000X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1349.17 KG/M)
1000X1000X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1356.48 KG/M)
1000X1000X45MM (SHS) SQUARE STEEL HOLLOW SECTION (1363.78 KG/M)
1000X1000X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1371.07 KG/M)
1000X1000X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1378.37 KG/M)
1000X1000X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1385.66 KG/M)
1000X1000X46MM (SHS) SQUARE STEEL HOLLOW SECTION (1392.95 KG/M)
1000X1000X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1400.23 KG/M)
1000X1000X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1407.52 KG/M)
1000X1000X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1414.8 KG/M)
1000X1000X47MM (SHS) SQUARE STEEL HOLLOW SECTION (1422.07 KG/M)
1000X1000X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1429.34 KG/M)
1000X1000X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1436.61 KG/M)
1000X1000X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1443.88 KG/M)
1000X1000X48MM (SHS) SQUARE STEEL HOLLOW SECTION (1451.14 KG/M)
1000X1000X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1458.4 KG/M)
1000X1000X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1465.66 KG/M)
1000X1000X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1472.92 KG/M)
1000X1000X49MM (SHS) SQUARE STEEL HOLLOW SECTION (1480.17 KG/M)
1000X1000X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1487.42 KG/M)
1000X1000X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1494.66 KG/M)
1000X1000X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1501.9 KG/M)
1000X1000X50MM (SHS) SQUARE STEEL HOLLOW SECTION (1509.14 KG/M)
1000X1000X50.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1516.38 KG/M)
1000X1000X50.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1523.61 KG/M)
1000X1000X50.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1530.84 KG/M)
1000X1000X51MM (SHS) SQUARE STEEL HOLLOW SECTION (1538.07 KG/M)
1000X1000X51.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1545.29 KG/M)
1000X1000X51.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1552.51 KG/M)
1000X1000X51.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1559.73 KG/M)
1000X1000X52MM (SHS) SQUARE STEEL HOLLOW SECTION (1566.94 KG/M)
1000X1000X52.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1574.15 KG/M)

1000X1000X52.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1581.36 KG/M)
1000X1000X52.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1588.57 KG/M)
1000X1000X53MM (SHS) SQUARE STEEL HOLLOW SECTION (1595.77 KG/M)
1000X1000X53.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1602.97 KG/M)
1000X1000X53.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1610.16 KG/M)
1000X1000X53.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1617.36 KG/M)
1000X1000X54MM (SHS) SQUARE STEEL HOLLOW SECTION (1624.55 KG/M)
1000X1000X54.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1631.73 KG/M)
1000X1000X54.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1638.92 KG/M)
1000X1000X54.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1646.1 KG/M)
1000X1000X55MM (SHS) SQUARE STEEL HOLLOW SECTION (1653.27 KG/M)
1000X1000X55.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1660.45 KG/M)
1000X1000X55.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1667.62 KG/M)
1000X1000X55.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1674.79 KG/M)
1000X1000X56MM (SHS) SQUARE STEEL HOLLOW SECTION (1681.95 KG/M)
1000X1000X56.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1689.12 KG/M)
1000X1000X56.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1696.27 KG/M)
1000X1000X56.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1703.43 KG/M)
1000X1000X57MM (SHS) SQUARE STEEL HOLLOW SECTION (1710.58 KG/M)
1000X1000X57.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1717.73 KG/M)
1000X1000X57.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1724.88 KG/M)
1000X1000X57.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1732.02 KG/M)
1000X1000X58MM (SHS) SQUARE STEEL HOLLOW SECTION (1739.16 KG/M)
1000X1000X58.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1746.3 KG/M)
1000X1000X58.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1753.43 KG/M)
1000X1000X58.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1760.56 KG/M)
1000X1000X59MM (SHS) SQUARE STEEL HOLLOW SECTION (1767.69 KG/M)
1000X1000X59.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1774.82 KG/M)
1000X1000X59.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1781.94 KG/M)
1000X1000X59.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1789.06 KG/M)
1000X1000X60MM (SHS) SQUARE STEEL HOLLOW SECTION (1796.17 KG/M)
1100X1100X20MM (SHS) SQUARE STEEL HOLLOW SECTION (681.29 KG/M)
1100X1100X20.25MM (SHS) SQUARE STEEL HOLLOW SECTION (689.68 KG/M)
1100X1100X20.5MM (SHS) SQUARE STEEL HOLLOW SECTION (698.07 KG/M)
1100X1100X20.75MM (SHS) SQUARE STEEL HOLLOW SECTION (706.45 KG/M)
1100X1100X21MM (SHS) SQUARE STEEL HOLLOW SECTION (714.83 KG/M)
1100X1100X21.25MM (SHS) SQUARE STEEL HOLLOW SECTION (723.21 KG/M)
1100X1100X21.5MM (SHS) SQUARE STEEL HOLLOW SECTION (731.59 KG/M)
1100X1100X21.75MM (SHS) SQUARE STEEL HOLLOW SECTION (739.96 KG/M)
1100X1100X22MM (SHS) SQUARE STEEL HOLLOW SECTION (748.33 KG/M)
1100X1100X22.25MM (SHS) SQUARE STEEL HOLLOW SECTION (756.7 KG/M)
1100X1100X22.5MM (SHS) SQUARE STEEL HOLLOW SECTION (765.06 KG/M)
1100X1100X22.75MM (SHS) SQUARE STEEL HOLLOW SECTION (773.42 KG/M)
1100X1100X23MM (SHS) SQUARE STEEL HOLLOW SECTION (781.78 KG/M)
1100X1100X23.25MM (SHS) SQUARE STEEL HOLLOW SECTION (790.13 KG/M)
1100X1100X23.5MM (SHS) SQUARE STEEL HOLLOW SECTION (798.48 KG/M)
1100X1100X23.75MM (SHS) SQUARE STEEL HOLLOW SECTION (806.83 KG/M)
1100X1100X24MM (SHS) SQUARE STEEL HOLLOW SECTION (815.18 KG/M)
1100X1100X24.25MM (SHS) SQUARE STEEL HOLLOW SECTION (823.52 KG/M)
1100X1100X24.5MM (SHS) SQUARE STEEL HOLLOW SECTION (831.86 KG/M)
1100X1100X24.75MM (SHS) SQUARE STEEL HOLLOW SECTION (840.19 KG/M)
1100X1100X25MM (SHS) SQUARE STEEL HOLLOW SECTION (848.52 KG/M)
1100X1100X25.25MM (SHS) SQUARE STEEL HOLLOW SECTION (856.85 KG/M)
1100X1100X25.5MM (SHS) SQUARE STEEL HOLLOW SECTION (865.18 KG/M)
1100X1100X25.75MM (SHS) SQUARE STEEL HOLLOW SECTION (873.5 KG/M)
1100X1100X26MM (SHS) SQUARE STEEL HOLLOW SECTION (881.82 KG/M)
1100X1100X26.25MM (SHS) SQUARE STEEL HOLLOW SECTION (890.14 KG/M)
1100X1100X26.5MM (SHS) SQUARE STEEL HOLLOW SECTION (898.46 KG/M)

1100X1100X26.75MM (SHS) SQUARE STEEL HOLLOW SECTION (906.77 KG/M)
1100X1100X27MM (SHS) SQUARE STEEL HOLLOW SECTION (915.07 KG/M)
1100X1100X27.25MM (SHS) SQUARE STEEL HOLLOW SECTION (923.38 KG/M)
1100X1100X27.5MM (SHS) SQUARE STEEL HOLLOW SECTION (931.68 KG/M)
1100X1100X27.75MM (SHS) SQUARE STEEL HOLLOW SECTION (939.98 KG/M)
1100X1100X28MM (SHS) SQUARE STEEL HOLLOW SECTION (948.28 KG/M)
1100X1100X28.25MM (SHS) SQUARE STEEL HOLLOW SECTION (956.57 KG/M)
1100X1100X28.5MM (SHS) SQUARE STEEL HOLLOW SECTION (964.86 KG/M)
1100X1100X28.75MM (SHS) SQUARE STEEL HOLLOW SECTION (973.14 KG/M)
1100X1100X29MM (SHS) SQUARE STEEL HOLLOW SECTION (981.43 KG/M)
1100X1100X29.25MM (SHS) SQUARE STEEL HOLLOW SECTION (989.71 KG/M)
1100X1100X29.5MM (SHS) SQUARE STEEL HOLLOW SECTION (997.99 KG/M)
1100X1100X29.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1006.26 KG/M)
1100X1100X30MM (SHS) SQUARE STEEL HOLLOW SECTION (1014.53 KG/M)
1100X1100X30.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1022.8 KG/M)
1100X1100X30.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1031.06 KG/M)
1100X1100X30.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1039.32 KG/M)
1100X1100X31MM (SHS) SQUARE STEEL HOLLOW SECTION (1047.58 KG/M)
1100X1100X31.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1055.84 KG/M)
1100X1100X31.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1064.09 KG/M)
1100X1100X31.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1072.34 KG/M)
1100X1100X32MM (SHS) SQUARE STEEL HOLLOW SECTION (1080.59 KG/M)
1100X1100X32.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1088.83 KG/M)
1100X1100X32.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1097.07 KG/M)
1100X1100X32.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1105.31 KG/M)
1100X1100X33MM (SHS) SQUARE STEEL HOLLOW SECTION (1113.54 KG/M)
1100X1100X33.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1121.77 KG/M)
1100X1100X33.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1130 KG/M)
1100X1100X33.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1138.23 KG/M)
1100X1100X34MM (SHS) SQUARE STEEL HOLLOW SECTION (1146.45 KG/M)
1100X1100X34.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1154.67 KG/M)
1100X1100X34.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1162.88 KG/M)
1100X1100X34.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1171.09 KG/M)
1100X1100X35MM (SHS) SQUARE STEEL HOLLOW SECTION (1179.3 KG/M)
1100X1100X35.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1187.51 KG/M)
1100X1100X35.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1195.71 KG/M)
1100X1100X35.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1203.91 KG/M)
1100X1100X36MM (SHS) SQUARE STEEL HOLLOW SECTION (1212.11 KG/M)
1100X1100X36.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1220.3 KG/M)
1100X1100X36.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1228.49 KG/M)
1100X1100X36.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1236.68 KG/M)
1100X1100X37MM (SHS) SQUARE STEEL HOLLOW SECTION (1244.87 KG/M)
1100X1100X37.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1253.05 KG/M)
1100X1100X37.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1261.23 KG/M)
1100X1100X37.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1269.4 KG/M)
1100X1100X38MM (SHS) SQUARE STEEL HOLLOW SECTION (1277.57 KG/M)
1100X1100X38.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1285.74 KG/M)
1100X1100X38.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1293.91 KG/M)
1100X1100X38.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1302.07 KG/M)
1100X1100X39MM (SHS) SQUARE STEEL HOLLOW SECTION (1310.23 KG/M)
1100X1100X39.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1318.39 KG/M)
1100X1100X39.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1326.54 KG/M)
1100X1100X39.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1334.69 KG/M)
1100X1100X40MM (SHS) SQUARE STEEL HOLLOW SECTION (1342.84 KG/M)
1100X1100X40.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1350.99 KG/M)
1100X1100X40.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1359.13 KG/M)
1100X1100X40.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1367.27 KG/M)
1100X1100X41MM (SHS) SQUARE STEEL HOLLOW SECTION (1375.4 KG/M)

1100X1100X41.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1383.53 KG/M)
1100X1100X41.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1391.66 KG/M)
1100X1100X41.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1399.79 KG/M)
1100X1100X42MM (SHS) SQUARE STEEL HOLLOW SECTION (1407.91 KG/M)
1100X1100X42.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1416.03 KG/M)
1100X1100X42.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1424.15 KG/M)
1100X1100X42.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1432.26 KG/M)
1100X1100X43MM (SHS) SQUARE STEEL HOLLOW SECTION (1440.37 KG/M)
1100X1100X43.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1448.48 KG/M)
1100X1100X43.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1456.59 KG/M)
1100X1100X43.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1464.69 KG/M)
1100X1100X44MM (SHS) SQUARE STEEL HOLLOW SECTION (1472.79 KG/M)
1100X1100X44.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1480.88 KG/M)
1100X1100X44.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1488.97 KG/M)
1100X1100X44.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1497.06 KG/M)
1100X1100X45MM (SHS) SQUARE STEEL HOLLOW SECTION (1505.15 KG/M)
1100X1100X45.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1513.23 KG/M)
1100X1100X45.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1521.31 KG/M)
1100X1100X45.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1529.39 KG/M)
1100X1100X46MM (SHS) SQUARE STEEL HOLLOW SECTION (1537.46 KG/M)
1100X1100X46.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1545.53 KG/M)
1100X1100X46.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1553.6 KG/M)
1100X1100X46.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1561.66 KG/M)
1100X1100X47MM (SHS) SQUARE STEEL HOLLOW SECTION (1569.73 KG/M)
1100X1100X47.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1577.78 KG/M)
1100X1100X47.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1585.84 KG/M)
1100X1100X47.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1593.89 KG/M)
1100X1100X48MM (SHS) SQUARE STEEL HOLLOW SECTION (1601.94 KG/M)
1100X1100X48.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1609.99 KG/M)
1100X1100X48.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1618.03 KG/M)
1100X1100X48.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1626.07 KG/M)
1100X1100X49MM (SHS) SQUARE STEEL HOLLOW SECTION (1634.11 KG/M)
1100X1100X49.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1642.14 KG/M)
1100X1100X49.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1650.17 KG/M)
1100X1100X49.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1658.2 KG/M)
1100X1100X50MM (SHS) SQUARE STEEL HOLLOW SECTION (1666.22 KG/M)
1100X1100X50.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1674.24 KG/M)
1100X1100X50.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1682.26 KG/M)
1100X1100X50.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1690.28 KG/M)
1100X1100X51MM (SHS) SQUARE STEEL HOLLOW SECTION (1698.29 KG/M)
1100X1100X51.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1706.3 KG/M)
1100X1100X51.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1714.3 KG/M)
1100X1100X51.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1722.31 KG/M)
1100X1100X52MM (SHS) SQUARE STEEL HOLLOW SECTION (1730.31 KG/M)
1100X1100X52.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1738.3 KG/M)
1100X1100X52.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1746.3 KG/M)
1100X1100X52.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1754.29 KG/M)
1100X1100X53MM (SHS) SQUARE STEEL HOLLOW SECTION (1762.27 KG/M)
1100X1100X53.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1770.26 KG/M)
1100X1100X53.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1778.24 KG/M)
1100X1100X53.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1786.22 KG/M)
1100X1100X54MM (SHS) SQUARE STEEL HOLLOW SECTION (1794.19 KG/M)
1100X1100X54.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1802.16 KG/M)
1100X1100X54.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1810.13 KG/M)
1100X1100X54.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1818.1 KG/M)
1100X1100X55MM (SHS) SQUARE STEEL HOLLOW SECTION (1826.06 KG/M)
1100X1100X55.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1834.02 KG/M)
1100X1100X55.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1841.98 KG/M)

1100X1100X55.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1849.93 KG/M)
1100X1100X56MM (SHS) SQUARE STEEL HOLLOW SECTION (1857.88 KG/M)
1100X1100X56.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1865.83 KG/M)
1100X1100X56.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1873.77 KG/M)
1100X1100X56.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1881.72 KG/M)
1100X1100X57MM (SHS) SQUARE STEEL HOLLOW SECTION (1889.65 KG/M)
1100X1100X57.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1897.59 KG/M)
1100X1100X57.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1905.52 KG/M)
1100X1100X57.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1913.45 KG/M)
1100X1100X58MM (SHS) SQUARE STEEL HOLLOW SECTION (1921.37 KG/M)
1100X1100X58.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1929.3 KG/M)
1100X1100X58.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1937.22 KG/M)
1100X1100X58.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1945.13 KG/M)
1100X1100X59MM (SHS) SQUARE STEEL HOLLOW SECTION (1953.05 KG/M)
1100X1100X59.25MM (SHS) SQUARE STEEL HOLLOW SECTION (1960.96 KG/M)
1100X1100X59.5MM (SHS) SQUARE STEEL HOLLOW SECTION (1968.86 KG/M)
1100X1100X59.75MM (SHS) SQUARE STEEL HOLLOW SECTION (1976.77 KG/M)
1100X1100X60MM (SHS) SQUARE STEEL HOLLOW SECTION (1984.67 KG/M)

ild Steel (RHS) Rectangular Steel Hollow Section

10X15X0.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.19KG/M)
10X15X0.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.28KG/M)
10X15X1MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.37KG/M)
10X15X1.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.45KG/M)
10X15X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.53KG/M)
10X15X1.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.61KG/M)
10X15X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.69KG/M)
20X30X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (0.98KG/M)
20X30X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.05KG/M)
20X30X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.12KG/M)
20X30X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.26KG/M)
20X30X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.33KG/M)
20X30X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.47KG/M)
20X30X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.61KG/M)
20X30X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.81KG/M)
20X30X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.97KG/M)
20X30X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.13KG/M)
20X40X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.18KG/M)
20X40X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.27KG/M)
20X40X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.36KG/M)
20X40X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.53KG/M)
20X40X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.62KG/M)
20X40X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.79KG/M)
20X40X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.95KG/M)
20X40X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.2KG/M)
20X40X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.41KG/M)
20X40X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.61KG/M)
20X40X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.8KG/M)
20X40X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3KG/M)
20X40X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.19KG/M)
20X40X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.38KG/M)
25X40X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.29KG/M)
25X40X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.38KG/M)
25X40X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.48KG/M)
25X40X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.66KG/M)
25X40X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.76KG/M)

25X40X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.94KG/M)
25X40X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.13KG/M)
25X40X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.4KG/M)
25X40X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.62KG/M)
25X40X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.84KG/M)
25X40X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.06KG/M)
25X40X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.27KG/M)
25X40X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.48KG/M)
25X40X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.69KG/M)
30X40X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.39KG/M)
30X40X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.49KG/M)
30X40X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.59KG/M)
30X40X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.8KG/M)
30X40X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.9KG/M)
30X40X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.1KG/M)
30X40X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.3KG/M)
30X40X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.59KG/M)
30X40X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.84KG/M)
30X40X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.08KG/M)
30X40X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.31KG/M)
30X40X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.55KG/M)
30X40X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.78KG/M)
30X40X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4KG/M)
25X50X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.49KG/M)
25X50X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.6KG/M)
25X50X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.71KG/M)
25X50X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.93KG/M)
25X50X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.04KG/M)
25X50X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.26KG/M)
25X50X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.47KG/M)
25X50X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.79KG/M)
25X50X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.05KG/M)
25X50X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.31KG/M)
25X50X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.57KG/M)
25X50X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.82KG/M)
25X50X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.07KG/M)
25X50X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.32KG/M)
25X50X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.56KG/M)
25X50X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.8KG/M)
25X50X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.04KG/M)
25X50X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.27KG/M)
25X50X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.51KG/M)
25X50X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.73KG/M)
25X50X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.96KG/M)
25X50X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.18KG/M)
25X50X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.44KG/M)
30X50X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.59KG/M)
30X50X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.71KG/M)
30X50X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.83KG/M)
30X50X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.07KG/M)
30X50X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.18KG/M)
30X50X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.41KG/M)
30X50X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.65KG/M)
30X50X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.99KG/M)
30X50X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.27KG/M)
30X50X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.55KG/M)
30X50X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.82KG/M)
30X50X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.1KG/M)

30X50X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.37KG/M)
30X50X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.63KG/M)
30X50X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.9KG/M)
30X50X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.16KG/M)
30X50X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.41KG/M)
30X50X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.67KG/M)
30X50X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.92KG/M)
30X50X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.17KG/M)
30X50X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.41KG/M)
30X50X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.65KG/M)
30X50X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.94KG/M)
30X60X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.8KG/M)
30X60X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.93KG/M)
30X60X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.07KG/M)
30X60X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.33KG/M)
30X60X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.46KG/M)
30X60X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.73KG/M)
30X60X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.99KG/M)
30X60X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.38KG/M)
30X60X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.7KG/M)
30X60X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.02KG/M)
30X60X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.33KG/M)
30X60X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.65KG/M)
30X60X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.95KG/M)
30X60X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.26KG/M)
30X60X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.56KG/M)
30X60X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.86KG/M)
30X60X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.16KG/M)
30X60X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.45KG/M)
30X60X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.74KG/M)
30X60X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.03KG/M)
30X60X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.31KG/M)
30X60X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.59KG/M)
30X60X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.93KG/M)
40X50X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.8KG/M)
40X50X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1.93KG/M)
40X50X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.07KG/M)
40X50X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.33KG/M)
40X50X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.46KG/M)
40X50X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.73KG/M)
40X50X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.99KG/M)
40X50X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.38KG/M)
40X50X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.7KG/M)
40X50X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.02KG/M)
40X50X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.33KG/M)
40X50X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.65KG/M)
40X50X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.95KG/M)
40X50X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.26KG/M)
40X50X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.56KG/M)
40X50X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.86KG/M)
40X50X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.16KG/M)
40X50X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.45KG/M)
40X50X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.74KG/M)
40X50X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.03KG/M)
40X50X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.31KG/M)
40X50X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.59KG/M)
40X50X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.93KG/M)
40X60X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2KG/M)

40X60X1.4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.15KG/M)
40X60X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.3KG/M)
40X60X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.6KG/M)
40X60X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.75KG/M)
40X60X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.04KG/M)
40X60X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.34KG/M)
40X60X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.77KG/M)
40X60X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.13KG/M)
40X60X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.49KG/M)
40X60X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.84KG/M)
40X60X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.2KG/M)
40X60X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.54KG/M)
40X60X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.89KG/M)
40X60X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.23KG/M)
40X60X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.57KG/M)
40X60X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.9KG/M)
40X60X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.24KG/M)
40X60X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.57KG/M)
40X60X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.89KG/M)
40X60X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.22KG/M)
40X60X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.54KG/M)
40X60X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.92KG/M)
40X80X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.41KG/M)
40X80X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.77KG/M)
40X80X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.13KG/M)
40X80X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.31KG/M)
40X80X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.67KG/M)
40X80X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.03KG/M)
40X80X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.56KG/M)
40X80X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5KG/M)
40X80X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.43KG/M)
40X80X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.87KG/M)
40X80X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.3KG/M)
40X80X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.72KG/M)
40X80X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.15KG/M)
40X80X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.57KG/M)
40X80X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.98KG/M)
40X80X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.4KG/M)
40X80X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.81KG/M)
40X80X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.22KG/M)
40X80X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.62KG/M)
40X80X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.02KG/M)
40X80X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.42KG/M)
50X70X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.41KG/M)
50X70X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.77KG/M)
50X70X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.13KG/M)
50X70X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.31KG/M)
50X70X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.67KG/M)
50X70X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.03KG/M)
50X70X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.56KG/M)
50X70X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5KG/M)
50X70X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.43KG/M)
50X70X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.87KG/M)
50X70X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.3KG/M)
50X70X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.72KG/M)
50X70X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.15KG/M)
50X70X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.57KG/M)
50X70X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.98KG/M)

50X70X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.4KG/M)
50X70X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.81KG/M)
50X70X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.22KG/M)
50X70X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.62KG/M)
50X70X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.02KG/M)
50X70X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.42KG/M)
50X80X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.61KG/M)
50X80X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.01KG/M)
50X80X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.4KG/M)
50X80X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.6KG/M)
50X80X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.99KG/M)
50X80X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.37KG/M)
50X80X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.95KG/M)
50X80X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.43KG/M)
50X80X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.9KG/M)
50X80X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.38KG/M)
50X80X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.85KG/M)
50X80X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.31KG/M)
50X80X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.77KG/M)
50X80X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.23KG/M)
50X80X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.69KG/M)
50X80X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.14KG/M)
50X80X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.59KG/M)
50X80X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.04KG/M)
50X80X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.49KG/M)
50X80X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.93KG/M)
50X80X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.36KG/M)
40X100X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.82KG/M)
40X100X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.24KG/M)
40X100X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.67KG/M)
40X100X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.88KG/M)
40X100X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.3KG/M)
40X100X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.72KG/M)
40X100X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.34KG/M)
40X100X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.86KG/M)
40X100X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.38KG/M)
40X100X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.89KG/M)
40X100X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.39KG/M)
40X100X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.9KG/M)
40X100X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.4KG/M)
40X100X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.9KG/M)
40X100X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.4KG/M)
40X100X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.89KG/M)
40X100X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.38KG/M)
40X100X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.87KG/M)
40X100X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.35KG/M)
40X100X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.83KG/M)
40X100X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.31KG/M)
40X100X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.88KG/M)
60X80X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (2.82KG/M)
60X80X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.24KG/M)
60X80X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.67KG/M)
60X80X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.88KG/M)
60X80X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.3KG/M)
60X80X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.72KG/M)
60X80X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.34KG/M)
60X80X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.86KG/M)
60X80X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.38KG/M)

60X80X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.89KG/M)
60X80X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.39KG/M)
60X80X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.9KG/M)
60X80X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.4KG/M)
60X80X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.9KG/M)
60X80X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.4KG/M)
60X80X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.89KG/M)
60X80X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.38KG/M)
60X80X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.87KG/M)
60X80X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.35KG/M)
60X80X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.83KG/M)
60X80X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.31KG/M)
60X80X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.88KG/M)
50X100X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.02KG/M)
50X100X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.48KG/M)
50X100X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.93KG/M)
50X100X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.16KG/M)
50X100X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.61KG/M)
50X100X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.06KG/M)
50X100X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.74KG/M)
50X100X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.29KG/M)
50X100X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.85KG/M)
50X100X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.4KG/M)
50X100X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.94KG/M)
50X100X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.49KG/M)
50X100X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.03KG/M)
50X100X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.57KG/M)
50X100X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.1KG/M)
50X100X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.64KG/M)
50X100X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.16KG/M)
50X100X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.69KG/M)
50X100X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.21KG/M)
50X100X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.73KG/M)
50X100X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.25KG/M)
50X100X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.87KG/M)
50X100X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.27KG/M)
50X100X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.78KG/M)
50X100X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.28KG/M)
50X100X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.79KG/M)
50X100X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.28KG/M)
50X100X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.78KG/M)
50X100X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.27KG/M)
60X90X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.02KG/M)
60X90X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.48KG/M)
60X90X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.93KG/M)
60X90X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.16KG/M)
60X90X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.61KG/M)
60X90X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.06KG/M)
60X90X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.74KG/M)
60X90X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.29KG/M)
60X90X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.85KG/M)
60X90X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.4KG/M)
60X90X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.94KG/M)
60X90X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.49KG/M)
60X90X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.03KG/M)
60X90X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.57KG/M)
60X90X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.1KG/M)
60X90X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.64KG/M)

60X90X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.16KG/M)
60X90X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.69KG/M)
60X90X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.21KG/M)
60X90X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.73KG/M)
60X90X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.25KG/M)
60X90X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.87KG/M)
60X90X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.27KG/M)
60X90X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.78KG/M)
60X90X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.28KG/M)
60X90X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.79KG/M)
60X90X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.28KG/M)
60X90X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.78KG/M)
60X90X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.27KG/M)
60X100X1.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.23KG/M)
60X100X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (3.71KG/M)
60X100X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.2KG/M)
60X100X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.44KG/M)
60X100X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.93KG/M)
60X100X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.41KG/M)
60X100X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.13KG/M)
60X100X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.73KG/M)
60X100X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.32KG/M)
60X100X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.91KG/M)
60X100X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.49KG/M)
60X100X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.08KG/M)
60X100X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.66KG/M)
60X100X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.24KG/M)
60X100X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.81KG/M)
60X100X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.38KG/M)
60X100X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.95KG/M)
60X100X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.51KG/M)
60X100X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.08KG/M)
60X100X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.64KG/M)
60X100X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.19KG/M)
60X100X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.85KG/M)
60X100X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.29KG/M)
60X100X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.84KG/M)
60X100X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.38KG/M)
60X100X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.92KG/M)
60X100X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.46KG/M)
60X100X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18KG/M)
60X100X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.53KG/M)
60X120X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.19KG/M)
60X120X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.74KG/M)
60X120X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.01KG/M)
60X120X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.56KG/M)
60X120X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.1KG/M)
60X120X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.91KG/M)
60X120X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.59KG/M)
60X120X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.26KG/M)
60X120X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.93KG/M)
60X120X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.59KG/M)
60X120X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.26KG/M)
60X120X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.92KG/M)
60X120X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.57KG/M)
60X120X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.22KG/M)
60X120X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.87KG/M)
60X120X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.52KG/M)

60X120X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.16KG/M)
60X120X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.8KG/M)
60X120X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.44KG/M)
60X120X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.08KG/M)
60X120X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.83KG/M)
60X120X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.34KG/M)
60X120X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.96KG/M)
60X120X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.58KG/M)
60X120X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.2KG/M)
60X120X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.82KG/M)
60X120X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.43KG/M)
60X120X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.04KG/M)
80X100X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.19KG/M)
80X100X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.74KG/M)
80X100X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.01KG/M)
80X100X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.56KG/M)
80X100X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.1KG/M)
80X100X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.91KG/M)
80X100X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.59KG/M)
80X100X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.26KG/M)
80X100X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.93KG/M)
80X100X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.59KG/M)
80X100X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.26KG/M)
80X100X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.92KG/M)
80X100X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.57KG/M)
80X100X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.22KG/M)
80X100X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.87KG/M)
80X100X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.52KG/M)
80X100X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.16KG/M)
80X100X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.8KG/M)
80X100X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.44KG/M)
80X100X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.08KG/M)
80X100X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.83KG/M)
80X100X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.34KG/M)
80X100X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.96KG/M)
80X100X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.58KG/M)
80X100X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.2KG/M)
80X100X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.82KG/M)
80X100X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.43KG/M)
80X100X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.04KG/M)
50X150X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.66KG/M)
50X150X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.27KG/M)
50X150X1.8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.57KG/M)
50X150X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.18KG/M)
50X150X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.79KG/M)
50X150X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.7KG/M)
50X150X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.45KG/M)
50X150X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.2KG/M)
50X150X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.95KG/M)
50X150X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.69KG/M)
50X150X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.43KG/M)
50X150X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.17KG/M)
50X150X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.91KG/M)
50X150X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.64KG/M)
50X150X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.37KG/M)
50X150X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.09KG/M)
50X150X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.81KG/M)
50X150X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.53KG/M)

50X150X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.25KG/M)
50X150X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.96KG/M)
50X150X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.81KG/M)
50X150X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.38KG/M)
50X150X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.08KG/M)
50X150X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.78KG/M)
50X150X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.48KG/M)
50X150X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.17KG/M)
50X150X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.87KG/M)
50X150X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.55KG/M)
50X150X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.24KG/M)
50X150X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.92KG/M)
50X150X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.6KG/M)
50X150X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.28KG/M)
50X150X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.95KG/M)
50X150X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.62KG/M)
50X150X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.29KG/M)
50X150X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.95KG/M)
50X150X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.61KG/M)
50X150X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.27KG/M)
50X150X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.92KG/M)
50X150X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.57KG/M)
50X150X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.22KG/M)
50X150X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.87KG/M)
50X150X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.51KG/M)
50X150X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.15KG/M)
50X150X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.78KG/M)
50X150X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.42KG/M)
50X150X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.05KG/M)
50X150X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.67KG/M)
50X150X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.3KG/M)
50X150X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.92KG/M)
50X150X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.53KG/M)
50X150X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.15KG/M)
50X150X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.76KG/M)
50X150X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.37KG/M)
50X150X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.97KG/M)
50X150X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.58KG/M)
50X150X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.17KG/M)
50X150X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.77KG/M)
50X150X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.36KG/M)
50X150X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.95KG/M)
60X140X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.66KG/M)
60X140X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.27KG/M)
60X140X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.18KG/M)
60X140X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.79KG/M)
60X140X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.7KG/M)
60X140X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.45KG/M)
60X140X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.2KG/M)
60X140X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.95KG/M)
60X140X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.69KG/M)
60X140X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.43KG/M)
60X140X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.17KG/M)
60X140X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.91KG/M)
60X140X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.64KG/M)
60X140X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.37KG/M)
60X140X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.09KG/M)
60X140X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.81KG/M)

60X140X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.53KG/M)
60X140X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.25KG/M)
60X140X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.96KG/M)
60X140X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.81KG/M)
60X140X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.38KG/M)
60X140X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.08KG/M)
60X140X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.78KG/M)
60X140X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.48KG/M)
60X140X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.17KG/M)
60X140X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.87KG/M)
60X140X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.55KG/M)
60X140X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.24KG/M)
60X140X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.92KG/M)
60X140X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.6KG/M)
60X140X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.28KG/M)
60X140X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.95KG/M)
60X140X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.62KG/M)
60X140X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.29KG/M)
60X140X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.95KG/M)
60X140X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.61KG/M)
60X140X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.27KG/M)
60X140X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.92KG/M)
60X140X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.57KG/M)
60X140X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.22KG/M)
60X140X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.87KG/M)
60X140X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.51KG/M)
60X140X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.15KG/M)
60X140X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.78KG/M)
60X140X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.42KG/M)
60X140X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.05KG/M)
60X140X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.67KG/M)
60X140X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.3KG/M)
60X140X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.92KG/M)
60X140X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.53KG/M)
60X140X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.15KG/M)
60X140X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.76KG/M)
60X140X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.37KG/M)
60X140X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.97KG/M)
60X140X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.58KG/M)
60X140X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.17KG/M)
60X140X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.77KG/M)
60X140X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.36KG/M)
60X140X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.95KG/M)
80X120X1.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (4.66KG/M)
80X120X1.7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (5.27KG/M)
80X120X2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.18KG/M)
80X120X2.2MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (6.79KG/M)
80X120X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (7.7KG/M)
80X120X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.45KG/M)
80X120X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.2KG/M)
80X120X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.95KG/M)
80X120X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.69KG/M)
80X120X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.43KG/M)
80X120X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.17KG/M)
80X120X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.91KG/M)
80X120X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.64KG/M)
80X120X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.37KG/M)
80X120X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.09KG/M)

80X120X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.81KG/M)
80X120X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.53KG/M)
80X120X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.25KG/M)
80X120X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.96KG/M)
80X120X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.81KG/M)
80X120X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.38KG/M)
80X120X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.08KG/M)
80X120X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.78KG/M)
80X120X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.48KG/M)
80X120X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.17KG/M)
80X120X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.87KG/M)
80X120X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.55KG/M)
80X120X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.24KG/M)
80X120X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.92KG/M)
80X120X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.6KG/M)
80X120X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.28KG/M)
80X120X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.95KG/M)
80X120X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.62KG/M)
80X120X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.29KG/M)
80X120X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.95KG/M)
80X120X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.61KG/M)
80X120X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.27KG/M)
80X120X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.92KG/M)
80X120X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.57KG/M)
80X120X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.22KG/M)
80X120X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.87KG/M)
80X120X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.51KG/M)
80X120X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.15KG/M)
80X120X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.78KG/M)
80X120X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.42KG/M)
80X120X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.05KG/M)
80X120X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.67KG/M)
80X120X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.3KG/M)
80X120X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.92KG/M)
80X120X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.53KG/M)
80X120X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.15KG/M)
80X120X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.76KG/M)
80X120X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.37KG/M)
80X120X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.97KG/M)
80X120X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.58KG/M)
80X120X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.17KG/M)
80X120X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.77KG/M)
80X120X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.36KG/M)
80X120X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.95KG/M)
60X160X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.49KG/M)
60X160X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.32KG/M)
60X160X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.15KG/M)
60X160X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.97KG/M)
60X160X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.79KG/M)
60X160X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.61KG/M)
60X160X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.43KG/M)
60X160X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.24KG/M)
60X160X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.05KG/M)
60X160X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.86KG/M)
60X160X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.66KG/M)
60X160X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.46KG/M)
60X160X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.26KG/M)
60X160X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.06KG/M)

60X160X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.85KG/M)
60X160X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.79KG/M)
60X160X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.42KG/M)
60X160X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.2KG/M)
60X160X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.98KG/M)
60X160X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.76KG/M)
60X160X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.53KG/M)
60X160X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.3KG/M)
60X160X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.07KG/M)
60X160X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.83KG/M)
60X160X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.59KG/M)
60X160X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.35KG/M)
60X160X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.1KG/M)
60X160X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.86KG/M)
60X160X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.6KG/M)
60X160X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.35KG/M)
60X160X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.09KG/M)
60X160X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.83KG/M)
60X160X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.57KG/M)
60X160X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.3KG/M)
60X160X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.03KG/M)
60X160X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.76KG/M)
60X160X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.48KG/M)
60X160X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.2KG/M)
60X160X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.92KG/M)
60X160X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.63KG/M)
60X160X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.34KG/M)
60X160X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.05KG/M)
60X160X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.76KG/M)
60X160X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.46KG/M)
60X160X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.16KG/M)
60X160X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.85KG/M)
60X160X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.55KG/M)
60X160X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.24KG/M)
60X160X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.92KG/M)
60X160X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.61KG/M)
60X160X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.29KG/M)
60X160X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.96KG/M)
60X160X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.64KG/M)
60X160X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.31KG/M)
60X160X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.98KG/M)
80X140X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.49KG/M)
80X140X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.32KG/M)
80X140X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.15KG/M)
80X140X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.97KG/M)
80X140X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.79KG/M)
80X140X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.61KG/M)
80X140X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.43KG/M)
80X140X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.24KG/M)
80X140X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.05KG/M)
80X140X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.86KG/M)
80X140X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.66KG/M)
80X140X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.46KG/M)
80X140X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.26KG/M)
80X140X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.06KG/M)
80X140X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.85KG/M)
80X140X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.79KG/M)
80X140X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.42KG/M)

80X140X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.2KG/M)
80X140X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.98KG/M)
80X140X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.76KG/M)
80X140X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.53KG/M)
80X140X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.3KG/M)
80X140X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.07KG/M)
80X140X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.83KG/M)
80X140X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.59KG/M)
80X140X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.35KG/M)
80X140X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.1KG/M)
80X140X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.86KG/M)
80X140X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.6KG/M)
80X140X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.35KG/M)
80X140X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.09KG/M)
80X140X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.83KG/M)
80X140X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.57KG/M)
80X140X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.3KG/M)
80X140X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.03KG/M)
80X140X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.76KG/M)
80X140X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.48KG/M)
80X140X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.2KG/M)
80X140X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.92KG/M)
80X140X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.63KG/M)
80X140X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.34KG/M)
80X140X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.05KG/M)
80X140X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.76KG/M)
80X140X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.46KG/M)
80X140X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.16KG/M)
80X140X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.85KG/M)
80X140X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.55KG/M)
80X140X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.24KG/M)
80X140X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.92KG/M)
80X140X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.61KG/M)
80X140X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.29KG/M)
80X140X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.96KG/M)
80X140X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.64KG/M)
80X140X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.31KG/M)
80X140X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.98KG/M)
100X120X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.49KG/M)
100X120X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.32KG/M)
100X120X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.15KG/M)
100X120X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.97KG/M)
100X120X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.79KG/M)
100X120X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.61KG/M)
100X120X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.43KG/M)
100X120X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.24KG/M)
100X120X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.05KG/M)
100X120X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.86KG/M)
100X120X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.66KG/M)
100X120X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.46KG/M)
100X120X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.26KG/M)
100X120X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.06KG/M)
100X120X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.85KG/M)
100X120X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.79KG/M)
100X120X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.42KG/M)
100X120X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.2KG/M)
100X120X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.98KG/M)
100X120X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.76KG/M)

100X120X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.53KG/M)
100X120X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.3KG/M)
100X120X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.07KG/M)
100X120X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.83KG/M)
100X120X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.59KG/M)
100X120X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.35KG/M)
100X120X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.1KG/M)
100X120X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.86KG/M)
100X120X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.6KG/M)
100X120X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.35KG/M)
100X120X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.09KG/M)
100X120X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.83KG/M)
100X120X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.57KG/M)
100X120X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.3KG/M)
100X120X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.03KG/M)
100X120X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.76KG/M)
100X120X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.48KG/M)
100X120X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.2KG/M)
100X120X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.92KG/M)
100X120X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.63KG/M)
100X120X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.34KG/M)
100X120X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.05KG/M)
100X120X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.76KG/M)
100X120X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.46KG/M)
100X120X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.16KG/M)
100X120X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.85KG/M)
100X120X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.55KG/M)
100X120X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.24KG/M)
100X120X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.92KG/M)
100X120X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.61KG/M)
100X120X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.29KG/M)
100X120X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.96KG/M)
100X120X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.64KG/M)
100X120X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.31KG/M)
100X120X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.98KG/M)
75X150X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (8.68KG/M)
75X150X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.53KG/M)
75X150X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.38KG/M)
75X150X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.23KG/M)
75X150X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.07KG/M)
75X150X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.91KG/M)
75X150X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.74KG/M)
75X150X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.58KG/M)
75X150X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.4KG/M)
75X150X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.23KG/M)
75X150X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.05KG/M)
75X150X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.88KG/M)
75X150X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.69KG/M)
75X150X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.51KG/M)
75X150X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.32KG/M)
75X150X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.29KG/M)
75X150X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.93KG/M)
75X150X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.73KG/M)
75X150X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.53KG/M)
75X150X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.33KG/M)
75X150X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.12KG/M)
75X150X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.91KG/M)
75X150X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.7KG/M)

75X150X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.48KG/M)
75X150X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.26KG/M)
75X150X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.04KG/M)
75X150X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.81KG/M)
75X150X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.58KG/M)
75X150X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.35KG/M)
75X150X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.11KG/M)
75X150X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.88KG/M)
75X150X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.64KG/M)
75X150X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.39KG/M)
75X150X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.14KG/M)
75X150X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.89KG/M)
75X150X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.64KG/M)
75X150X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.38KG/M)
75X150X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.12KG/M)
75X150X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.86KG/M)
75X150X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.59KG/M)
75X150X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.33KG/M)
75X150X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.05KG/M)
75X150X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.78KG/M)
75X150X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.5KG/M)
75X150X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.22KG/M)
75X150X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.93KG/M)
75X150X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.65KG/M)
75X150X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.36KG/M)
75X150X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.06KG/M)
75X150X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.77KG/M)
75X150X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.47KG/M)
75X150X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.16KG/M)
75X150X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.86KG/M)
75X150X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (49.55KG/M)
75X150X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.24KG/M)
80X160X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.27KG/M)
80X160X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.18KG/M)
80X160X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.09KG/M)
80X160X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.99KG/M)
80X160X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.89KG/M)
80X160X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.79KG/M)
80X160X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.69KG/M)
80X160X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.58KG/M)
80X160X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.47KG/M)
80X160X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.35KG/M)
80X160X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.23KG/M)
80X160X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.11KG/M)
80X160X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.99KG/M)
80X160X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.86KG/M)
80X160X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.73KG/M)
80X160X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.77KG/M)
80X160X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.46KG/M)
80X160X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.32KG/M)
80X160X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.18KG/M)
80X160X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.04KG/M)
80X160X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.89KG/M)
80X160X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.74KG/M)
80X160X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.58KG/M)
80X160X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.42KG/M)
80X160X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.26KG/M)
80X160X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.1KG/M)

80X160X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.93KG/M)
80X160X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.76KG/M)
80X160X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.59KG/M)
80X160X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.41KG/M)
80X160X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.23KG/M)
80X160X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.05KG/M)
80X160X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.87KG/M)
80X160X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.68KG/M)
80X160X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.48KG/M)
80X160X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.29KG/M)
80X160X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.09KG/M)
80X160X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.89KG/M)
80X160X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.69KG/M)
80X160X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.48KG/M)
80X160X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.27KG/M)
80X160X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.06KG/M)
80X160X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.84KG/M)
80X160X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.62KG/M)
80X160X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.4KG/M)
80X160X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.17KG/M)
80X160X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.95KG/M)
80X160X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.71KG/M)
80X160X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (49.48KG/M)
80X160X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.24KG/M)
80X160X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51KG/M)
80X160X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.76KG/M)
80X160X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (52.51KG/M)
80X160X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.26KG/M)
80X160X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.01KG/M)
80X160X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.75KG/M)
80X160X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.49KG/M)
80X160X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.23KG/M)
80X160X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.96KG/M)
80X160X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.69KG/M)
80X160X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.42KG/M)
80X160X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.15KG/M)
80X160X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.87KG/M)
80X160X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.59KG/M)
80X160X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.3KG/M)
80X160X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.02KG/M)
80X160X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.73KG/M)
80X160X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.43KG/M)
80X160X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.14KG/M)
80X160X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.84KG/M)
80X160X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (65.53KG/M)
100X150X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (9.66KG/M)
100X150X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (10.61KG/M)
100X150X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.56KG/M)
100X150X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.5KG/M)
100X150X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.44KG/M)
100X150X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (14.38KG/M)
100X150X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.31KG/M)
100X150X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.24KG/M)
100X150X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.17KG/M)
100X150X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.1KG/M)
100X150X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.02KG/M)
100X150X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.94KG/M)
100X150X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.85KG/M)

100X150X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.76KG/M)
100X150X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.67KG/M)
100X150X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.76KG/M)
100X150X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.48KG/M)
100X150X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.38KG/M)
100X150X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.28KG/M)
100X150X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.17KG/M)
100X150X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.07KG/M)
100X150X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.95KG/M)
100X150X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.84KG/M)
100X150X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.72KG/M)
100X150X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.6KG/M)
100X150X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.47KG/M)
100X150X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.35KG/M)
100X150X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.21KG/M)
100X150X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.08KG/M)
100X150X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.94KG/M)
100X150X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.8KG/M)
100X150X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.66KG/M)
100X150X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.51KG/M)
100X150X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.37KG/M)
100X150X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.21KG/M)
100X150X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.06KG/M)
100X150X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.9KG/M)
100X150X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.74KG/M)
100X150X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.57KG/M)
100X150X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.4KG/M)
100X150X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.23KG/M)
100X150X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.06KG/M)
100X150X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.88KG/M)
100X150X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.7KG/M)
100X150X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.52KG/M)
100X150X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (49.33KG/M)
100X150X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.14KG/M)
100X150X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.95KG/M)
100X150X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.76KG/M)
100X150X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (52.56KG/M)
100X150X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.36KG/M)
100X150X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.15KG/M)
100X150X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.94KG/M)
100X150X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.73KG/M)
100X150X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.52KG/M)
100X150X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.3KG/M)
100X150X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.08KG/M)
100X150X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.86KG/M)
100X150X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.63KG/M)
100X150X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.4KG/M)
100X150X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.17KG/M)
100X150X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.93KG/M)
100X150X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.7KG/M)
100X150X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.45KG/M)
100X150X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.21KG/M)
100X150X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.96KG/M)
100X150X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (65.71KG/M)
100X150X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.46KG/M)
100X150X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.2KG/M)
100X150X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.94KG/M)
100X150X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.68KG/M)

100X200X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.63KG/M)
100X200X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.77KG/M)
100X200X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.92KG/M)
100X200X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.05KG/M)
100X200X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.19KG/M)
100X200X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.32KG/M)
100X200X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.45KG/M)
100X200X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.58KG/M)
100X200X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.71KG/M)
100X200X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.83KG/M)
100X200X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.95KG/M)
100X200X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.06KG/M)
100X200X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.17KG/M)
100X200X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.28KG/M)
100X200X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.39KG/M)
100X200X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.71KG/M)
100X200X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.59KG/M)
100X200X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.68KG/M)
100X200X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.78KG/M)
100X200X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.87KG/M)
100X200X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.96KG/M)
100X200X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.04KG/M)
100X200X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.12KG/M)
100X200X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.2KG/M)
100X200X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.27KG/M)
100X200X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.35KG/M)
100X200X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.41KG/M)
100X200X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.48KG/M)
100X200X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.54KG/M)
100X200X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.6KG/M)
100X200X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.66KG/M)
100X200X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.71KG/M)
100X200X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.76KG/M)
100X200X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.81KG/M)
100X200X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.85KG/M)
100X200X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (49.89KG/M)
100X200X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.93KG/M)
100X200X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.97KG/M)
100X200X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53KG/M)
100X200X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.03KG/M)
100X200X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.05KG/M)
100X200X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.07KG/M)
100X200X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.09KG/M)
100X200X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.11KG/M)
100X200X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.12KG/M)
100X200X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.13KG/M)
100X200X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.14KG/M)
100X200X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.14KG/M)
100X200X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.14KG/M)
100X200X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.14KG/M)
100X200X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (65.14KG/M)
100X200X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.13KG/M)
100X200X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.12KG/M)
100X200X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.1KG/M)
100X200X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.08KG/M)
100X200X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.06KG/M)
100X200X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.04KG/M)
100X200X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (72.01KG/M)

100X200X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (72.98KG/M)
100X200X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.95KG/M)
100X200X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.91KG/M)
100X200X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (75.87KG/M)
100X200X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.83KG/M)
100X200X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (77.79KG/M)
100X200X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.74KG/M)
100X200X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (79.69KG/M)
100X200X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.63KG/M)
100X200X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.57KG/M)
100X200X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.51KG/M)
100X200X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.45KG/M)
100X200X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84.38KG/M)
120X180X2.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (11.63KG/M)
120X180X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (12.77KG/M)
120X180X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (13.92KG/M)
120X180X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (15.05KG/M)
120X180X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.19KG/M)
120X180X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.32KG/M)
120X180X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.45KG/M)
120X180X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (19.58KG/M)
120X180X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.71KG/M)
120X180X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.83KG/M)
120X180X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.95KG/M)
120X180X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.06KG/M)
120X180X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.17KG/M)
120X180X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.28KG/M)
120X180X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.39KG/M)
120X180X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.71KG/M)
120X180X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.59KG/M)
120X180X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.68KG/M)
120X180X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.78KG/M)
120X180X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.87KG/M)
120X180X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.96KG/M)
120X180X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.04KG/M)
120X180X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.12KG/M)
120X180X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.2KG/M)
120X180X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.27KG/M)
120X180X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.35KG/M)
120X180X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.41KG/M)
120X180X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.48KG/M)
120X180X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.54KG/M)
120X180X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.6KG/M)
120X180X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.66KG/M)
120X180X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.71KG/M)
120X180X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.76KG/M)
120X180X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.81KG/M)
120X180X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.85KG/M)
120X180X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (49.89KG/M)
120X180X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.93KG/M)
120X180X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.97KG/M)
120X180X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53KG/M)
120X180X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.03KG/M)
120X180X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.05KG/M)
120X180X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.07KG/M)
120X180X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.09KG/M)
120X180X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.11KG/M)
120X180X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.12KG/M)

120X180X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.13KG/M)
120X180X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.14KG/M)
120X180X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.14KG/M)
120X180X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.14KG/M)
120X180X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.14KG/M)
120X180X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (65.14KG/M)
120X180X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.13KG/M)
120X180X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.12KG/M)
120X180X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.1KG/M)
120X180X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.08KG/M)
120X180X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.06KG/M)
120X180X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.04KG/M)
120X180X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (72.01KG/M)
120X180X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (72.98KG/M)
120X180X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.95KG/M)
120X180X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.91KG/M)
120X180X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (75.87KG/M)
120X180X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.83KG/M)
120X180X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (77.79KG/M)
120X180X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.74KG/M)
120X180X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (79.69KG/M)
120X180X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.63KG/M)
120X180X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.57KG/M)
120X180X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.51KG/M)
120X180X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.45KG/M)
120X180X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84.38KG/M)
100X250X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.27KG/M)
100X250X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.61KG/M)
100X250X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.94KG/M)
100X250X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.27KG/M)
100X250X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.6KG/M)
100X250X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.92KG/M)
100X250X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.24KG/M)
100X250X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.56KG/M)
100X250X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.87KG/M)
100X250X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.18KG/M)
100X250X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.49KG/M)
100X250X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.8KG/M)
100X250X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.1KG/M)
100X250X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.66KG/M)
100X250X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.69KG/M)
100X250X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.99KG/M)
100X250X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.28KG/M)
100X250X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(38.56KG/M)
100X250X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(39.85KG/M)
100X250X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.13KG/M)
100X250X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.4KG/M)
100X250X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.68KG/M)
100X250X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.95KG/M)
100X250X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.22KG/M)
100X250X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.48KG/M)
100X250X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.74KG/M)
100X250X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50KG/M)
100X250X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.26KG/M)
100X250X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (52.51KG/M)
100X250X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.76KG/M)
100X250X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.01KG/M)
100X250X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.25KG/M)

100X250X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.49KG/M)
100X250X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.73KG/M)
100X250X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.96KG/M)
100X250X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.19KG/M)
100X250X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.42KG/M)
100X250X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.65KG/M)
100X250X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.87KG/M)
100X250X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.09KG/M)
100X250X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.3KG/M)
100X250X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.52KG/M)
100X250X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.73KG/M)
100X250X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.93KG/M)
100X250X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (72.14KG/M)
100X250X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.34KG/M)
100X250X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.53KG/M)
100X250X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (75.73KG/M)
100X250X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.92KG/M)
100X250X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.11KG/M)
100X250X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (79.29KG/M)
100X250X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.47KG/M)
100X250X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.65KG/M)
100X250X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.83KG/M)
100X250X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84KG/M)
100X250X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (85.17KG/M)
100X250X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.34KG/M)
100X250X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.5KG/M)
100X250X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (88.66KG/M)
100X250X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.82KG/M)
100X250X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (90.97KG/M)
100X250X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.12KG/M)
100X250X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (93.27KG/M)
100X250X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.41KG/M)
100X250X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.56KG/M)
100X250X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.69KG/M)
100X250X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (97.83KG/M)
100X250X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.96KG/M)
100X250X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (100.09KG/M)
100X250X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.22KG/M)
100X250X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.34KG/M)
100X250X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (103.46KG/M)
100X250X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.58KG/M)
100X250X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.69KG/M)
100X250X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.8KG/M)
100X250X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.91KG/M)
100X250X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.02KG/M)
100X250X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.12KG/M)
100X250X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.22KG/M)
100X250X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.31KG/M)
100X250X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.4KG/M)
100X250X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.49KG/M)
100X250X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.58KG/M)
100X250X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (116.66KG/M)
100X250X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.74KG/M)
100X250X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.82KG/M)
100X250X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (119.89KG/M)
100X250X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.96KG/M)
100X250X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.03KG/M)
150X200X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (16.27KG/M)

150X200X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.61KG/M)
150X200X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.94KG/M)
150X200X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.27KG/M)
150X200X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.6KG/M)
150X200X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (22.92KG/M)
150X200X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.24KG/M)
150X200X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (25.56KG/M)
150X200X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.87KG/M)
150X200X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (28.18KG/M)
150X200X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.49KG/M)
150X200X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.8KG/M)
150X200X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.1KG/M)
150X200X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.66KG/M)
150X200X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.69KG/M)
150X200X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.99KG/M)
150X200X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (37.28KG/M)
150X200X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.56KG/M)
150X200X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.85KG/M)
150X200X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.13KG/M)
150X200X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.4KG/M)
150X200X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.68KG/M)
150X200X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.95KG/M)
150X200X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.22KG/M)
150X200X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.48KG/M)
150X200X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.74KG/M)
150X200X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50KG/M)
150X200X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.26KG/M)
150X200X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (52.51KG/M)
150X200X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.76KG/M)
150X200X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.01KG/M)
150X200X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.25KG/M)
150X200X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.49KG/M)
150X200X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.73KG/M)
150X200X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.96KG/M)
150X200X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.19KG/M)
150X200X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.42KG/M)
150X200X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.65KG/M)
150X200X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.87KG/M)
150X200X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.09KG/M)
150X200X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.3KG/M)
150X200X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.52KG/M)
150X200X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.73KG/M)
150X200X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.93KG/M)
150X200X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (72.14KG/M)
150X200X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.34KG/M)
150X200X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.53KG/M)
150X200X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (75.73KG/M)
150X200X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.92KG/M)
150X200X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.11KG/M)
150X200X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (79.29KG/M)
150X200X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.47KG/M)
150X200X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.65KG/M)
150X200X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.83KG/M)
150X200X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84KG/M)
150X200X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (85.17KG/M)
150X200X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.34KG/M)
150X200X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.5KG/M)
150X200X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (88.66KG/M)

150X200X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.82KG/M)
150X200X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (90.97KG/M)
150X200X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.12KG/M)
150X200X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (93.27KG/M)
150X200X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.41KG/M)
150X200X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.56KG/M)
150X200X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.69KG/M)
150X200X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (97.83KG/M)
150X200X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.96KG/M)
150X200X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (100.09KG/M)
150X200X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.22KG/M)
150X200X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.34KG/M)
150X200X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (103.46KG/M)
150X200X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.58KG/M)
150X200X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.69KG/M)
150X200X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.8KG/M)
150X200X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.91KG/M)
150X200X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.02KG/M)
150X200X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.12KG/M)
150X200X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.22KG/M)
150X200X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.31KG/M)
150X200X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.4KG/M)
150X200X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.49KG/M)
150X200X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.58KG/M)
150X200X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (116.66KG/M)
150X200X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.74KG/M)
150X200X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.82KG/M)
150X200X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (119.89KG/M)
150X200X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.96KG/M)
150X200X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.03KG/M)
100X300X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.09KG/M)
100X300X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.63KG/M)
100X300X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.16KG/M)
100X300X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.69KG/M)
100X300X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.22KG/M)
100X300X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.74KG/M)
100X300X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.26KG/M)
100X300X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.77KG/M)
100X300X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.29KG/M)
100X300X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.8KG/M)
100X300X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.31KG/M)
100X300X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.81KG/M)
100X300X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.31KG/M)
100X300X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.81KG/M)
100X300X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.61KG/M)
100X300X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.8KG/M)
100X300X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.29KG/M)
100X300X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.77KG/M)
100X300X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.26KG/M)
100X300X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.74KG/M)
100X300X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.21KG/M)
100X300X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.69KG/M)
100X300X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.16KG/M)
100X300X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.63KG/M)
100X300X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.09KG/M)
100X300X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.55KG/M)
100X300X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.01KG/M)
100X300X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.46KG/M)

100X300X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.92KG/M)
100X300X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.37KG/M)
100X300X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.81KG/M)
100X300X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.25KG/M)
100X300X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.69KG/M)
100X300X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.13KG/M)
100X300X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.56KG/M)
100X300X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69KG/M)
100X300X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.42KG/M)
100X300X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.85KG/M)
100X300X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.27KG/M)
100X300X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.69KG/M)
100X300X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.1KG/M)
100X300X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (77.51KG/M)
100X300X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.92KG/M)
100X300X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.33KG/M)
100X300X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.73KG/M)
100X300X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.13KG/M)
100X300X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84.53KG/M)
100X300X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (85.92KG/M)
100X300X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.31KG/M)
100X300X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (88.7KG/M)
100X300X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (90.08KG/M)
100X300X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (91.46KG/M)
100X300X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.84KG/M)
100X300X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.22KG/M)
100X300X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.59KG/M)
100X300X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.96KG/M)
100X300X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.32KG/M)
100X300X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (99.69KG/M)
100X300X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.05KG/M)
100X300X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.4KG/M)
100X300X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (103.76KG/M)
100X300X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.11KG/M)
100X300X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.45KG/M)
100X300X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.8KG/M)
100X300X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.14KG/M)
100X300X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.48KG/M)
100X300X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.81KG/M)
100X300X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.14KG/M)
100X300X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.47KG/M)
100X300X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.8KG/M)
100X300X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.12KG/M)
100X300X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.44KG/M)
100X300X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (119.76KG/M)
100X300X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (121.07KG/M)
100X300X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.38KG/M)
100X300X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.69KG/M)
100X300X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (124.99KG/M)
100X300X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.29KG/M)
100X300X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (127.59KG/M)
100X300X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.89KG/M)
100X300X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (130.18KG/M)
100X300X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131.47KG/M)
100X300X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (132.75KG/M)
100X300X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (134.04KG/M)
100X300X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.32KG/M)
100X300X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.59KG/M)

100X300X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.86KG/M)
100X300X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (139.13KG/M)
100X300X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.4KG/M)
100X300X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (141.67KG/M)
100X300X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.93KG/M)
100X300X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (144.19KG/M)
100X300X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (145.44KG/M)
100X300X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.69KG/M)
100X300X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (147.94KG/M)
100X300X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.19KG/M)
100X300X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (150.43KG/M)
100X300X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.67KG/M)
100X300X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (152.9KG/M)
100X300X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (154.14KG/M)
100X300X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.37KG/M)
100X300X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.59KG/M)
100X300X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (157.82KG/M)
100X300X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.04KG/M)
100X300X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (160.26KG/M)
100X300X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.47KG/M)
100X300X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.68KG/M)
100X300X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (163.89KG/M)
100X300X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.1KG/M)
100X300X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (166.3KG/M)
150X250X2.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (17.09KG/M)
150X250X3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (18.63KG/M)
150X250X3.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (20.16KG/M)
150X250X3.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (21.69KG/M)
150X250X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (23.22KG/M)
150X250X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (24.74KG/M)
150X250X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.26KG/M)
150X250X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.77KG/M)
150X250X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.29KG/M)
150X250X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (30.8KG/M)
150X250X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.31KG/M)
150X250X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.81KG/M)
150X250X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (35.31KG/M)
150X250X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.81KG/M)
150X250X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.61KG/M)
150X250X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.8KG/M)
150X250X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.29KG/M)
150X250X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.77KG/M)
150X250X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.26KG/M)
150X250X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (45.74KG/M)
150X250X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (47.21KG/M)
150X250X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.69KG/M)
150X250X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.16KG/M)
150X250X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.63KG/M)
150X250X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.09KG/M)
150X250X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.55KG/M)
150X250X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.01KG/M)
150X250X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.46KG/M)
150X250X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.92KG/M)
150X250X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.37KG/M)
150X250X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.81KG/M)
150X250X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.25KG/M)
150X250X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.69KG/M)
150X250X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.13KG/M)

150X250X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.56KG/M)
150X250X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69KG/M)
150X250X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.42KG/M)
150X250X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.85KG/M)
150X250X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.27KG/M)
150X250X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.69KG/M)
150X250X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.1KG/M)
150X250X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (77.51KG/M)
150X250X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.92KG/M)
150X250X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.33KG/M)
150X250X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.73KG/M)
150X250X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.13KG/M)
150X250X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84.53KG/M)
150X250X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (85.92KG/M)
150X250X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.31KG/M)
150X250X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (88.7KG/M)
150X250X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (90.08KG/M)
150X250X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (91.46KG/M)
150X250X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.84KG/M)
150X250X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.22KG/M)
150X250X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.59KG/M)
150X250X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.96KG/M)
150X250X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.32KG/M)
150X250X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (99.69KG/M)
150X250X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.05KG/M)
150X250X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.4KG/M)
150X250X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (103.76KG/M)
150X250X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.11KG/M)
150X250X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.45KG/M)
150X250X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.8KG/M)
150X250X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.14KG/M)
150X250X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.48KG/M)
150X250X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.81KG/M)
150X250X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.14KG/M)
150X250X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.47KG/M)
150X250X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.8KG/M)
150X250X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.12KG/M)
150X250X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.44KG/M)
150X250X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (119.76KG/M)
150X250X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (121.07KG/M)
150X250X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.38KG/M)
150X250X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.69KG/M)
150X250X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (124.99KG/M)
150X250X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.29KG/M)
150X250X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (127.59KG/M)
150X250X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.89KG/M)
150X250X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (130.18KG/M)
150X250X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131.47KG/M)
150X250X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (132.75KG/M)
150X250X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (134.04KG/M)
150X250X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.32KG/M)
150X250X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.59KG/M)
150X250X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.86KG/M)
150X250X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (139.13KG/M)
150X250X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.4KG/M)
150X250X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (141.67KG/M)
150X250X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.93KG/M)
150X250X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (144.19KG/M)

150X250X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (145.44KG/M)
150X250X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.69KG/M)
150X250X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (147.94KG/M)
150X250X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.19KG/M)
150X250X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (150.43KG/M)
150X250X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.67KG/M)
150X250X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (152.9KG/M)
150X250X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (154.14KG/M)
150X250X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.37KG/M)
150X250X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.59KG/M)
150X250X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (157.82KG/M)
150X250X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.04KG/M)
150X250X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (160.26KG/M)
150X250X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.47KG/M)
150X250X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.68KG/M)
150X250X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (163.89KG/M)
150X250X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.1KG/M)
150X250X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (166.3KG/M)
150X300X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.16KG/M)
150X300X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.88KG/M)
150X300X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.6KG/M)
150X300X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.31KG/M)
150X300X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.02KG/M)
150X300X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.73KG/M)
150X300X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.43KG/M)
150X300X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.13KG/M)
150X300X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.83KG/M)
150X300X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.52KG/M)
150X300X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.55KG/M)
150X300X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.9KG/M)
150X300X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.59KG/M)
150X300X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.27KG/M)
150X300X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (49.95KG/M)
150X300X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.63KG/M)
150X300X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.3KG/M)
150X300X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.97KG/M)
150X300X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.64KG/M)
150X300X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.3KG/M)
150X300X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.96KG/M)
150X300X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.62KG/M)
150X300X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.27KG/M)
150X300X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.93KG/M)
150X300X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.57KG/M)
150X300X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.22KG/M)
150X300X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.86KG/M)
150X300X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.5KG/M)
150X300X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.14KG/M)
150X300X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.77KG/M)
150X300X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.4KG/M)
150X300X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.03KG/M)
150X300X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (79.65KG/M)
150X300X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.27KG/M)
150X300X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.89KG/M)
150X300X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84.5KG/M)
150X300X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.12KG/M)
150X300X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.72KG/M)
150X300X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.33KG/M)
150X300X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (90.93KG/M)

150X300X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.53KG/M)
150X300X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.13KG/M)
150X300X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.72KG/M)
150X300X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (97.31KG/M)
150X300X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.9KG/M)
150X300X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (100.48KG/M)
150X300X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.06KG/M)
150X300X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (103.64KG/M)
150X300X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.21KG/M)
150X300X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.78KG/M)
150X300X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (108.35KG/M)
150X300X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.92KG/M)
150X300X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.48KG/M)
150X300X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.04KG/M)
150X300X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.59KG/M)
150X300X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (116.15KG/M)
150X300X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.7KG/M)
150X300X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (119.24KG/M)
150X300X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.79KG/M)
150X300X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.33KG/M)
150X300X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.87KG/M)
150X300X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (125.4KG/M)
150X300X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.93KG/M)
150X300X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.46KG/M)
150X300X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.98KG/M)
150X300X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131.51KG/M)
150X300X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.03KG/M)
150X300X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (134.54KG/M)
150X300X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.05KG/M)
150X300X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.56KG/M)
150X300X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (139.07KG/M)
150X300X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.57KG/M)
150X300X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.08KG/M)
150X300X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.57KG/M)
150X300X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (145.07KG/M)
150X300X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.56KG/M)
150X300X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (148.05KG/M)
150X300X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.53KG/M)
150X300X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.01KG/M)
150X300X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (152.49KG/M)
150X300X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (153.97KG/M)
150X300X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.44KG/M)
150X300X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.91KG/M)
150X300X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (158.38KG/M)
150X300X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.84KG/M)
150X300X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.3KG/M)
150X300X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.76KG/M)
150X300X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (164.21KG/M)
150X300X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.66KG/M)
150X300X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (167.11KG/M)
150X300X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.56KG/M)
150X300X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (170KG/M)
150X300X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (171.44KG/M)
150X300X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.87KG/M)
150X300X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.31KG/M)
150X300X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (175.74KG/M)
150X300X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.16KG/M)
150X300X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (178.59KG/M)

150X300X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (180.01KG/M)
150X300X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (181.42KG/M)
150X300X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.84KG/M)
150X300X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.25KG/M)
150X300X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (185.66KG/M)
150X300X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.06KG/M)
150X300X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (188.46KG/M)
150X300X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.86KG/M)
200X250X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (26.16KG/M)
200X250X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (27.88KG/M)
200X250X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.6KG/M)
200X250X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.31KG/M)
200X250X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (33.02KG/M)
200X250X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.73KG/M)
200X250X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.43KG/M)
200X250X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.13KG/M)
200X250X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (39.83KG/M)
200X250X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.52KG/M)
200X250X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (43.55KG/M)
200X250X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.9KG/M)
200X250X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.59KG/M)
200X250X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.27KG/M)
200X250X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (49.95KG/M)
200X250X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.63KG/M)
200X250X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.3KG/M)
200X250X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (54.97KG/M)
200X250X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (56.64KG/M)
200X250X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.3KG/M)
200X250X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.96KG/M)
200X250X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.62KG/M)
200X250X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.27KG/M)
200X250X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.93KG/M)
200X250X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.57KG/M)
200X250X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.22KG/M)
200X250X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.86KG/M)
200X250X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.5KG/M)
200X250X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.14KG/M)
200X250X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.77KG/M)
200X250X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.4KG/M)
200X250X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.03KG/M)
200X250X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (79.65KG/M)
200X250X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.27KG/M)
200X250X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.89KG/M)
200X250X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (84.5KG/M)
200X250X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.12KG/M)
200X250X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.72KG/M)
200X250X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.33KG/M)
200X250X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (90.93KG/M)
200X250X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.53KG/M)
200X250X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.13KG/M)
200X250X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.72KG/M)
200X250X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (97.31KG/M)
200X250X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.9KG/M)
200X250X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (100.48KG/M)
200X250X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.06KG/M)
200X250X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (103.64KG/M)
200X250X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.21KG/M)
200X250X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.78KG/M)

200X250X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (108.35KG/M)
200X250X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.92KG/M)
200X250X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.48KG/M)
200X250X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.04KG/M)
200X250X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.59KG/M)
200X250X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (116.15KG/M)
200X250X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.7KG/M)
200X250X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (119.24KG/M)
200X250X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.79KG/M)
200X250X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.33KG/M)
200X250X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.87KG/M)
200X250X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (125.4KG/M)
200X250X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.93KG/M)
200X250X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.46KG/M)
200X250X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.98KG/M)
200X250X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131.51KG/M)
200X250X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.03KG/M)
200X250X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (134.54KG/M)
200X250X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.05KG/M)
200X250X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.56KG/M)
200X250X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (139.07KG/M)
200X250X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.57KG/M)
200X250X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.08KG/M)
200X250X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.57KG/M)
200X250X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (145.07KG/M)
200X250X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.56KG/M)
200X250X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (148.05KG/M)
200X250X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.53KG/M)
200X250X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.01KG/M)
200X250X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (152.49KG/M)
200X250X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (153.97KG/M)
200X250X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.44KG/M)
200X250X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.91KG/M)
200X250X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (158.38KG/M)
200X250X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.84KG/M)
200X250X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.3KG/M)
200X250X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.76KG/M)
200X250X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (164.21KG/M)
200X250X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.66KG/M)
200X250X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (167.11KG/M)
200X250X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.56KG/M)
200X250X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (170KG/M)
200X250X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (171.44KG/M)
200X250X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.87KG/M)
200X250X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.31KG/M)
200X250X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (175.74KG/M)
200X250X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.16KG/M)
200X250X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (178.59KG/M)
200X250X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (180.01KG/M)
200X250X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (181.42KG/M)
200X250X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.84KG/M)
200X250X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.25KG/M)
200X250X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (185.66KG/M)
200X250X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.06KG/M)
200X250X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (188.46KG/M)
200X250X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.86KG/M)
200X300X3.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (29.11KG/M)
200X300X4MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (31.02KG/M)

200X300X4.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (32.93KG/M)
200X300X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (34.84KG/M)
200X300X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (36.75KG/M)
200X300X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (38.65KG/M)
200X300X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (40.55KG/M)
200X300X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (42.45KG/M)
200X300X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.35KG/M)
200X300X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.24KG/M)
200X300X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.5KG/M)
200X300X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (50.01KG/M)
200X300X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.89KG/M)
200X300X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.77KG/M)
200X300X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.65KG/M)
200X300X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (57.52KG/M)
200X300X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.39KG/M)
200X300X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (61.25KG/M)
200X300X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (63.12KG/M)
200X300X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.98KG/M)
200X300X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (66.83KG/M)
200X300X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.69KG/M)
200X300X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.54KG/M)
200X300X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (72.39KG/M)
200X300X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (74.23KG/M)
200X300X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.07KG/M)
200X300X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (77.91KG/M)
200X300X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (79.75KG/M)
200X300X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.58KG/M)
200X300X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.41KG/M)
200X300X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (85.24KG/M)
200X300X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.06KG/M)
200X300X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (88.88KG/M)
200X300X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (90.7KG/M)
200X300X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.51KG/M)
200X300X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.32KG/M)
200X300X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.13KG/M)
200X300X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (97.93KG/M)
200X300X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (99.74KG/M)
200X300X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.53KG/M)
200X300X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (103.33KG/M)
200X300X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.12KG/M)
200X300X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.91KG/M)
200X300X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (108.7KG/M)
200X300X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.48KG/M)
200X300X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.26KG/M)
200X300X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.04KG/M)
200X300X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.81KG/M)
200X300X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.58KG/M)
200X300X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (119.35KG/M)
200X300X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (121.12KG/M)
200X300X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.88KG/M)
200X300X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (124.64KG/M)
200X300X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.39KG/M)
200X300X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.14KG/M)
200X300X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.89KG/M)
200X300X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131.64KG/M)
200X300X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.38KG/M)
200X300X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.12KG/M)
200X300X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.86KG/M)

200X300X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (138.59KG/M)
200X300X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.32KG/M)
200X300X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.05KG/M)
200X300X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.78KG/M)
200X300X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (145.5KG/M)
200X300X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (147.22KG/M)
200X300X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (148.93KG/M)
200X300X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (150.64KG/M)
200X300X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (152.35KG/M)
200X300X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (154.06KG/M)
200X300X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.76KG/M)
200X300X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (157.46KG/M)
200X300X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.16KG/M)
200X300X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (160.85KG/M)
200X300X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.54KG/M)
200X300X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (164.23KG/M)
200X300X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.91KG/M)
200X300X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (167.6KG/M)
200X300X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (169.27KG/M)
200X300X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (170.95KG/M)
200X300X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.62KG/M)
200X300X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.29KG/M)
200X300X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (175.96KG/M)
200X300X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.62KG/M)
200X300X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.28KG/M)
200X300X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (180.94KG/M)
200X300X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.59KG/M)
200X300X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.24KG/M)
200X300X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (185.89KG/M)
200X300X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.53KG/M)
200X300X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.17KG/M)
200X300X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (190.81KG/M)
200X300X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (192.45KG/M)
200X300X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (194.08KG/M)
200X300X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (195.71KG/M)
200X300X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.33KG/M)
200X300X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (198.96KG/M)
200X300X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (200.58KG/M)
200X300X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (202.19KG/M)
200X300X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (203.81KG/M)
200X300X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (205.42KG/M)
200X300X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (207.03KG/M)
200X300X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (208.63KG/M)
200X300X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (210.23KG/M)
200X300X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (211.83KG/M)
200X300X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (213.42KG/M)
200X400X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.91KG/M)
200X400X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.21KG/M)
200X400X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.51KG/M)
200X400X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.8KG/M)
200X400X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.09KG/M)
200X400X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.38KG/M)
200X400X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.66KG/M)
200X400X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.4KG/M)
200X400X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.22KG/M)
200X400X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.49KG/M)
200X400X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.77KG/M)
200X400X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.03KG/M)

200X400X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.3KG/M)
200X400X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.56KG/M)
200X400X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.82KG/M)
200X400X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.08KG/M)
200X400X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.33KG/M)
200X400X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.58KG/M)
200X400X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.83KG/M)
200X400X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (85.07KG/M)
200X400X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.31KG/M)
200X400X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.55KG/M)
200X400X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (91.78KG/M)
200X400X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.01KG/M)
200X400X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.24KG/M)
200X400X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.47KG/M)
200X400X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (100.69KG/M)
200X400X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.91KG/M)
200X400X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.12KG/M)
200X400X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.34KG/M)
200X400X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.55KG/M)
200X400X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.75KG/M)
200X400X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.96KG/M)
200X400X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (116.16KG/M)
200X400X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.35KG/M)
200X400X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.55KG/M)
200X400X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.74KG/M)
200X400X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (124.93KG/M)
200X400X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (127.11KG/M)
200X400X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.3KG/M)
200X400X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131.47KG/M)
200X400X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.65KG/M)
200X400X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.82KG/M)
200X400X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.99KG/M)
200X400X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.16KG/M)
200X400X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.32KG/M)
200X400X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (144.48KG/M)
200X400X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.64KG/M)
200X400X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (148.79KG/M)
200X400X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (150.95KG/M)
200X400X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (153.09KG/M)
200X400X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.24KG/M)
200X400X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (157.38KG/M)
200X400X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.52KG/M)
200X400X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.66KG/M)
200X400X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (163.79KG/M)
200X400X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.92KG/M)
200X400X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.04KG/M)
200X400X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (170.17KG/M)
200X400X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.29KG/M)
200X400X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.41KG/M)
200X400X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (176.52KG/M)
200X400X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (178.63KG/M)
200X400X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (180.74KG/M)
200X400X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.84KG/M)
200X400X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.95KG/M)
200X400X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.04KG/M)
200X400X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.14KG/M)
200X400X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (191.23KG/M)
200X400X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (193.32KG/M)

200X400X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (195.41KG/M)
200X400X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.49KG/M)
200X400X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (199.57KG/M)
200X400X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (201.65KG/M)
200X400X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (203.72KG/M)
200X400X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (205.79KG/M)
200X400X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (207.86KG/M)
200X400X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (209.93KG/M)
200X400X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (211.99KG/M)
200X400X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (214.05KG/M)
200X400X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (216.1KG/M)
200X400X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (218.16KG/M)
200X400X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (220.21KG/M)
200X400X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (222.25KG/M)
200X400X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (224.3KG/M)
200X400X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (226.34KG/M)
200X400X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (228.37KG/M)
200X400X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (230.41KG/M)
200X400X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (232.44KG/M)
200X400X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (234.47KG/M)
200X400X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (236.49KG/M)
200X400X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (238.51KG/M)
200X400X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (240.53KG/M)
200X400X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.55KG/M)
200X400X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.56KG/M)
200X400X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (246.57KG/M)
200X400X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (248.57KG/M)
200X400X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (250.58KG/M)
200X400X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (252.58KG/M)
200X400X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (254.58KG/M)
200X400X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (256.57KG/M)
200X400X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (258.56KG/M)
200X400X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (260.55KG/M)
250X350X4.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (41.91KG/M)
250X350X4.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (44.21KG/M)
250X350X5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (46.51KG/M)
250X350X5.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (48.8KG/M)
250X350X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (51.09KG/M)
250X350X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (53.38KG/M)
250X350X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (55.66KG/M)
250X350X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (58.4KG/M)
250X350X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (60.22KG/M)
250X350X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.49KG/M)
250X350X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (64.77KG/M)
250X350X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (67.03KG/M)
250X350X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (69.3KG/M)
250X350X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (71.56KG/M)
250X350X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.82KG/M)
250X350X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (76.08KG/M)
250X350X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.33KG/M)
250X350X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (80.58KG/M)
250X350X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (82.83KG/M)
250X350X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (85.07KG/M)
250X350X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (87.31KG/M)
250X350X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.55KG/M)
250X350X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (91.78KG/M)
250X350X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.01KG/M)
250X350X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.24KG/M)

250X350X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.47KG/M)
250X350X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (100.69KG/M)
250X350X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.91KG/M)
250X350X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.12KG/M)
250X350X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.34KG/M)
250X350X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.55KG/M)
250X350X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.75KG/M)
250X350X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (113.96KG/M)
250X350X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (116.16KG/M)
250X350X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.35KG/M)
250X350X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.55KG/M)
250X350X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (122.74KG/M)
250X350X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (124.93KG/M)
250X350X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (127.11KG/M)
250X350X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.3KG/M)
250X350X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131.47KG/M)
250X350X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.65KG/M)
250X350X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.82KG/M)
250X350X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.99KG/M)
250X350X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.16KG/M)
250X350X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.32KG/M)
250X350X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (144.48KG/M)
250X350X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.64KG/M)
250X350X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (148.79KG/M)
250X350X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (150.95KG/M)
250X350X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (153.09KG/M)
250X350X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.24KG/M)
250X350X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (157.38KG/M)
250X350X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.52KG/M)
250X350X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.66KG/M)
250X350X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (163.79KG/M)
250X350X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.92KG/M)
250X350X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.04KG/M)
250X350X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (170.17KG/M)
250X350X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.29KG/M)
250X350X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.41KG/M)
250X350X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (176.52KG/M)
250X350X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (178.63KG/M)
250X350X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (180.74KG/M)
250X350X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.84KG/M)
250X350X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.95KG/M)
250X350X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.04KG/M)
250X350X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.14KG/M)
250X350X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (191.23KG/M)
250X350X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (193.32KG/M)
250X350X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (195.41KG/M)
250X350X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.49KG/M)
250X350X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (199.57KG/M)
250X350X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (201.65KG/M)
250X350X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (203.72KG/M)
250X350X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (205.79KG/M)
250X350X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (207.86KG/M)
250X350X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (209.93KG/M)
250X350X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (211.99KG/M)
250X350X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (214.05KG/M)
250X350X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (216.1KG/M)
250X350X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (218.16KG/M)
250X350X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (220.21KG/M)

250X350X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (222.25KG/M)
250X350X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (224.3KG/M)
250X350X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (226.34KG/M)
250X350X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (228.37KG/M)
250X350X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (230.41KG/M)
250X350X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (232.44KG/M)
250X350X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (234.47KG/M)
250X350X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (236.49KG/M)
250X350X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (238.51KG/M)
250X350X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (240.53KG/M)
250X350X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.55KG/M)
250X350X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.56KG/M)
250X350X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (246.57KG/M)
250X350X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (248.57KG/M)
250X350X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (250.58KG/M)
250X350X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (252.58KG/M)
250X350X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (254.58KG/M)
250X350X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (256.57KG/M)
250X350X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (258.56KG/M)
250X350X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (260.55KG/M)
200X500X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.73KG/M)
200X500X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.41KG/M)
200X500X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (65.09KG/M)
200X500X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.29KG/M)
200X500X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.43KG/M)
200X500X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.1KG/M)
200X500X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (75.76KG/M)
200X500X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.42KG/M)
200X500X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.08KG/M)
200X500X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.73KG/M)
200X500X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.39KG/M)
200X500X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.03KG/M)
200X500X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (91.68KG/M)
200X500X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.32KG/M)
200X500X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.96KG/M)
200X500X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (99.6KG/M)
200X500X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.23KG/M)
200X500X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.86KG/M)
200X500X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.49KG/M)
200X500X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.11KG/M)
200X500X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.73KG/M)
200X500X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.35KG/M)
200X500X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.97KG/M)
200X500X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.58KG/M)
200X500X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.19KG/M)
200X500X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (125.79KG/M)
200X500X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.4KG/M)
200X500X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131KG/M)
200X500X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.59KG/M)
200X500X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.18KG/M)
200X500X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (138.77KG/M)
200X500X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (141.36KG/M)
200X500X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.95KG/M)
200X500X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.53KG/M)
200X500X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.1KG/M)
200X500X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.68KG/M)
200X500X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (154.25KG/M)
200X500X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.82KG/M)

200X500X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.38KG/M)
200X500X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.95KG/M)
200X500X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (164.51KG/M)
200X500X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (167.06KG/M)
200X500X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (169.62KG/M)
200X500X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.17KG/M)
200X500X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.71KG/M)
200X500X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.26KG/M)
200X500X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.8KG/M)
200X500X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.34KG/M)
200X500X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.87KG/M)
200X500X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.4KG/M)
200X500X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.93KG/M)
200X500X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (192.46KG/M)
200X500X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (194.98KG/M)
200X500X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.5KG/M)
200X500X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (200.01KG/M)
200X500X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (202.53KG/M)
200X500X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (205.04KG/M)
200X500X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (207.54KG/M)
200X500X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (210.05KG/M)
200X500X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (212.55KG/M)
200X500X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (215.05KG/M)
200X500X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (217.54KG/M)
200X500X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (220.03KG/M)
200X500X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (222.52KG/M)
200X500X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (225.01KG/M)
200X500X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (227.49KG/M)
200X500X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (229.97KG/M)
200X500X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (232.44KG/M)
200X500X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (234.92KG/M)
200X500X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (237.39KG/M)
200X500X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (239.85KG/M)
200X500X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.32KG/M)
200X500X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.78KG/M)
200X500X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (247.23KG/M)
200X500X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (249.69KG/M)
200X500X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (252.14KG/M)
200X500X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (254.59KG/M)
200X500X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (257.03KG/M)
200X500X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (259.48KG/M)
200X500X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.91KG/M)
200X500X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.35KG/M)
200X500X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (266.78KG/M)
200X500X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (269.21KG/M)
200X500X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.64KG/M)
200X500X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (274.06KG/M)
200X500X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (276.48KG/M)
200X500X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (278.9KG/M)
200X500X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.32KG/M)
200X500X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (283.73KG/M)
200X500X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (286.14KG/M)
200X500X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (288.54KG/M)
200X500X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.94KG/M)
200X500X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (293.34KG/M)
200X500X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (295.74KG/M)
200X500X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.13KG/M)
200X500X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (300.52KG/M)

200X500X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (302.91KG/M)
200X500X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (305.29KG/M)
200X500X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.67KG/M)
250X450X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.73KG/M)
250X450X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.41KG/M)
250X450X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (65.09KG/M)
250X450X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.29KG/M)
250X450X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.43KG/M)
250X450X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.1KG/M)
250X450X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (75.76KG/M)
250X450X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.42KG/M)
250X450X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.08KG/M)
250X450X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.73KG/M)
250X450X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.39KG/M)
250X450X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.03KG/M)
250X450X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (91.68KG/M)
250X450X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.32KG/M)
250X450X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.96KG/M)
250X450X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (99.6KG/M)
250X450X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.23KG/M)
250X450X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.86KG/M)
250X450X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.49KG/M)
250X450X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.11KG/M)
250X450X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.73KG/M)
250X450X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.35KG/M)
250X450X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.97KG/M)
250X450X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.58KG/M)
250X450X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.19KG/M)
250X450X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (125.79KG/M)
250X450X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.4KG/M)
250X450X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131KG/M)
250X450X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.59KG/M)
250X450X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.18KG/M)
250X450X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (138.77KG/M)
250X450X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (141.36KG/M)
250X450X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.95KG/M)
250X450X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.53KG/M)
250X450X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.1KG/M)
250X450X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.68KG/M)
250X450X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (154.25KG/M)
250X450X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.82KG/M)
250X450X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.38KG/M)
250X450X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.95KG/M)
250X450X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (164.51KG/M)
250X450X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (167.06KG/M)
250X450X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (169.62KG/M)
250X450X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.17KG/M)
250X450X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.71KG/M)
250X450X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.26KG/M)
250X450X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.8KG/M)
250X450X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.34KG/M)
250X450X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.87KG/M)
250X450X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.4KG/M)
250X450X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.93KG/M)
250X450X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (192.46KG/M)
250X450X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (194.98KG/M)
250X450X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.5KG/M)
250X450X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (200.01KG/M)

250X450X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (202.53KG/M)
250X450X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (205.04KG/M)
250X450X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (207.54KG/M)
250X450X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (210.05KG/M)
250X450X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (212.55KG/M)
250X450X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (215.05KG/M)
250X450X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (217.54KG/M)
250X450X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (220.03KG/M)
250X450X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (222.52KG/M)
250X450X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (225.01KG/M)
250X450X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (227.49KG/M)
250X450X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (229.97KG/M)
250X450X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (232.44KG/M)
250X450X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (234.92KG/M)
250X450X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (237.39KG/M)
250X450X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (239.85KG/M)
250X450X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.32KG/M)
250X450X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.78KG/M)
250X450X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (247.23KG/M)
250X450X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (249.69KG/M)
250X450X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (252.14KG/M)
250X450X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (254.59KG/M)
250X450X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (257.03KG/M)
250X450X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (259.48KG/M)
250X450X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.91KG/M)
250X450X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.35KG/M)
250X450X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (266.78KG/M)
250X450X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (269.21KG/M)
250X450X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.64KG/M)
250X450X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (274.06KG/M)
250X450X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (276.48KG/M)
250X450X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (278.9KG/M)
250X450X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.32KG/M)
250X450X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (283.73KG/M)
250X450X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (286.14KG/M)
250X450X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (288.54KG/M)
250X450X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.94KG/M)
250X450X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (293.34KG/M)
250X450X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (295.74KG/M)
250X450X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.13KG/M)
250X450X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (300.52KG/M)
250X450X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (302.91KG/M)
250X450X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (305.29KG/M)
250X450X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.67KG/M)
300X400X5.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (59.73KG/M)
300X400X5.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (62.41KG/M)
300X400X6MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (65.09KG/M)
300X400X6.3MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (68.29KG/M)
300X400X6.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (70.43KG/M)
300X400X6.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (73.1KG/M)
300X400X7MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (75.76KG/M)
300X400X7.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (78.42KG/M)
300X400X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (81.08KG/M)
300X400X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (83.73KG/M)
300X400X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.39KG/M)
300X400X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.03KG/M)
300X400X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (91.68KG/M)
300X400X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (94.32KG/M)

300X400X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (96.96KG/M)
300X400X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (99.6KG/M)
300X400X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (102.23KG/M)
300X400X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.86KG/M)
300X400X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (107.49KG/M)
300X400X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (110.11KG/M)
300X400X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.73KG/M)
300X400X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.35KG/M)
300X400X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.97KG/M)
300X400X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.58KG/M)
300X400X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.19KG/M)
300X400X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (125.79KG/M)
300X400X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.4KG/M)
300X400X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (131KG/M)
300X400X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (133.59KG/M)
300X400X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (136.18KG/M)
300X400X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (138.77KG/M)
300X400X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (141.36KG/M)
300X400X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.95KG/M)
300X400X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.53KG/M)
300X400X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.1KG/M)
300X400X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.68KG/M)
300X400X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (154.25KG/M)
300X400X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.82KG/M)
300X400X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.38KG/M)
300X400X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (161.95KG/M)
300X400X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (164.51KG/M)
300X400X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (167.06KG/M)
300X400X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (169.62KG/M)
300X400X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.17KG/M)
300X400X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.71KG/M)
300X400X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.26KG/M)
300X400X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.8KG/M)
300X400X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.34KG/M)
300X400X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.87KG/M)
300X400X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.4KG/M)
300X400X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.93KG/M)
300X400X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (192.46KG/M)
300X400X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (194.98KG/M)
300X400X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.5KG/M)
300X400X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (200.01KG/M)
300X400X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (202.53KG/M)
300X400X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (205.04KG/M)
300X400X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (207.54KG/M)
300X400X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (210.05KG/M)
300X400X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (212.55KG/M)
300X400X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (215.05KG/M)
300X400X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (217.54KG/M)
300X400X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (220.03KG/M)
300X400X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (222.52KG/M)
300X400X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (225.01KG/M)
300X400X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (227.49KG/M)
300X400X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (229.97KG/M)
300X400X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (232.44KG/M)
300X400X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (234.92KG/M)
300X400X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (237.39KG/M)
300X400X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (239.85KG/M)
300X400X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.32KG/M)

300X400X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.78KG/M)
300X400X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (247.23KG/M)
300X400X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (249.69KG/M)
300X400X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (252.14KG/M)
300X400X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (254.59KG/M)
300X400X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (257.03KG/M)
300X400X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (259.48KG/M)
300X400X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.91KG/M)
300X400X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.35KG/M)
300X400X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (266.78KG/M)
300X400X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (269.21KG/M)
300X400X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.64KG/M)
300X400X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (274.06KG/M)
300X400X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (276.48KG/M)
300X400X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (278.9KG/M)
300X400X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.32KG/M)
300X400X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (283.73KG/M)
300X400X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (286.14KG/M)
300X400X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (288.54KG/M)
300X400X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.94KG/M)
300X400X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (293.34KG/M)
300X400X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (295.74KG/M)
300X400X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.13KG/M)
300X400X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (300.52KG/M)
300X400X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (302.91KG/M)
300X400X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (305.29KG/M)
300X400X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.67KG/M)
350X400X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.97KG/M)
350X400X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.82KG/M)
350X400X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.67KG/M)
350X400X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.51KG/M)
350X400X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.36KG/M)
350X400X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.2KG/M)
350X400X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.03KG/M)
350X400X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.86KG/M)
350X400X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.69KG/M)
350X400X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.52KG/M)
350X400X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.34KG/M)
350X400X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.16KG/M)
350X400X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.98KG/M)
350X400X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.8KG/M)
350X400X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.61KG/M)
350X400X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.41KG/M)
350X400X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (132.22KG/M)
350X400X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.02KG/M)
350X400X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.82KG/M)
350X400X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.62KG/M)
350X400X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.41KG/M)
350X400X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.2KG/M)
350X400X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (148.98KG/M)
350X400X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(151.77KG/M)
350X400X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(154.55KG/M)
350X400X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(157.33KG/M)
350X400X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(160.1KG/M)
350X400X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.87KG/M)
350X400X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.64KG/M)
350X400X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.4KG/M)
350X400X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (171.17KG/M)

350X400X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (173.92KG/M)
350X400X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (176.68KG/M)
350X400X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.43KG/M)
350X400X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.18KG/M)
350X400X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.93KG/M)
350X400X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.67KG/M)
350X400X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (190.41KG/M)
350X400X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (193.15KG/M)
350X400X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (195.88KG/M)
350X400X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (198.61KG/M)
350X400X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (201.34KG/M)
350X400X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (204.07KG/M)
350X400X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (206.79KG/M)
350X400X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (209.51KG/M)
350X400X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (212.22KG/M)
350X400X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (214.94KG/M)
350X400X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (217.65KG/M)
350X400X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (220.35KG/M)
350X400X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (223.05KG/M)
350X400X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (225.75KG/M)
350X400X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (228.45KG/M)
350X400X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (231.15KG/M)
350X400X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (233.84KG/M)
350X400X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (236.52KG/M)
350X400X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (239.21KG/M)
350X400X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (241.89KG/M)
350X400X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.57KG/M)
350X400X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (247.25KG/M)
350X400X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (249.92KG/M)
350X400X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (252.59KG/M)
350X400X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (255.25KG/M)
350X400X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (257.92KG/M)
350X400X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (260.58KG/M)
350X400X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (263.23KG/M)
350X400X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (265.89KG/M)
350X400X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (268.54KG/M)
350X400X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.19KG/M)
350X400X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.83KG/M)
350X400X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (276.47KG/M)
350X400X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (279.11KG/M)
350X400X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.75KG/M)
350X400X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.38KG/M)
350X400X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (287.01KG/M)
350X400X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (289.63KG/M)
350X400X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (292.26KG/M)
350X400X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (294.88KG/M)
350X400X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (297.49KG/M)
350X400X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (300.11KG/M)
350X400X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (302.72KG/M)
350X400X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (305.33KG/M)
350X400X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.93KG/M)
350X400X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.53KG/M)
350X400X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (313.13KG/M)
350X400X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (315.73KG/M)
350X400X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (318.32KG/M)
350X400X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (320.91KG/M)
350X400X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (323.49KG/M)
350X400X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (326.08KG/M)

350X400X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (328.66KG/M)
350X400X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (331.23KG/M)
300X450X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (86.97KG/M)
300X450X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (89.82KG/M)
300X450X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.67KG/M)
300X450X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.51KG/M)
300X450X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.36KG/M)
300X450X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.2KG/M)
300X450X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.03KG/M)
300X450X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (106.86KG/M)
300X450X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (109.69KG/M)
300X450X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (112.52KG/M)
300X450X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (115.34KG/M)
300X450X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.16KG/M)
300X450X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.98KG/M)
300X450X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.8KG/M)
300X450X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.61KG/M)
300X450X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.41KG/M)
300X450X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (132.22KG/M)
300X450X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.02KG/M)
300X450X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (137.82KG/M)
300X450X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (140.62KG/M)
300X450X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (143.41KG/M)
300X450X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (146.2KG/M)
300X450X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (148.98KG/M)
300X450X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (151.77KG/M)
300X450X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (154.55KG/M)
300X450X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (157.33KG/M)
300X450X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (160.1KG/M)
300X450X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.87KG/M)
300X450X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.64KG/M)
300X450X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.4KG/M)
300X450X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (171.17KG/M)
300X450X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (173.92KG/M)
300X450X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (176.68KG/M)
300X450X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.43KG/M)
300X450X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.18KG/M)
300X450X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (184.93KG/M)
300X450X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (187.67KG/M)
300X450X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (190.41KG/M)
300X450X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (193.15KG/M)
300X450X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (195.88KG/M)
300X450X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (198.61KG/M)
300X450X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (201.34KG/M)
300X450X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (204.07KG/M)
300X450X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (206.79KG/M)
300X450X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (209.51KG/M)
300X450X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (212.22KG/M)
300X450X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (214.94KG/M)
300X450X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (217.65KG/M)
300X450X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (220.35KG/M)
300X450X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (223.05KG/M)
300X450X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (225.75KG/M)
300X450X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (228.45KG/M)
300X450X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (231.15KG/M)
300X450X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (233.84KG/M)
300X450X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (236.52KG/M)
300X450X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (239.21KG/M)

300X450X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (241.89KG/M)
300X450X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.57KG/M)
300X450X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (247.25KG/M)
300X450X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (249.92KG/M)
300X450X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (252.59KG/M)
300X450X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (255.25KG/M)
300X450X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (257.92KG/M)
300X450X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (260.58KG/M)
300X450X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (263.23KG/M)
300X450X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (265.89KG/M)
300X450X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (268.54KG/M)
300X450X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.19KG/M)
300X450X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.83KG/M)
300X450X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (276.47KG/M)
300X450X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (279.11KG/M)
300X450X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.75KG/M)
300X450X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.38KG/M)
300X450X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (287.01KG/M)
300X450X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (289.63KG/M)
300X450X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (292.26KG/M)
300X450X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (294.88KG/M)
300X450X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (297.49KG/M)
300X450X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (300.11KG/M)
300X450X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (302.72KG/M)
300X450X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (305.33KG/M)
300X450X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.93KG/M)
300X450X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.53KG/M)
300X450X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (313.13KG/M)
300X450X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (315.73KG/M)
300X450X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (318.32KG/M)
300X450X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (320.91KG/M)
300X450X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (323.49KG/M)
300X450X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (326.08KG/M)
300X450X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (328.66KG/M)
300X450X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (331.23KG/M)
200X600X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.86KG/M)
200X600X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.91KG/M)
200X600X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.95KG/M)
200X600X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.99KG/M)
200X600X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.03KG/M)
200X600X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (108.07KG/M)
200X600X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.1KG/M)
200X600X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.13KG/M)
200X600X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.15KG/M)
200X600X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.18KG/M)
200X600X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.2KG/M)
200X600X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.21KG/M)
200X600X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.23KG/M)
200X600X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (132.24KG/M)
200X600X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.25KG/M)
200X600X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (138.25KG/M)
200X600X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (141.25KG/M)
200X600X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (144.25KG/M)
200X600X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (147.25KG/M)
200X600X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (150.24KG/M)
200X600X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (153.23KG/M)
200X600X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.21KG/M)
200X600X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.2KG/M)

200X600X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.17KG/M)
200X600X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.15KG/M)
200X600X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.13KG/M)
200X600X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (171.1KG/M)
200X600X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.06KG/M)
200X600X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.03KG/M)
200X600X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.99KG/M)
200X600X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.95KG/M)
200X600X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (185.9KG/M)
200X600X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (188.85KG/M)
200X600X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (191.8KG/M)
200X600X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (194.75KG/M)
200X600X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.69KG/M)
200X600X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (200.63KG/M)
200X600X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (203.57KG/M)
200X600X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (206.5KG/M)
200X600X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (209.43KG/M)
200X600X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (212.36KG/M)
200X600X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (215.28KG/M)
200X600X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (218.2KG/M)
200X600X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (221.12KG/M)
200X600X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (224.04KG/M)
200X600X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (226.95KG/M)
200X600X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (229.86KG/M)
200X600X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (232.76KG/M)
200X600X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (235.67KG/M)
200X600X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (238.57KG/M)
200X600X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (241.46KG/M)
200X600X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.36KG/M)
200X600X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (247.25KG/M)
200X600X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (250.13KG/M)
200X600X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (253.02KG/M)
200X600X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (255.9KG/M)
200X600X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (258.78KG/M)
200X600X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.65KG/M)
200X600X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.52KG/M)
200X600X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (267.39KG/M)
200X600X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (270.26KG/M)
200X600X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.12KG/M)
200X600X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (275.98KG/M)
200X600X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (278.84KG/M)
200X600X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.69KG/M)
200X600X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.54KG/M)
200X600X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (287.39KG/M)
200X600X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.23KG/M)
200X600X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (293.07KG/M)
200X600X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (295.91KG/M)
200X600X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.75KG/M)
200X600X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (301.58KG/M)
200X600X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (304.41KG/M)
200X600X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.23KG/M)
200X600X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.05KG/M)
200X600X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (312.87KG/M)
200X600X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (315.69KG/M)
200X600X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (318.5KG/M)
200X600X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (321.31KG/M)
200X600X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (324.12KG/M)
200X600X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (326.92KG/M)

200X600X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (329.73KG/M)
200X600X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (332.52KG/M)
200X600X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (335.32KG/M)
200X600X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (338.11KG/M)
200X600X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (340.9KG/M)
200X600X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (343.68KG/M)
200X600X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (346.47KG/M)
200X600X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (349.25KG/M)
200X600X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (352.02KG/M)
200X600X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (354.8KG/M)
200X600X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (357.57KG/M)
200X600X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (360.33KG/M)
200X600X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (363.1KG/M)
200X600X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (365.86KG/M)
200X600X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (368.62KG/M)
200X600X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (371.37KG/M)
200X600X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (374.12KG/M)
200X600X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (376.87KG/M)
200X600X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (379.62KG/M)
200X600X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (382.36KG/M)
200X600X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (385.1KG/M)
200X600X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (387.83KG/M)
200X600X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (390.57KG/M)
200X600X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (393.3KG/M)
200X600X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (396.02KG/M)
200X600X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (398.75KG/M)
200X600X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.47KG/M)
200X600X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (404.19KG/M)
200X600X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (406.9KG/M)
200X600X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (409.61KG/M)
200X600X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (412.32KG/M)
200X600X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (415.03KG/M)
200X600X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (417.73KG/M)
200X600X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.43KG/M)
200X600X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (423.12KG/M)
200X600X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (425.82KG/M)
200X600X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (428.51KG/M)
200X600X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (431.19KG/M)
200X600X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (433.88KG/M)
200X600X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (436.56KG/M)
200X600X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (439.24KG/M)
200X600X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (441.91KG/M)
200X600X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (444.58KG/M)
200X600X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (447.25KG/M)
200X600X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (449.92KG/M)
200X600X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (452.58KG/M)
200X600X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (455.24KG/M)
200X600X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (457.89KG/M)
200X600X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (460.55KG/M)
200X600X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (463.2KG/M)
300X500X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (92.86KG/M)
300X500X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (95.91KG/M)
300X500X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (98.95KG/M)
300X500X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (101.99KG/M)
300X500X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (105.03KG/M)
300X500X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (108.07KG/M)
300X500X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.1KG/M)
300X500X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (114.13KG/M)

300X500X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (117.15KG/M)
300X500X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (120.18KG/M)
300X500X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (123.2KG/M)
300X500X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (126.21KG/M)
300X500X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (129.23KG/M)
300X500X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (132.24KG/M)
300X500X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.25KG/M)
300X500X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (138.25KG/M)
300X500X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (141.25KG/M)
300X500X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (144.25KG/M)
300X500X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (147.25KG/M)
300X500X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (150.24KG/M)
300X500X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (153.23KG/M)
300X500X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (156.21KG/M)
300X500X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.2KG/M)
300X500X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.17KG/M)
300X500X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (165.15KG/M)
300X500X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (168.13KG/M)
300X500X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (171.1KG/M)
300X500X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (174.06KG/M)
300X500X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (177.03KG/M)
300X500X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.99KG/M)
300X500X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.95KG/M)
300X500X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (185.9KG/M)
300X500X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (188.85KG/M)
300X500X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (191.8KG/M)
300X500X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (194.75KG/M)
300X500X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (197.69KG/M)
300X500X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (200.63KG/M)
300X500X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (203.57KG/M)
300X500X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (206.5KG/M)
300X500X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (209.43KG/M)
300X500X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (212.36KG/M)
300X500X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (215.28KG/M)
300X500X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (218.2KG/M)
300X500X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (221.12KG/M)
300X500X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (224.04KG/M)
300X500X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (226.95KG/M)
300X500X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (229.86KG/M)
300X500X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (232.76KG/M)
300X500X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (235.67KG/M)
300X500X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (238.57KG/M)
300X500X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (241.46KG/M)
300X500X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.36KG/M)
300X500X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (247.25KG/M)
300X500X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (250.13KG/M)
300X500X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (253.02KG/M)
300X500X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (255.9KG/M)
300X500X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (258.78KG/M)
300X500X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.65KG/M)
300X500X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.52KG/M)
300X500X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (267.39KG/M)
300X500X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (270.26KG/M)
300X500X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.12KG/M)
300X500X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (275.98KG/M)
300X500X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (278.84KG/M)
300X500X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.69KG/M)
300X500X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.54KG/M)

300X500X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (287.39KG/M)
300X500X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.23KG/M)
300X500X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (293.07KG/M)
300X500X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (295.91KG/M)
300X500X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.75KG/M)
300X500X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (301.58KG/M)
300X500X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (304.41KG/M)
300X500X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.23KG/M)
300X500X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.05KG/M)
300X500X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (312.87KG/M)
300X500X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (315.69KG/M)
300X500X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (318.5KG/M)
300X500X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (321.31KG/M)
300X500X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (324.12KG/M)
300X500X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (326.92KG/M)
300X500X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (329.73KG/M)
300X500X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (332.52KG/M)
300X500X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (335.32KG/M)
300X500X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (338.11KG/M)
300X500X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (340.9KG/M)
300X500X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (343.68KG/M)
300X500X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (346.47KG/M)
300X500X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (349.25KG/M)
300X500X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (352.02KG/M)
300X500X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (354.8KG/M)
300X500X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (357.57KG/M)
300X500X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (360.33KG/M)
300X500X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (363.1KG/M)
300X500X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (365.86KG/M)
300X500X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (368.62KG/M)
300X500X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (371.37KG/M)
300X500X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (374.12KG/M)
300X500X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (376.87KG/M)
300X500X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (379.62KG/M)
300X500X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (382.36KG/M)
300X500X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (385.1KG/M)
300X500X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (387.83KG/M)
300X500X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (390.57KG/M)
300X500X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (393.3KG/M)
300X500X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (396.02KG/M)
300X500X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (398.75KG/M)
300X500X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.47KG/M)
300X500X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (404.19KG/M)
300X500X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (406.9KG/M)
300X500X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (409.61KG/M)
300X500X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (412.32KG/M)
300X500X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (415.03KG/M)
300X500X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (417.73KG/M)
300X500X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.43KG/M)
300X500X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (423.12KG/M)
300X500X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (425.82KG/M)
300X500X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (428.51KG/M)
300X500X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (431.19KG/M)
300X500X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (433.88KG/M)
300X500X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (436.56KG/M)
300X500X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (439.24KG/M)
300X500X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (441.91KG/M)
300X500X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (444.58KG/M)

300X500X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (447.25KG/M)
300X500X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (449.92KG/M)
300X500X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (452.58KG/M)
300X500X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (455.24KG/M)
300X500X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (457.89KG/M)
300X500X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (460.55KG/M)
300X500X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (463.2KG/M)
300X600X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (104.64KG/M)
300X600X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (108.08KG/M)
300X600X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (111.52KG/M)
300X600X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(114.95KG/M)
300X600X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (118.38KG/M)
300X600X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (121.81KG/M)
300X600X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (125.24KG/M)
300X600X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (128.66KG/M)
300X600X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (132.08KG/M)
300X600X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (135.49KG/M)
300X600X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (138.91KG/M)
300X600X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (142.31KG/M)
300X600X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (145.72KG/M)
300X600X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (149.12KG/M)
300X600X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (152.52KG/M)
300X600X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (155.92KG/M)
300X600X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (159.32KG/M)
300X600X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (162.71KG/M)
300X600X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (166.09KG/M)
300X600X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (169.48KG/M)
300X600X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (172.86KG/M)
300X600X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (176.24KG/M)
300X600X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (179.62KG/M)
300X600X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (182.99KG/M)
300X600X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (186.36KG/M)
300X600X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (189.72KG/M)
300X600X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (193.09KG/M)
300X600X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (196.45KG/M)
300X600X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (199.8KG/M)
300X600X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (203.16KG/M)
300X600X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (206.51KG/M)
300X600X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (209.86KG/M)
300X600X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (213.2KG/M)
300X600X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (216.54KG/M)
300X600X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (219.88KG/M)
300X600X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (223.22KG/M)
300X600X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (226.55KG/M)
300X600X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (229.88KG/M)
300X600X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (233.2KG/M)
300X600X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.53KG/M)
300X600X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(239.85KG/M)
300X600X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(243.16KG/M)
300X600X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(246.48KG/M)
300X600X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.79KG/M)
300X600X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(253.1KG/M)
300X600X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.4KG/M)
300X600X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(259.7KG/M)
300X600X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(263KG/M)
300X600X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.3KG/M)
300X600X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(269.59KG/M)
300X600X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(272.88KG/M)

300X600X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.16KG/M)
300X600X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(279.45KG/M)
300X600X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(282.73KG/M)
300X600X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286KG/M)
300X600X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(289.28KG/M)
300X600X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(292.55KG/M)
300X600X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.82KG/M)
300X600X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(299.08KG/M)
300X600X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(302.34KG/M)
300X600X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(305.6KG/M)
300X600X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.86KG/M)
300X600X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(312.11KG/M)
300X600X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.36KG/M)
300X600X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(318.6KG/M)
300X600X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(321.85KG/M)
300X600X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(325.09KG/M)
300X600X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(328.32KG/M)
300X600X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.56KG/M)
300X600X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(334.79KG/M)
300X600X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(338.02KG/M)
300X600X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(341.24KG/M)
300X600X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.46KG/M)
300X600X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(347.68KG/M)
300X600X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(350.9KG/M)
300X600X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(354.11KG/M)
300X600X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(357.32KG/M)
300X600X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(360.52KG/M)
300X600X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(363.73KG/M)
300X600X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(366.93KG/M)
300X600X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(370.12KG/M)
300X600X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(373.32KG/M)
300X600X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.51KG/M)
300X600X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(379.69KG/M)
300X600X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(382.88KG/M)
300X600X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(386.06KG/M)
300X600X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(389.24KG/M)
300X600X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(392.41KG/M)
300X600X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(395.58KG/M)
300X600X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.75KG/M)
300X600X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(401.92KG/M)
300X600X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(405.08KG/M)
300X600X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.24KG/M)
300X600X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(411.4KG/M)
300X600X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(414.55KG/M)
300X600X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(417.7KG/M)
300X600X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.85KG/M)
300X600X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(423.99KG/M)
300X600X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.14KG/M)
300X600X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(430.27KG/M)
300X600X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(433.41KG/M)
300X600X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(436.54KG/M)
300X600X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(439.67KG/M)
300X600X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.8KG/M)
300X600X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(445.92KG/M)
300X600X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(449.04KG/M)
300X600X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(452.15KG/M)
300X600X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(455.27KG/M)
300X600X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(458.38KG/M)

300X600X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.49KG/M)
300X600X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.59KG/M)
300X600X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(467.69KG/M)
300X600X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(470.79KG/M)
300X600X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(473.88KG/M)
300X600X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(476.98KG/M)
300X600X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.07KG/M)
300X600X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(483.15KG/M)
300X600X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(486.23KG/M)
300X600X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(489.31KG/M)
300X600X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.39KG/M)
300X600X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.46KG/M)
300X600X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(498.53KG/M)
300X600X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(501.6KG/M)
300X600X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.67KG/M)
300X600X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(507.73KG/M)
300X600X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(510.78KG/M)
300X600X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(513.84KG/M)
300X600X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(516.89KG/M)
300X600X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.94KG/M)
300X600X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(522.99KG/M)
300X600X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(526.03KG/M)
400X500X7.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(104.64KG/M)
400X500X7.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(108.08KG/M)
400X500X8MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(111.52KG/M)
400X500X8.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(114.95KG/M)
400X500X8.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(118.38KG/M)
400X500X8.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(121.81KG/M)
400X500X9MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(125.24KG/M)
400X500X9.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(128.66KG/M)
400X500X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(132.08KG/M)
400X500X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(135.49KG/M)
400X500X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(138.91KG/M)
400X500X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(142.31KG/M)
400X500X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(145.72KG/M)
400X500X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(149.12KG/M)
400X500X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(152.52KG/M)
400X500X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(155.92KG/M)
400X500X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(159.32KG/M)
400X500X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(162.71KG/M)
400X500X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(166.09KG/M)
400X500X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(169.48KG/M)
400X500X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(172.86KG/M)
400X500X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(176.24KG/M)
400X500X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(179.62KG/M)
400X500X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(182.99KG/M)
400X500X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(186.36KG/M)
400X500X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(189.72KG/M)
400X500X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(193.09KG/M)
400X500X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(196.45KG/M)
400X500X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(199.8KG/M)
400X500X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(203.16KG/M)
400X500X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.51KG/M)
400X500X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(209.86KG/M)
400X500X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(213.2KG/M)
400X500X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.54KG/M)
400X500X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(219.88KG/M)
400X500X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(223.22KG/M)

400X500X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(226.55KG/M)
400X500X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(229.88KG/M)
400X500X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(233.2KG/M)
400X500X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.53KG/M)
400X500X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(239.85KG/M)
400X500X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(243.16KG/M)
400X500X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(246.48KG/M)
400X500X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.79KG/M)
400X500X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(253.1KG/M)
400X500X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.4KG/M)
400X500X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(259.7KG/M)
400X500X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(263KG/M)
400X500X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.3KG/M)
400X500X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(269.59KG/M)
400X500X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(272.88KG/M)
400X500X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.16KG/M)
400X500X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(279.45KG/M)
400X500X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(282.73KG/M)
400X500X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286KG/M)
400X500X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(289.28KG/M)
400X500X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(292.55KG/M)
400X500X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.82KG/M)
400X500X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(299.08KG/M)
400X500X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(302.34KG/M)
400X500X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(305.6KG/M)
400X500X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.86KG/M)
400X500X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(312.11KG/M)
400X500X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.36KG/M)
400X500X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(318.6KG/M)
400X500X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(321.85KG/M)
400X500X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(325.09KG/M)
400X500X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(328.32KG/M)
400X500X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.56KG/M)
400X500X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(334.79KG/M)
400X500X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(338.02KG/M)
400X500X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(341.24KG/M)
400X500X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.46KG/M)
400X500X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(347.68KG/M)
400X500X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(350.9KG/M)
400X500X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(354.11KG/M)
400X500X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(357.32KG/M)
400X500X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(360.52KG/M)
400X500X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(363.73KG/M)
400X500X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(366.93KG/M)
400X500X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(370.12KG/M)
400X500X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(373.32KG/M)
400X500X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.51KG/M)
400X500X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(379.69KG/M)
400X500X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(382.88KG/M)
400X500X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(386.06KG/M)
400X500X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(389.24KG/M)
400X500X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(392.41KG/M)
400X500X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(395.58KG/M)
400X500X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.75KG/M)
400X500X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(401.92KG/M)
400X500X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(405.08KG/M)
400X500X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.24KG/M)
400X500X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(411.4KG/M)

400X500X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(414.55KG/M)
400X500X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(417.7KG/M)
400X500X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.85KG/M)
400X500X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(423.99KG/M)
400X500X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.14KG/M)
400X500X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(430.27KG/M)
400X500X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(433.41KG/M)
400X500X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(436.54KG/M)
400X500X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(439.67KG/M)
400X500X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.8KG/M)
400X500X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(445.92KG/M)
400X500X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(449.04KG/M)
400X500X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(452.15KG/M)
400X500X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(455.27KG/M)
400X500X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(458.38KG/M)
400X500X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.49KG/M)
400X500X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.59KG/M)
400X500X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(467.69KG/M)
400X500X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(470.79KG/M)
400X500X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(473.88KG/M)
400X500X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(476.98KG/M)
400X500X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.07KG/M)
400X500X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(483.15KG/M)
400X500X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(486.23KG/M)
400X500X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(489.31KG/M)
400X500X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.39KG/M)
400X500X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.46KG/M)
400X500X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(498.53KG/M)
400X500X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(501.6KG/M)
400X500X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.67KG/M)
400X500X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(507.73KG/M)
400X500X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(510.78KG/M)
400X500X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(513.84KG/M)
400X500X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(516.89KG/M)
400X500X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.94KG/M)
400X500X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(522.99KG/M)
400X500X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(526.03KG/M)
400X600X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(147KG/M)
400X600X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(150.81KG/M)
400X600X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(154.61KG/M)
400X600X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(158.42KG/M)
400X600X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(162.21KG/M)
400X600X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(166.01KG/M)
400X600X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(169.8KG/M)
400X600X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(173.59KG/M)
400X600X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(177.38KG/M)
400X600X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(181.16KG/M)
400X600X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(184.94KG/M)
400X600X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(188.72KG/M)
400X600X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(192.5KG/M)
400X600X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(196.27KG/M)
400X600X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(200.04KG/M)
400X600X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(203.8KG/M)
400X600X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(207.56KG/M)
400X600X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(211.32KG/M)
400X600X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(215.08KG/M)
400X600X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(218.83KG/M)
400X600X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(222.58KG/M)

400X600X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(226.33KG/M)
400X600X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(230.07KG/M)
400X600X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(233.81KG/M)
400X600X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(237.55KG/M)
400X600X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.28KG/M)
400X600X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(245.01KG/M)
400X600X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(248.74KG/M)
400X600X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(252.47KG/M)
400X600X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.19KG/M)
400X600X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(259.91KG/M)
400X600X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(263.62KG/M)
400X600X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(267.34KG/M)
400X600X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.05KG/M)
400X600X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(274.75KG/M)
400X600X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(278.46KG/M)
400X600X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(282.16KG/M)
400X600X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(285.85KG/M)
400X600X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(289.55KG/M)
400X600X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(293.24KG/M)
400X600X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(296.93KG/M)
400X600X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(300.61KG/M)
400X600X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(304.29KG/M)
400X600X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(307.97KG/M)
400X600X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(311.65KG/M)
400X600X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.32KG/M)
400X600X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(318.99KG/M)
400X600X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(322.66KG/M)
400X600X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(326.32KG/M)
400X600X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(329.98KG/M)
400X600X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(333.64KG/M)
400X600X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(337.29KG/M)
400X600X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.94KG/M)
400X600X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.59KG/M)
400X600X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(348.24KG/M)
400X600X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(351.88KG/M)
400X600X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(355.52KG/M)
400X600X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(359.15KG/M)
400X600X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(362.79KG/M)
400X600X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(366.42KG/M)
400X600X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(370.04KG/M)
400X600X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(373.67KG/M)
400X600X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(377.29KG/M)
400X600X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(380.9KG/M)
400X600X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(384.52KG/M)
400X600X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.13KG/M)
400X600X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(391.74KG/M)
400X600X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(395.34KG/M)
400X600X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.94KG/M)
400X600X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(402.54KG/M)
400X600X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(406.14KG/M)
400X600X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(409.73KG/M)
400X600X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(413.32KG/M)
400X600X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.91KG/M)
400X600X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.49KG/M)
400X600X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.07KG/M)
400X600X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.65KG/M)
400X600X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(431.22KG/M)
400X600X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(434.79KG/M)

400X600X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(438.36KG/M)
400X600X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(441.92KG/M)
400X600X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(445.48KG/M)
400X600X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(449.04KG/M)
400X600X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(452.6KG/M)
400X600X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.15KG/M)
400X600X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(459.7KG/M)
400X600X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(463.25KG/M)
400X600X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.79KG/M)
400X600X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(470.33KG/M)
400X600X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(473.87KG/M)
400X600X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(477.4KG/M)
400X600X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.93KG/M)
400X600X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(484.46KG/M)
400X600X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(487.98KG/M)
400X600X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(491.51KG/M)
400X600X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.02KG/M)
400X600X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(498.54KG/M)
400X600X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(502.05KG/M)
400X600X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(505.56KG/M)
400X600X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(509.07KG/M)
400X600X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(512.57KG/M)
400X600X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(516.07KG/M)
400X600X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.57KG/M)
400X600X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.06KG/M)
400X600X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(526.55KG/M)
400X600X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(530.04KG/M)
400X600X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(533.53KG/M)
400X600X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(537.01KG/M)
400X600X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(540.49KG/M)
400X600X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(543.96KG/M)
400X600X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.43KG/M)
400X600X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(550.9KG/M)
400X600X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(554.37KG/M)
400X600X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(557.83KG/M)
400X600X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(561.29KG/M)
400X600X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(564.75KG/M)
400X600X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(568.2KG/M)
400X600X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(571.65KG/M)
400X600X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(575.1KG/M)
400X600X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(578.54KG/M)
400X600X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(581.99KG/M)
400X600X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(585.42KG/M)
400X600X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(588.86KG/M)
300X800X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(161.92KG/M)
300X800X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(166.12KG/M)
300X800X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(170.32KG/M)
300X800X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(174.52KG/M)
300X800X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(178.71KG/M)
300X800X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(182.9KG/M)
300X800X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(187.08KG/M)
300X800X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(191.26KG/M)
300X800X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(195.44KG/M)
300X800X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(199.62KG/M)
300X800X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(203.79KG/M)
300X800X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(207.96KG/M)
300X800X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(212.13KG/M)
300X800X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.3KG/M)

300X800X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(220.46KG/M)
300X800X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(224.61KG/M)
300X800X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(228.77KG/M)
300X800X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(232.92KG/M)
300X800X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(237.07KG/M)
300X800X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.21KG/M)
300X800X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(245.36KG/M)
300X800X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.5KG/M)
300X800X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(253.63KG/M)
300X800X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(257.77KG/M)
300X800X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.9KG/M)
300X800X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.02KG/M)
300X800X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(270.15KG/M)
300X800X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(274.27KG/M)
300X800X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(278.39KG/M)
300X800X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(282.5KG/M)
300X800X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286.61KG/M)
300X800X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.72KG/M)
300X800X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(294.83KG/M)
300X800X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(298.93KG/M)
300X800X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(303.03KG/M)
300X800X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(307.12KG/M)
300X800X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(311.22KG/M)
300X800X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.31KG/M)
300X800X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(319.39KG/M)
300X800X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(323.48KG/M)
300X800X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(327.56KG/M)
300X800X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.64KG/M)
300X800X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.71KG/M)
300X800X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(339.78KG/M)
300X800X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(343.85KG/M)
300X800X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(347.92KG/M)
300X800X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(351.98KG/M)
300X800X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(356.04KG/M)
300X800X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(360.09KG/M)
300X800X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.15KG/M)
300X800X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(368.2KG/M)
300X800X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(372.24KG/M)
300X800X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.29KG/M)
300X800X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(380.33KG/M)
300X800X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(384.37KG/M)
300X800X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.4KG/M)
300X800X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(392.43KG/M)
300X800X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(396.46KG/M)
300X800X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(400.49KG/M)
300X800X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(404.51KG/M)
300X800X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.53KG/M)
300X800X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(412.54KG/M)
300X800X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.56KG/M)
300X800X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.57KG/M)
300X800X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.57KG/M)
300X800X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(428.58KG/M)
300X800X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(432.58KG/M)
300X800X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(436.57KG/M)
300X800X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(440.57KG/M)
300X800X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(444.56KG/M)
300X800X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(448.55KG/M)
300X800X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(452.53KG/M)

300X800X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.52KG/M)
300X800X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(460.49KG/M)
300X800X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.47KG/M)
300X800X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(468.44KG/M)
300X800X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(472.41KG/M)
300X800X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(476.38KG/M)
300X800X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.34KG/M)
300X800X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(484.3KG/M)
300X800X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(488.26KG/M)
300X800X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.22KG/M)
300X800X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(496.17KG/M)
300X800X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(500.12KG/M)
300X800X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.06KG/M)
300X800X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508KG/M)
300X800X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(511.94KG/M)
300X800X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(515.88KG/M)
300X800X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.81KG/M)
300X800X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.74KG/M)
300X800X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(527.67KG/M)
300X800X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(531.59KG/M)
300X800X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(535.51KG/M)
300X800X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(539.43KG/M)
300X800X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(543.34KG/M)
300X800X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.25KG/M)
300X800X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(551.16KG/M)
300X800X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(555.07KG/M)
300X800X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(558.97KG/M)
300X800X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(562.87KG/M)
300X800X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(566.76KG/M)
300X800X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(570.66KG/M)
300X800X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(574.55KG/M)
300X800X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(578.43KG/M)
300X800X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(582.32KG/M)
300X800X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.2KG/M)
300X800X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.07KG/M)
300X800X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(593.95KG/M)
300X800X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(597.82KG/M)
300X800X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(601.69KG/M)
300X800X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(605.55KG/M)
300X800X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(609.41KG/M)
300X800X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(613.27KG/M)
300X800X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(617.13KG/M)
300X800X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(620.98KG/M)
300X800X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(624.83KG/M)
300X800X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(628.68KG/M)
300X800X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.52KG/M)
300X800X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(636.36KG/M)
300X800X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(640.2KG/M)
300X800X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(644.03KG/M)
300X800X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.86KG/M)
300X800X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.69KG/M)
300X800X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(655.52KG/M)
300X800X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(659.34KG/M)
300X800X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.16KG/M)
300X800X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(666.97KG/M)
300X800X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(670.79KG/M)
300X800X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(674.6KG/M)
300X800X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(678.4KG/M)

300X800X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(682.2KG/M)
300X800X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(686.01KG/M)
300X800X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.8KG/M)
300X800X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.6KG/M)
300X800X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(697.39KG/M)
300X800X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(701.18KG/M)
300X800X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(704.96KG/M)
300X800X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(708.74KG/M)
300X800X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(712.52KG/M)
300X800X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(716.3KG/M)
300X800X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(720.07KG/M)
300X800X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(723.84KG/M)
300X800X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(727.6KG/M)
300X800X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.37KG/M)
300X800X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.13KG/M)
300X800X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(738.89KG/M)
300X800X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(742.64KG/M)
300X800X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(746.39KG/M)
300X800X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(750.14KG/M)
300X800X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(753.88KG/M)
300X800X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(757.62KG/M)
300X800X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(761.36KG/M)
300X800X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(765.1KG/M)
300X800X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(768.83KG/M)
300X800X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.56KG/M)
300X800X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(776.29KG/M)
300X800X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(780.01KG/M)
300X800X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(783.73KG/M)
300X800X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(787.45KG/M)
300X800X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(791.16KG/M)
300X800X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(794.87KG/M)
300X800X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(798.58KG/M)
300X800X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(802.28KG/M)
400X700X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(161.92KG/M)
400X700X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(166.12KG/M)
400X700X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(170.32KG/M)
400X700X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(174.52KG/M)
400X700X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(178.71KG/M)
400X700X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(182.9KG/M)
400X700X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(187.08KG/M)
400X700X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(191.26KG/M)
400X700X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(195.44KG/M)
400X700X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(199.62KG/M)
400X700X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(203.79KG/M)
400X700X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(207.96KG/M)
400X700X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(212.13KG/M)
400X700X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.3KG/M)
400X700X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(220.46KG/M)
400X700X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(224.61KG/M)
400X700X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(228.77KG/M)
400X700X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(232.92KG/M)
400X700X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(237.07KG/M)
400X700X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.21KG/M)
400X700X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(245.36KG/M)
400X700X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.5KG/M)
400X700X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(253.63KG/M)
400X700X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(257.77KG/M)
400X700X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.9KG/M)

400X700X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.02KG/M)
400X700X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(270.15KG/M)
400X700X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(274.27KG/M)
400X700X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(278.39KG/M)
400X700X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(282.5KG/M)
400X700X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286.61KG/M)
400X700X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.72KG/M)
400X700X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(294.83KG/M)
400X700X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(298.93KG/M)
400X700X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(303.03KG/M)
400X700X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(307.12KG/M)
400X700X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(311.22KG/M)
400X700X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.31KG/M)
400X700X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(319.39KG/M)
400X700X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(323.48KG/M)
400X700X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(327.56KG/M)
400X700X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.64KG/M)
400X700X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.71KG/M)
400X700X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(339.78KG/M)
400X700X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(343.85KG/M)
400X700X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(347.92KG/M)
400X700X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(351.98KG/M)
400X700X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(356.04KG/M)
400X700X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(360.09KG/M)
400X700X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.15KG/M)
400X700X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(368.2KG/M)
400X700X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(372.24KG/M)
400X700X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.29KG/M)
400X700X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(380.33KG/M)
400X700X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(384.37KG/M)
400X700X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.4KG/M)
400X700X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(392.43KG/M)
400X700X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(396.46KG/M)
400X700X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(400.49KG/M)
400X700X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(404.51KG/M)
400X700X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.53KG/M)
400X700X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(412.54KG/M)
400X700X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.56KG/M)
400X700X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.57KG/M)
400X700X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.57KG/M)
400X700X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(428.58KG/M)
400X700X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(432.58KG/M)
400X700X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(436.57KG/M)
400X700X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(440.57KG/M)
400X700X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(444.56KG/M)
400X700X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(448.55KG/M)
400X700X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(452.53KG/M)
400X700X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.52KG/M)
400X700X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(460.49KG/M)
400X700X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.47KG/M)
400X700X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(468.44KG/M)
400X700X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(472.41KG/M)
400X700X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(476.38KG/M)
400X700X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.34KG/M)
400X700X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(484.3KG/M)
400X700X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(488.26KG/M)
400X700X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.22KG/M)
400X700X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(496.17KG/M)

400X700X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(500.12KG/M)
400X700X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.06KG/M)
400X700X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508KG/M)
400X700X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(511.94KG/M)
400X700X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(515.88KG/M)
400X700X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.81KG/M)
400X700X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.74KG/M)
400X700X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(527.67KG/M)
400X700X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(531.59KG/M)
400X700X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(535.51KG/M)
400X700X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(539.43KG/M)
400X700X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(543.34KG/M)
400X700X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.25KG/M)
400X700X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(551.16KG/M)
400X700X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(555.07KG/M)
400X700X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(558.97KG/M)
400X700X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(562.87KG/M)
400X700X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(566.76KG/M)
400X700X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(570.66KG/M)
400X700X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(574.55KG/M)
400X700X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(578.43KG/M)
400X700X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(582.32KG/M)
400X700X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.2KG/M)
400X700X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.07KG/M)
400X700X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(593.95KG/M)
400X700X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(597.82KG/M)
400X700X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(601.69KG/M)
400X700X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(605.55KG/M)
400X700X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(609.41KG/M)
400X700X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(613.27KG/M)
400X700X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(617.13KG/M)
400X700X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(620.98KG/M)
400X700X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(624.83KG/M)
400X700X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(628.68KG/M)
400X700X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.52KG/M)
400X700X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(636.36KG/M)
400X700X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(640.2KG/M)
400X700X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(644.03KG/M)
400X700X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.86KG/M)
400X700X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.69KG/M)
400X700X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(655.52KG/M)
400X700X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(659.34KG/M)
400X700X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.16KG/M)
400X700X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(666.97KG/M)
400X700X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(670.79KG/M)
400X700X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(674.6KG/M)
400X700X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(678.4KG/M)
400X700X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(682.2KG/M)
400X700X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(686.01KG/M)
400X700X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.8KG/M)
400X700X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.6KG/M)
400X700X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(697.39KG/M)
400X700X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(701.18KG/M)
400X700X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(704.96KG/M)
400X700X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(708.74KG/M)
400X700X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(712.52KG/M)
400X700X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(716.3KG/M)
400X700X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(720.07KG/M)

400X700X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(723.84KG/M)
400X700X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(727.6KG/M)
400X700X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.37KG/M)
400X700X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.13KG/M)
400X700X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(738.89KG/M)
400X700X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(742.64KG/M)
400X700X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(746.39KG/M)
400X700X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(750.14KG/M)
400X700X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(753.88KG/M)
400X700X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(757.62KG/M)
400X700X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(761.36KG/M)
400X700X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(765.1KG/M)
400X700X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(768.83KG/M)
400X700X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.56KG/M)
400X700X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(776.29KG/M)
400X700X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(780.01KG/M)
400X700X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(783.73KG/M)
400X700X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(787.45KG/M)
400X700X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(791.16KG/M)
400X700X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(794.87KG/M)
400X700X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(798.58KG/M)
400X700X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(802.28KG/M)
500X600X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(161.92KG/M)
500X600X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(166.12KG/M)
500X600X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(170.32KG/M)
500X600X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(174.52KG/M)
500X600X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(178.71KG/M)
500X600X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(182.9KG/M)
500X600X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(187.08KG/M)
500X600X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(191.26KG/M)
500X600X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(195.44KG/M)
500X600X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(199.62KG/M)
500X600X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(203.79KG/M)
500X600X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(207.96KG/M)
500X600X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(212.13KG/M)
500X600X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.3KG/M)
500X600X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(220.46KG/M)
500X600X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(224.61KG/M)
500X600X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(228.77KG/M)
500X600X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(232.92KG/M)
500X600X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(237.07KG/M)
500X600X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.21KG/M)
500X600X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(245.36KG/M)
500X600X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.5KG/M)
500X600X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(253.63KG/M)
500X600X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(257.77KG/M)
500X600X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.9KG/M)
500X600X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.02KG/M)
500X600X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(270.15KG/M)
500X600X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(274.27KG/M)
500X600X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(278.39KG/M)
500X600X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(282.5KG/M)
500X600X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286.61KG/M)
500X600X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.72KG/M)
500X600X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(294.83KG/M)
500X600X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(298.93KG/M)
500X600X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(303.03KG/M)
500X600X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(307.12KG/M)

500X600X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(311.22KG/M)
500X600X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.31KG/M)
500X600X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(319.39KG/M)
500X600X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(323.48KG/M)
500X600X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(327.56KG/M)
500X600X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.64KG/M)
500X600X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.71KG/M)
500X600X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(339.78KG/M)
500X600X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(343.85KG/M)
500X600X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(347.92KG/M)
500X600X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(351.98KG/M)
500X600X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(356.04KG/M)
500X600X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(360.09KG/M)
500X600X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.15KG/M)
500X600X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(368.2KG/M)
500X600X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(372.24KG/M)
500X600X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.29KG/M)
500X600X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(380.33KG/M)
500X600X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(384.37KG/M)
500X600X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.4KG/M)
500X600X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(392.43KG/M)
500X600X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(396.46KG/M)
500X600X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(400.49KG/M)
500X600X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(404.51KG/M)
500X600X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.53KG/M)
500X600X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(412.54KG/M)
500X600X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.56KG/M)
500X600X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.57KG/M)
500X600X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.57KG/M)
500X600X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(428.58KG/M)
500X600X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(432.58KG/M)
500X600X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(436.57KG/M)
500X600X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(440.57KG/M)
500X600X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(444.56KG/M)
500X600X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(448.55KG/M)
500X600X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(452.53KG/M)
500X600X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.52KG/M)
500X600X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(460.49KG/M)
500X600X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.47KG/M)
500X600X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(468.44KG/M)
500X600X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(472.41KG/M)
500X600X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(476.38KG/M)
500X600X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.34KG/M)
500X600X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(484.3KG/M)
500X600X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(488.26KG/M)
500X600X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.22KG/M)
500X600X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(496.17KG/M)
500X600X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(500.12KG/M)
500X600X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.06KG/M)
500X600X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508KG/M)
500X600X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(511.94KG/M)
500X600X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(515.88KG/M)
500X600X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.81KG/M)
500X600X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.74KG/M)
500X600X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(527.67KG/M)
500X600X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(531.59KG/M)
500X600X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(535.51KG/M)
500X600X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(539.43KG/M)

500X600X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(543.34KG/M)
500X600X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.25KG/M)
500X600X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(551.16KG/M)
500X600X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(555.07KG/M)
500X600X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(558.97KG/M)
500X600X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(562.87KG/M)
500X600X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(566.76KG/M)
500X600X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(570.66KG/M)
500X600X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(574.55KG/M)
500X600X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(578.43KG/M)
500X600X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(582.32KG/M)
500X600X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.2KG/M)
500X600X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.07KG/M)
500X600X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(593.95KG/M)
500X600X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(597.82KG/M)
500X600X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(601.69KG/M)
500X600X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(605.55KG/M)
500X600X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(609.41KG/M)
500X600X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(613.27KG/M)
500X600X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(617.13KG/M)
500X600X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(620.98KG/M)
500X600X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(624.83KG/M)
500X600X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(628.68KG/M)
500X600X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.52KG/M)
500X600X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(636.36KG/M)
500X600X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(640.2KG/M)
500X600X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(644.03KG/M)
500X600X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.86KG/M)
500X600X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.69KG/M)
500X600X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(655.52KG/M)
500X600X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(659.34KG/M)
500X600X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.16KG/M)
500X600X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(666.97KG/M)
500X600X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(670.79KG/M)
500X600X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(674.6KG/M)
500X600X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(678.4KG/M)
500X600X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(682.2KG/M)
500X600X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(686.01KG/M)
500X600X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.8KG/M)
500X600X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.6KG/M)
500X600X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(697.39KG/M)
500X600X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(701.18KG/M)
500X600X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(704.96KG/M)
500X600X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(708.74KG/M)
500X600X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(712.52KG/M)
500X600X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(716.3KG/M)
500X600X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(720.07KG/M)
500X600X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(723.84KG/M)
500X600X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(727.6KG/M)
500X600X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.37KG/M)
500X600X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.13KG/M)
500X600X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(738.89KG/M)
500X600X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(742.64KG/M)
500X600X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(746.39KG/M)
500X600X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(750.14KG/M)
500X600X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(753.88KG/M)
500X600X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(757.62KG/M)
500X600X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(761.36KG/M)

500X600X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(765.1KG/M)
500X600X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(768.83KG/M)
500X600X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.56KG/M)
500X600X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(776.29KG/M)
500X600X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(780.01KG/M)
500X600X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(783.73KG/M)
500X600X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(787.45KG/M)
500X600X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(791.16KG/M)
500X600X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(794.87KG/M)
500X600X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(798.58KG/M)
500X600X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(802.28KG/M)
300X900X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(176.85KG/M)
300X900X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(181.44KG/M)
300X900X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(186.03KG/M)
300X900X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(190.62KG/M)
300X900X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(195.2KG/M)
300X900X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(199.78KG/M)
300X900X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(204.36KG/M)
300X900X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(208.94KG/M)
300X900X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(213.51KG/M)
300X900X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(218.08KG/M)
300X900X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(222.64KG/M)
300X900X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(227.21KG/M)
300X900X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(231.77KG/M)
300X900X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.32KG/M)
300X900X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(240.88KG/M)
300X900X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(245.43KG/M)
300X900X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.97KG/M)
300X900X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(254.52KG/M)
300X900X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(259.06KG/M)
300X900X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(263.6KG/M)
300X900X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(268.13KG/M)
300X900X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(272.67KG/M)
300X900X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(277.19KG/M)
300X900X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.72KG/M)
300X900X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286.24KG/M)
300X900X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.76KG/M)
300X900X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.28KG/M)
300X900X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(299.79KG/M)
300X900X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(304.3KG/M)
300X900X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.81KG/M)
300X900X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(313.32KG/M)
300X900X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(317.82KG/M)
300X900X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(322.31KG/M)
300X900X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(326.81KG/M)
300X900X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.3KG/M)
300X900X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.79KG/M)
300X900X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.28KG/M)
300X900X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.76KG/M)
300X900X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.24KG/M)
300X900X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(353.72KG/M)
300X900X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(358.19KG/M)
300X900X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(362.66KG/M)
300X900X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(367.13KG/M)
300X900X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(371.59KG/M)
300X900X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.05KG/M)
300X900X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(380.51KG/M)
300X900X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(384.96KG/M)

300X900X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(389.42KG/M)
300X900X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.87KG/M)
300X900X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.31KG/M)
300X900X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(402.75KG/M)
300X900X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(407.19KG/M)
300X900X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(411.63KG/M)
300X900X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.06KG/M)
300X900X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.49KG/M)
300X900X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.92KG/M)
300X900X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(429.35KG/M)
300X900X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(433.77KG/M)
300X900X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(438.18KG/M)
300X900X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.6KG/M)
300X900X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(447.01KG/M)
300X900X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(451.42KG/M)
300X900X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(455.83KG/M)
300X900X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(460.23KG/M)
300X900X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.63KG/M)
300X900X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(469.02KG/M)
300X900X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(473.42KG/M)
300X900X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(477.81KG/M)
300X900X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(482.19KG/M)
300X900X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(486.58KG/M)
300X900X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(490.96KG/M)
300X900X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.34KG/M)
300X900X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(499.71KG/M)
300X900X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.08KG/M)
300X900X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508.45KG/M)
300X900X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(512.82KG/M)
300X900X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(517.18KG/M)
300X900X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(521.54KG/M)
300X900X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(525.9KG/M)
300X900X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(530.25KG/M)
300X900X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(534.6KG/M)
300X900X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(538.95KG/M)
300X900X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(543.29KG/M)
300X900X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.63KG/M)
300X900X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(551.97KG/M)
300X900X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(556.3KG/M)
300X900X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(560.64KG/M)
300X900X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(564.97KG/M)
300X900X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(569.29KG/M)
300X900X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(573.61KG/M)
300X900X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(577.93KG/M)
300X900X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(582.25KG/M)
300X900X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.56KG/M)
300X900X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.87KG/M)
300X900X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.18KG/M)
300X900X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(599.48KG/M)
300X900X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(603.78KG/M)
300X900X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(608.08KG/M)
300X900X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(612.38KG/M)
300X900X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(616.67KG/M)
300X900X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(620.96KG/M)
300X900X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(625.24KG/M)
300X900X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(629.52KG/M)
300X900X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(633.8KG/M)
300X900X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(638.08KG/M)

300X900X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.35KG/M)
300X900X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(646.62KG/M)
300X900X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(650.89KG/M)
300X900X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(655.15KG/M)
300X900X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(659.41KG/M)
300X900X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.67KG/M)
300X900X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(667.93KG/M)
300X900X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(672.18KG/M)
300X900X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(676.43KG/M)
300X900X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(680.67KG/M)
300X900X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.91KG/M)
300X900X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.15KG/M)
300X900X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.39KG/M)
300X900X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(697.62KG/M)
300X900X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(701.85KG/M)
300X900X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(706.08KG/M)
300X900X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(710.3KG/M)
300X900X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(714.52KG/M)
300X900X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(718.74KG/M)
300X900X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(722.96KG/M)
300X900X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(727.17KG/M)
300X900X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.38KG/M)
300X900X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.58KG/M)
300X900X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(739.78KG/M)
300X900X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(743.98KG/M)
300X900X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(748.18KG/M)
300X900X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(752.37KG/M)
300X900X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(756.56KG/M)
300X900X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(760.75KG/M)
300X900X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(764.93KG/M)
300X900X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(769.11KG/M)
300X900X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(773.29KG/M)
300X900X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(777.46KG/M)
300X900X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(781.64KG/M)
300X900X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(785.8KG/M)
300X900X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(789.97KG/M)
300X900X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(794.13KG/M)
300X900X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(798.29KG/M)
300X900X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(802.45KG/M)
300X900X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(806.6KG/M)
300X900X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(810.75KG/M)
300X900X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(814.9KG/M)
300X900X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(819.04KG/M)
300X900X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(823.18KG/M)
300X900X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(827.32KG/M)
300X900X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(831.45KG/M)
300X900X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(835.58KG/M)
300X900X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(839.71KG/M)
300X900X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(843.84KG/M)
300X900X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(847.96KG/M)
300X900X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(852.08KG/M)
300X900X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(856.19KG/M)
300X900X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(860.31KG/M)
300X900X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(864.42KG/M)
300X900X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(868.52KG/M)
300X900X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(872.63KG/M)
300X900X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(876.73KG/M)
300X900X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(880.82KG/M)

400X800X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(176.85KG/M)
400X800X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(181.44KG/M)
400X800X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(186.03KG/M)
400X800X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(190.62KG/M)
400X800X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(195.2KG/M)
400X800X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(199.78KG/M)
400X800X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(204.36KG/M)
400X800X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(208.94KG/M)
400X800X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(213.51KG/M)
400X800X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(218.08KG/M)
400X800X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(222.64KG/M)
400X800X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(227.21KG/M)
400X800X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(231.77KG/M)
400X800X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.32KG/M)
400X800X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(240.88KG/M)
400X800X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(245.43KG/M)
400X800X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.97KG/M)
400X800X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(254.52KG/M)
400X800X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(259.06KG/M)
400X800X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(263.6KG/M)
400X800X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(268.13KG/M)
400X800X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(272.67KG/M)
400X800X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(277.19KG/M)
400X800X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.72KG/M)
400X800X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286.24KG/M)
400X800X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.76KG/M)
400X800X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.28KG/M)
400X800X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(299.79KG/M)
400X800X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(304.3KG/M)
400X800X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.81KG/M)
400X800X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(313.32KG/M)
400X800X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(317.82KG/M)
400X800X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(322.31KG/M)
400X800X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(326.81KG/M)
400X800X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.3KG/M)
400X800X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.79KG/M)
400X800X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.28KG/M)
400X800X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.76KG/M)
400X800X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.24KG/M)
400X800X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(353.72KG/M)
400X800X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(358.19KG/M)
400X800X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(362.66KG/M)
400X800X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(367.13KG/M)
400X800X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(371.59KG/M)
400X800X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.05KG/M)
400X800X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(380.51KG/M)
400X800X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(384.96KG/M)
400X800X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(389.42KG/M)
400X800X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.87KG/M)
400X800X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.31KG/M)
400X800X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(402.75KG/M)
400X800X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(407.19KG/M)
400X800X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(411.63KG/M)
400X800X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.06KG/M)
400X800X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.49KG/M)
400X800X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.92KG/M)
400X800X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(429.35KG/M)
400X800X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(433.77KG/M)

400X800X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(438.18KG/M)
400X800X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.6KG/M)
400X800X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(447.01KG/M)
400X800X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(451.42KG/M)
400X800X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(455.83KG/M)
400X800X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(460.23KG/M)
400X800X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.63KG/M)
400X800X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(469.02KG/M)
400X800X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(473.42KG/M)
400X800X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(477.81KG/M)
400X800X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(482.19KG/M)
400X800X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(486.58KG/M)
400X800X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(490.96KG/M)
400X800X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.34KG/M)
400X800X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(499.71KG/M)
400X800X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.08KG/M)
400X800X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508.45KG/M)
400X800X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(512.82KG/M)
400X800X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(517.18KG/M)
400X800X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(521.54KG/M)
400X800X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(525.9KG/M)
400X800X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(530.25KG/M)
400X800X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(534.6KG/M)
400X800X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(538.95KG/M)
400X800X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(543.29KG/M)
400X800X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.63KG/M)
400X800X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(551.97KG/M)
400X800X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(556.3KG/M)
400X800X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(560.64KG/M)
400X800X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(564.97KG/M)
400X800X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(569.29KG/M)
400X800X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(573.61KG/M)
400X800X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(577.93KG/M)
400X800X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(582.25KG/M)
400X800X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.56KG/M)
400X800X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.87KG/M)
400X800X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.18KG/M)
400X800X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(599.48KG/M)
400X800X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(603.78KG/M)
400X800X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(608.08KG/M)
400X800X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(612.38KG/M)
400X800X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(616.67KG/M)
400X800X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(620.96KG/M)
400X800X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(625.24KG/M)
400X800X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(629.52KG/M)
400X800X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(633.8KG/M)
400X800X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(638.08KG/M)
400X800X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.35KG/M)
400X800X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(646.62KG/M)
400X800X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(650.89KG/M)
400X800X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(655.15KG/M)
400X800X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(659.41KG/M)
400X800X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.67KG/M)
400X800X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(667.93KG/M)
400X800X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(672.18KG/M)
400X800X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(676.43KG/M)
400X800X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(680.67KG/M)
400X800X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.91KG/M)

400X800X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.15KG/M)
400X800X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.39KG/M)
400X800X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(697.62KG/M)
400X800X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(701.85KG/M)
400X800X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(706.08KG/M)
400X800X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(710.3KG/M)
400X800X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(714.52KG/M)
400X800X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(718.74KG/M)
400X800X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(722.96KG/M)
400X800X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(727.17KG/M)
400X800X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.38KG/M)
400X800X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.58KG/M)
400X800X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(739.78KG/M)
400X800X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(743.98KG/M)
400X800X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(748.18KG/M)
400X800X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(752.37KG/M)
400X800X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(756.56KG/M)
400X800X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(760.75KG/M)
400X800X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(764.93KG/M)
400X800X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(769.11KG/M)
400X800X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(773.29KG/M)
400X800X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(777.46KG/M)
400X800X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(781.64KG/M)
400X800X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(785.8KG/M)
400X800X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(789.97KG/M)
400X800X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(794.13KG/M)
400X800X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(798.29KG/M)
400X800X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(802.45KG/M)
400X800X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(806.6KG/M)
400X800X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(810.75KG/M)
400X800X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(814.9KG/M)
400X800X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(819.04KG/M)
400X800X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(823.18KG/M)
400X800X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(827.32KG/M)
400X800X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(831.45KG/M)
400X800X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(835.58KG/M)
400X800X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(839.71KG/M)
400X800X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(843.84KG/M)
400X800X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(847.96KG/M)
400X800X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(852.08KG/M)
400X800X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(856.19KG/M)
400X800X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(860.31KG/M)
400X800X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(864.42KG/M)
400X800X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(868.52KG/M)
400X800X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(872.63KG/M)
400X800X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(876.73KG/M)
400X800X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(880.82KG/M)
500X700X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(176.85KG/M)
500X700X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(181.44KG/M)
500X700X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(186.03KG/M)
500X700X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(190.62KG/M)
500X700X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(195.2KG/M)
500X700X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(199.78KG/M)
500X700X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(204.36KG/M)
500X700X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(208.94KG/M)
500X700X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(213.51KG/M)
500X700X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(218.08KG/M)
500X700X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(222.64KG/M)

500X700X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(227.21KG/M)
500X700X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(231.77KG/M)
500X700X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.32KG/M)
500X700X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(240.88KG/M)
500X700X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(245.43KG/M)
500X700X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.97KG/M)
500X700X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(254.52KG/M)
500X700X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(259.06KG/M)
500X700X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(263.6KG/M)
500X700X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(268.13KG/M)
500X700X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(272.67KG/M)
500X700X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(277.19KG/M)
500X700X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.72KG/M)
500X700X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(286.24KG/M)
500X700X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.76KG/M)
500X700X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.28KG/M)
500X700X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(299.79KG/M)
500X700X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(304.3KG/M)
500X700X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.81KG/M)
500X700X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(313.32KG/M)
500X700X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(317.82KG/M)
500X700X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(322.31KG/M)
500X700X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(326.81KG/M)
500X700X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(331.3KG/M)
500X700X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.79KG/M)
500X700X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.28KG/M)
500X700X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.76KG/M)
500X700X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.24KG/M)
500X700X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(353.72KG/M)
500X700X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(358.19KG/M)
500X700X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(362.66KG/M)
500X700X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(367.13KG/M)
500X700X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(371.59KG/M)
500X700X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.05KG/M)
500X700X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(380.51KG/M)
500X700X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(384.96KG/M)
500X700X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(389.42KG/M)
500X700X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.87KG/M)
500X700X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.31KG/M)
500X700X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(402.75KG/M)
500X700X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(407.19KG/M)
500X700X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(411.63KG/M)
500X700X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.06KG/M)
500X700X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(420.49KG/M)
500X700X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.92KG/M)
500X700X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(429.35KG/M)
500X700X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(433.77KG/M)
500X700X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(438.18KG/M)
500X700X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.6KG/M)
500X700X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(447.01KG/M)
500X700X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(451.42KG/M)
500X700X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(455.83KG/M)
500X700X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(460.23KG/M)
500X700X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(464.63KG/M)
500X700X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(469.02KG/M)
500X700X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(473.42KG/M)
500X700X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(477.81KG/M)
500X700X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(482.19KG/M)

500X700X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(486.58KG/M)
500X700X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(490.96KG/M)
500X700X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.34KG/M)
500X700X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(499.71KG/M)
500X700X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.08KG/M)
500X700X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508.45KG/M)
500X700X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(512.82KG/M)
500X700X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(517.18KG/M)
500X700X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(521.54KG/M)
500X700X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(525.9KG/M)
500X700X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(530.25KG/M)
500X700X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(534.6KG/M)
500X700X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(538.95KG/M)
500X700X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(543.29KG/M)
500X700X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.63KG/M)
500X700X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(551.97KG/M)
500X700X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(556.3KG/M)
500X700X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(560.64KG/M)
500X700X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(564.97KG/M)
500X700X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(569.29KG/M)
500X700X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(573.61KG/M)
500X700X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(577.93KG/M)
500X700X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(582.25KG/M)
500X700X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.56KG/M)
500X700X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.87KG/M)
500X700X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.18KG/M)
500X700X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(599.48KG/M)
500X700X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(603.78KG/M)
500X700X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(608.08KG/M)
500X700X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(612.38KG/M)
500X700X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(616.67KG/M)
500X700X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(620.96KG/M)
500X700X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(625.24KG/M)
500X700X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(629.52KG/M)
500X700X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(633.8KG/M)
500X700X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(638.08KG/M)
500X700X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.35KG/M)
500X700X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(646.62KG/M)
500X700X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(650.89KG/M)
500X700X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(655.15KG/M)
500X700X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(659.41KG/M)
500X700X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.67KG/M)
500X700X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(667.93KG/M)
500X700X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(672.18KG/M)
500X700X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(676.43KG/M)
500X700X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(680.67KG/M)
500X700X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.91KG/M)
500X700X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.15KG/M)
500X700X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.39KG/M)
500X700X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(697.62KG/M)
500X700X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(701.85KG/M)
500X700X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(706.08KG/M)
500X700X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(710.3KG/M)
500X700X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(714.52KG/M)
500X700X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(718.74KG/M)
500X700X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(722.96KG/M)
500X700X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(727.17KG/M)
500X700X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.38KG/M)

500X700X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.58KG/M)
500X700X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(739.78KG/M)
500X700X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(743.98KG/M)
500X700X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(748.18KG/M)
500X700X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(752.37KG/M)
500X700X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(756.56KG/M)
500X700X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(760.75KG/M)
500X700X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(764.93KG/M)
500X700X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(769.11KG/M)
500X700X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(773.29KG/M)
500X700X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(777.46KG/M)
500X700X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(781.64KG/M)
500X700X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(785.8KG/M)
500X700X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(789.97KG/M)
500X700X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(794.13KG/M)
500X700X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(798.29KG/M)
500X700X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(802.45KG/M)
500X700X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(806.6KG/M)
500X700X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(810.75KG/M)
500X700X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(814.9KG/M)
500X700X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(819.04KG/M)
500X700X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(823.18KG/M)
500X700X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(827.32KG/M)
500X700X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(831.45KG/M)
500X700X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(835.58KG/M)
500X700X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(839.71KG/M)
500X700X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(843.84KG/M)
500X700X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(847.96KG/M)
500X700X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(852.08KG/M)
500X700X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(856.19KG/M)
500X700X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(860.31KG/M)
500X700X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(864.42KG/M)
500X700X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(868.52KG/M)
500X700X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(872.63KG/M)
500X700X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(876.73KG/M)
500X700X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(880.82KG/M)
300X1000X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(191.77KG/M)
300X1000X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(196.75KG/M)
300X1000X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(201.74KG/M)
300X1000X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.72KG/M)
300X1000X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(211.69KG/M)
300X1000X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.67KG/M)
300X1000X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(221.64KG/M)
300X1000X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(226.61KG/M)
300X1000X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(231.57KG/M)
300X1000X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.53KG/M)
300X1000X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.49KG/M)
300X1000X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(246.45KG/M)
300X1000X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(251.4KG/M)
300X1000X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.35KG/M)
300X1000X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.3KG/M)
300X1000X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.24KG/M)
300X1000X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.18KG/M)
300X1000X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.12KG/M)
300X1000X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.05KG/M)
300X1000X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(285.98KG/M)
300X1000X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.91KG/M)
300X1000X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.83KG/M)

300X1000X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(300.76KG/M)
300X1000X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(305.68KG/M)
300X1000X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(310.59KG/M)
300X1000X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.5KG/M)
300X1000X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(320.41KG/M)
300X1000X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(325.32KG/M)
300X1000X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(330.22KG/M)
300X1000X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.12KG/M)
300X1000X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.02KG/M)
300X1000X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.91KG/M)
300X1000X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.8KG/M)
300X1000X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(354.69KG/M)
300X1000X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(359.58KG/M)
300X1000X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.46KG/M)
300X1000X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(369.34KG/M)
300X1000X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(374.21KG/M)
300X1000X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(379.08KG/M)
300X1000X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(383.95KG/M)
300X1000X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.82KG/M)
300X1000X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.68KG/M)
300X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.54KG/M)
300X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(403.4KG/M)
300X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.25KG/M)
300X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(413.1KG/M)
300X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(417.95KG/M)
300X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(422.8KG/M)
300X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.64KG/M)
300X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(432.48KG/M)
300X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(437.31KG/M)
300X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.14KG/M)
300X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(446.97KG/M)
300X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(451.8KG/M)
300X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.62KG/M)
300X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.44KG/M)
300X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.26KG/M)
300X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(471.07KG/M)
300X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(475.88KG/M)
300X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.69KG/M)
300X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(485.5KG/M)
300X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(490.3KG/M)
300X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.1KG/M)
300X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(499.89KG/M)
300X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.68KG/M)
300X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(509.47KG/M)
300X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(514.26KG/M)
300X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.04KG/M)
300X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.82KG/M)
300X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(528.6KG/M)
300X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(533.37KG/M)
300X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(538.14KG/M)
300X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(542.91KG/M)
300X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.67KG/M)
300X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(552.44KG/M)
300X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(557.19KG/M)
300X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(561.95KG/M)
300X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(566.7KG/M)
300X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(571.45KG/M)
300X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(576.2KG/M)

300X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(580.94KG/M)
300X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(585.68KG/M)
300X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.42KG/M)
300X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.15KG/M)
300X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(599.88KG/M)
300X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(604.61KG/M)
300X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(609.33KG/M)
300X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(614.05KG/M)
300X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(618.77KG/M)
300X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(623.49KG/M)
300X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(628.2KG/M)
300X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.91KG/M)
300X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(637.61KG/M)
300X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.32KG/M)
300X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.02KG/M)
300X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.71KG/M)
300X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(656.41KG/M)
300X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(661.1KG/M)
300X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(665.78KG/M)
300X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(670.47KG/M)
300X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(675.15KG/M)
300X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(679.83KG/M)
300X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.5KG/M)
300X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.17KG/M)
300X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.84KG/M)
300X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(698.51KG/M)
300X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(703.17KG/M)
300X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(707.83KG/M)
300X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(712.49KG/M)
300X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(717.14KG/M)
300X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(721.79KG/M)
300X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(726.44KG/M)
300X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.08KG/M)
300X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.72KG/M)
300X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(740.36KG/M)
300X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(745KG/M)
300X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(749.63KG/M)
300X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(754.26KG/M)
300X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(758.88KG/M)
300X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(763.51KG/M)
300X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(768.13KG/M)
300X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.74KG/M)
300X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(777.36KG/M)
300X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(781.97KG/M)
300X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(786.57KG/M)
300X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(791.18KG/M)
300X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(795.78KG/M)
300X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(800.38KG/M)
300X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(804.97KG/M)
300X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(809.56KG/M)
300X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(814.15KG/M)
300X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(818.74KG/M)
300X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(823.32KG/M)
300X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(827.9KG/M)
300X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(832.48KG/M)
300X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(837.05KG/M)
300X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(841.62KG/M)
300X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(846.19KG/M)

300X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(850.75KG/M)
300X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(855.31KG/M)
300X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(859.87KG/M)
300X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(864.42KG/M)
300X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(868.98KG/M)
300X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(873.52KG/M)
300X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(878.07KG/M)
300X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(882.61KG/M)
300X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(887.15KG/M)
300X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(891.69KG/M)
300X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(896.22KG/M)
300X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(900.75KG/M)
300X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(905.28KG/M)
300X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(909.8KG/M)
300X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(914.32KG/M)
300X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(918.84KG/M)
300X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(923.36KG/M)
300X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(927.87KG/M)
300X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(932.38KG/M)
300X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(936.88KG/M)
300X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(941.38KG/M)
300X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(945.88KG/M)
300X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(950.38KG/M)
300X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(954.87KG/M)
300X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(959.36KG/M)
400X900X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(191.77KG/M)
400X900X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(196.75KG/M)
400X900X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(201.74KG/M)
400X900X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.72KG/M)
400X900X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(211.69KG/M)
400X900X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.67KG/M)
400X900X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(221.64KG/M)
400X900X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(226.61KG/M)
400X900X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(231.57KG/M)
400X900X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.53KG/M)
400X900X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.49KG/M)
400X900X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(246.45KG/M)
400X900X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(251.4KG/M)
400X900X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.35KG/M)
400X900X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.3KG/M)
400X900X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.24KG/M)
400X900X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.18KG/M)
400X900X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.12KG/M)
400X900X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.05KG/M)
400X900X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(285.98KG/M)
400X900X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.91KG/M)
400X900X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.83KG/M)
400X900X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(300.76KG/M)
400X900X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(305.68KG/M)
400X900X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(310.59KG/M)
400X900X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.5KG/M)
400X900X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(320.41KG/M)
400X900X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(325.32KG/M)
400X900X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(330.22KG/M)
400X900X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.12KG/M)
400X900X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.02KG/M)
400X900X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.91KG/M)
400X900X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.8KG/M)

400X900X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(354.69KG/M)
400X900X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(359.58KG/M)
400X900X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.46KG/M)
400X900X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(369.34KG/M)
400X900X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(374.21KG/M)
400X900X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(379.08KG/M)
400X900X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(383.95KG/M)
400X900X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.82KG/M)
400X900X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.68KG/M)
400X900X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.54KG/M)
400X900X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(403.4KG/M)
400X900X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.25KG/M)
400X900X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(413.1KG/M)
400X900X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(417.95KG/M)
400X900X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(422.8KG/M)
400X900X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.64KG/M)
400X900X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(432.48KG/M)
400X900X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(437.31KG/M)
400X900X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.14KG/M)
400X900X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(446.97KG/M)
400X900X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(451.8KG/M)
400X900X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.62KG/M)
400X900X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.44KG/M)
400X900X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.26KG/M)
400X900X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(471.07KG/M)
400X900X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(475.88KG/M)
400X900X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.69KG/M)
400X900X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(485.5KG/M)
400X900X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(490.3KG/M)
400X900X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.1KG/M)
400X900X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(499.89KG/M)
400X900X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.68KG/M)
400X900X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(509.47KG/M)
400X900X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(514.26KG/M)
400X900X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.04KG/M)
400X900X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.82KG/M)
400X900X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(528.6KG/M)
400X900X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(533.37KG/M)
400X900X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(538.14KG/M)
400X900X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(542.91KG/M)
400X900X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.67KG/M)
400X900X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(552.44KG/M)
400X900X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(557.19KG/M)
400X900X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(561.95KG/M)
400X900X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(566.7KG/M)
400X900X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(571.45KG/M)
400X900X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(576.2KG/M)
400X900X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(580.94KG/M)
400X900X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(585.68KG/M)
400X900X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.42KG/M)
400X900X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.15KG/M)
400X900X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(599.88KG/M)
400X900X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(604.61KG/M)
400X900X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(609.33KG/M)
400X900X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(614.05KG/M)
400X900X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(618.77KG/M)
400X900X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(623.49KG/M)
400X900X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(628.2KG/M)

400X900X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.91KG/M)
400X900X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(637.61KG/M)
400X900X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.32KG/M)
400X900X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.02KG/M)
400X900X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.71KG/M)
400X900X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(656.41KG/M)
400X900X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(661.1KG/M)
400X900X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(665.78KG/M)
400X900X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(670.47KG/M)
400X900X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(675.15KG/M)
400X900X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(679.83KG/M)
400X900X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.5KG/M)
400X900X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.17KG/M)
400X900X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.84KG/M)
400X900X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(698.51KG/M)
400X900X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(703.17KG/M)
400X900X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(707.83KG/M)
400X900X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(712.49KG/M)
400X900X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(717.14KG/M)
400X900X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(721.79KG/M)
400X900X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(726.44KG/M)
400X900X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.08KG/M)
400X900X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.72KG/M)
400X900X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(740.36KG/M)
400X900X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(745KG/M)
400X900X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(749.63KG/M)
400X900X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(754.26KG/M)
400X900X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(758.88KG/M)
400X900X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(763.51KG/M)
400X900X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(768.13KG/M)
400X900X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.74KG/M)
400X900X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(777.36KG/M)
400X900X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(781.97KG/M)
400X900X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(786.57KG/M)
400X900X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(791.18KG/M)
400X900X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(795.78KG/M)
400X900X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(800.38KG/M)
400X900X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(804.97KG/M)
400X900X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(809.56KG/M)
400X900X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(814.15KG/M)
400X900X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(818.74KG/M)
400X900X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(823.32KG/M)
400X900X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(827.9KG/M)
400X900X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(832.48KG/M)
400X900X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(837.05KG/M)
400X900X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(841.62KG/M)
400X900X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(846.19KG/M)
400X900X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(850.75KG/M)
400X900X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(855.31KG/M)
400X900X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(859.87KG/M)
400X900X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(864.42KG/M)
400X900X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(868.98KG/M)
400X900X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(873.52KG/M)
400X900X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(878.07KG/M)
400X900X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(882.61KG/M)
400X900X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(887.15KG/M)
400X900X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(891.69KG/M)
400X900X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(896.22KG/M)

400X900X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(900.75KG/M)
400X900X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(905.28KG/M)
400X900X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(909.8KG/M)
400X900X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(914.32KG/M)
400X900X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(918.84KG/M)
400X900X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(923.36KG/M)
400X900X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(927.87KG/M)
400X900X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(932.38KG/M)
400X900X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(936.88KG/M)
400X900X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(941.38KG/M)
400X900X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(945.88KG/M)
400X900X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(950.38KG/M)
400X900X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(954.87KG/M)
400X900X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(959.36KG/M)
500X800X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(191.77KG/M)
500X800X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(196.75KG/M)
500X800X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(201.74KG/M)
500X800X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.72KG/M)
500X800X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(211.69KG/M)
500X800X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.67KG/M)
500X800X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(221.64KG/M)
500X800X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(226.61KG/M)
500X800X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(231.57KG/M)
500X800X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.53KG/M)
500X800X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.49KG/M)
500X800X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(246.45KG/M)
500X800X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(251.4KG/M)
500X800X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.35KG/M)
500X800X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.3KG/M)
500X800X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.24KG/M)
500X800X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.18KG/M)
500X800X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.12KG/M)
500X800X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.05KG/M)
500X800X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(285.98KG/M)
500X800X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.91KG/M)
500X800X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.83KG/M)
500X800X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(300.76KG/M)
500X800X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(305.68KG/M)
500X800X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(310.59KG/M)
500X800X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.5KG/M)
500X800X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(320.41KG/M)
500X800X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(325.32KG/M)
500X800X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(330.22KG/M)
500X800X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.12KG/M)
500X800X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.02KG/M)
500X800X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.91KG/M)
500X800X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.8KG/M)
500X800X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(354.69KG/M)
500X800X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(359.58KG/M)
500X800X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.46KG/M)
500X800X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(369.34KG/M)
500X800X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(374.21KG/M)
500X800X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(379.08KG/M)
500X800X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(383.95KG/M)
500X800X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.82KG/M)
500X800X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.68KG/M)
500X800X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.54KG/M)
500X800X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(403.4KG/M)

500X800X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.25KG/M)
500X800X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(413.1KG/M)
500X800X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(417.95KG/M)
500X800X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(422.8KG/M)
500X800X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.64KG/M)
500X800X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(432.48KG/M)
500X800X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(437.31KG/M)
500X800X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.14KG/M)
500X800X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(446.97KG/M)
500X800X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(451.8KG/M)
500X800X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.62KG/M)
500X800X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.44KG/M)
500X800X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.26KG/M)
500X800X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(471.07KG/M)
500X800X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(475.88KG/M)
500X800X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.69KG/M)
500X800X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(485.5KG/M)
500X800X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(490.3KG/M)
500X800X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.1KG/M)
500X800X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(499.89KG/M)
500X800X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.68KG/M)
500X800X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(509.47KG/M)
500X800X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(514.26KG/M)
500X800X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.04KG/M)
500X800X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.82KG/M)
500X800X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(528.6KG/M)
500X800X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(533.37KG/M)
500X800X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(538.14KG/M)
500X800X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(542.91KG/M)
500X800X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.67KG/M)
500X800X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(552.44KG/M)
500X800X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(557.19KG/M)
500X800X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(561.95KG/M)
500X800X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(566.7KG/M)
500X800X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(571.45KG/M)
500X800X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(576.2KG/M)
500X800X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(580.94KG/M)
500X800X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(585.68KG/M)
500X800X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.42KG/M)
500X800X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.15KG/M)
500X800X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(599.88KG/M)
500X800X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(604.61KG/M)
500X800X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(609.33KG/M)
500X800X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(614.05KG/M)
500X800X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(618.77KG/M)
500X800X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(623.49KG/M)
500X800X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(628.2KG/M)
500X800X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.91KG/M)
500X800X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(637.61KG/M)
500X800X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.32KG/M)
500X800X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.02KG/M)
500X800X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.71KG/M)
500X800X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(656.41KG/M)
500X800X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(661.1KG/M)
500X800X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(665.78KG/M)
500X800X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(670.47KG/M)
500X800X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(675.15KG/M)
500X800X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(679.83KG/M)

500X800X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.5KG/M)
500X800X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.17KG/M)
500X800X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.84KG/M)
500X800X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(698.51KG/M)
500X800X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(703.17KG/M)
500X800X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(707.83KG/M)
500X800X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(712.49KG/M)
500X800X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(717.14KG/M)
500X800X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(721.79KG/M)
500X800X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(726.44KG/M)
500X800X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.08KG/M)
500X800X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.72KG/M)
500X800X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(740.36KG/M)
500X800X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(745KG/M)
500X800X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(749.63KG/M)
500X800X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(754.26KG/M)
500X800X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(758.88KG/M)
500X800X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(763.51KG/M)
500X800X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(768.13KG/M)
500X800X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.74KG/M)
500X800X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(777.36KG/M)
500X800X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(781.97KG/M)
500X800X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(786.57KG/M)
500X800X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(791.18KG/M)
500X800X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(795.78KG/M)
500X800X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(800.38KG/M)
500X800X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(804.97KG/M)
500X800X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(809.56KG/M)
500X800X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(814.15KG/M)
500X800X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(818.74KG/M)
500X800X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(823.32KG/M)
500X800X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(827.9KG/M)
500X800X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(832.48KG/M)
500X800X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(837.05KG/M)
500X800X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(841.62KG/M)
500X800X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(846.19KG/M)
500X800X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(850.75KG/M)
500X800X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(855.31KG/M)
500X800X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(859.87KG/M)
500X800X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(864.42KG/M)
500X800X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(868.98KG/M)
500X800X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(873.52KG/M)
500X800X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(878.07KG/M)
500X800X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(882.61KG/M)
500X800X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(887.15KG/M)
500X800X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(891.69KG/M)
500X800X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(896.22KG/M)
500X800X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(900.75KG/M)
500X800X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(905.28KG/M)
500X800X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(909.8KG/M)
500X800X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(914.32KG/M)
500X800X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(918.84KG/M)
500X800X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(923.36KG/M)
500X800X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(927.87KG/M)
500X800X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(932.38KG/M)
500X800X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(936.88KG/M)
500X800X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(941.38KG/M)
500X800X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(945.88KG/M)

500X800X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(950.38KG/M)
500X800X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(954.87KG/M)
500X800X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(959.36KG/M)
600X700X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(191.77KG/M)
600X700X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(196.75KG/M)
600X700X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(201.74KG/M)
600X700X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.72KG/M)
600X700X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(211.69KG/M)
600X700X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(216.67KG/M)
600X700X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(221.64KG/M)
600X700X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(226.61KG/M)
600X700X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(231.57KG/M)
600X700X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(236.53KG/M)
600X700X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(241.49KG/M)
600X700X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(246.45KG/M)
600X700X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(251.4KG/M)
600X700X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.35KG/M)
600X700X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.3KG/M)
600X700X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(266.24KG/M)
600X700X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.18KG/M)
600X700X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.12KG/M)
600X700X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.05KG/M)
600X700X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(285.98KG/M)
600X700X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.91KG/M)
600X700X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(295.83KG/M)
600X700X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(300.76KG/M)
600X700X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(305.68KG/M)
600X700X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(310.59KG/M)
600X700X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(315.5KG/M)
600X700X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(320.41KG/M)
600X700X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(325.32KG/M)
600X700X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(330.22KG/M)
600X700X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(335.12KG/M)
600X700X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.02KG/M)
600X700X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(344.91KG/M)
600X700X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.8KG/M)
600X700X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(354.69KG/M)
600X700X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(359.58KG/M)
600X700X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.46KG/M)
600X700X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(369.34KG/M)
600X700X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(374.21KG/M)
600X700X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(379.08KG/M)
600X700X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(383.95KG/M)
600X700X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(388.82KG/M)
600X700X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.68KG/M)
600X700X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.54KG/M)
600X700X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(403.4KG/M)
600X700X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.25KG/M)
600X700X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(413.1KG/M)
600X700X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(417.95KG/M)
600X700X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(422.8KG/M)
600X700X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.64KG/M)
600X700X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(432.48KG/M)
600X700X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(437.31KG/M)
600X700X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(442.14KG/M)
600X700X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(446.97KG/M)
600X700X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(451.8KG/M)
600X700X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.62KG/M)

600X700X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.44KG/M)
600X700X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.26KG/M)
600X700X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(471.07KG/M)
600X700X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(475.88KG/M)
600X700X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(480.69KG/M)
600X700X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(485.5KG/M)
600X700X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(490.3KG/M)
600X700X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.1KG/M)
600X700X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(499.89KG/M)
600X700X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(504.68KG/M)
600X700X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(509.47KG/M)
600X700X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(514.26KG/M)
600X700X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(519.04KG/M)
600X700X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.82KG/M)
600X700X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(528.6KG/M)
600X700X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(533.37KG/M)
600X700X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(538.14KG/M)
600X700X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(542.91KG/M)
600X700X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(547.67KG/M)
600X700X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(552.44KG/M)
600X700X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(557.19KG/M)
600X700X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(561.95KG/M)
600X700X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(566.7KG/M)
600X700X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(571.45KG/M)
600X700X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(576.2KG/M)
600X700X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(580.94KG/M)
600X700X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(585.68KG/M)
600X700X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.42KG/M)
600X700X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.15KG/M)
600X700X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(599.88KG/M)
600X700X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(604.61KG/M)
600X700X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(609.33KG/M)
600X700X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(614.05KG/M)
600X700X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(618.77KG/M)
600X700X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(623.49KG/M)
600X700X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(628.2KG/M)
600X700X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.91KG/M)
600X700X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(637.61KG/M)
600X700X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.32KG/M)
600X700X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.02KG/M)
600X700X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.71KG/M)
600X700X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(656.41KG/M)
600X700X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(661.1KG/M)
600X700X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(665.78KG/M)
600X700X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(670.47KG/M)
600X700X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(675.15KG/M)
600X700X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(679.83KG/M)
600X700X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.5KG/M)
600X700X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(689.17KG/M)
600X700X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.84KG/M)
600X700X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(698.51KG/M)
600X700X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(703.17KG/M)
600X700X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(707.83KG/M)
600X700X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(712.49KG/M)
600X700X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(717.14KG/M)
600X700X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(721.79KG/M)
600X700X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(726.44KG/M)
600X700X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(731.08KG/M)

600X700X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(735.72KG/M)
600X700X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(740.36KG/M)
600X700X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(745KG/M)
600X700X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(749.63KG/M)
600X700X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(754.26KG/M)
600X700X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(758.88KG/M)
600X700X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(763.51KG/M)
600X700X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(768.13KG/M)
600X700X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.74KG/M)
600X700X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(777.36KG/M)
600X700X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(781.97KG/M)
600X700X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(786.57KG/M)
600X700X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(791.18KG/M)
600X700X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(795.78KG/M)
600X700X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(800.38KG/M)
600X700X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(804.97KG/M)
600X700X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(809.56KG/M)
600X700X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(814.15KG/M)
600X700X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(818.74KG/M)
600X700X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(823.32KG/M)
600X700X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(827.9KG/M)
600X700X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(832.48KG/M)
600X700X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(837.05KG/M)
600X700X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(841.62KG/M)
600X700X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(846.19KG/M)
600X700X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(850.75KG/M)
600X700X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(855.31KG/M)
600X700X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(859.87KG/M)
600X700X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(864.42KG/M)
600X700X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(868.98KG/M)
600X700X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(873.52KG/M)
600X700X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(878.07KG/M)
600X700X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(882.61KG/M)
600X700X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(887.15KG/M)
600X700X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(891.69KG/M)
600X700X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(896.22KG/M)
600X700X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(900.75KG/M)
600X700X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(905.28KG/M)
600X700X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(909.8KG/M)
600X700X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(914.32KG/M)
600X700X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(918.84KG/M)
600X700X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(923.36KG/M)
600X700X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(927.87KG/M)
600X700X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(932.38KG/M)
600X700X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(936.88KG/M)
600X700X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(941.38KG/M)
600X700X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(945.88KG/M)
600X700X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(950.38KG/M)
600X700X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(954.87KG/M)
600X700X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(959.36KG/M)
400X1000X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.69KG/M)
400X1000X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(212.07KG/M)
400X1000X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(217.45KG/M)
400X1000X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(222.82KG/M)
400X1000X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(228.19KG/M)
400X1000X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(233.55KG/M)
400X1000X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(238.92KG/M)
400X1000X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(244.28KG/M)

400X1000X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.64KG/M)
400X1000X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(254.99KG/M)
400X1000X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(260.34KG/M)
400X1000X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(265.69KG/M)
400X1000X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.04KG/M)
400X1000X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.38KG/M)
400X1000X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.72KG/M)
400X1000X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(287.05KG/M)
400X1000X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(292.39KG/M)
400X1000X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(297.72KG/M)
400X1000X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(303.04KG/M)
400X1000X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.37KG/M)
400X1000X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(313.69KG/M)
400X1000X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(319KG/M)
400X1000X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(324.32KG/M)
400X1000X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(329.63KG/M)
400X1000X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(334.94KG/M)
400X1000X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.24KG/M)
400X1000X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(345.54KG/M)
400X1000X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(350.84KG/M)
400X1000X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(356.14KG/M)
400X1000X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(361.43KG/M)
400X1000X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(366.72KG/M)
400X1000X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(372.01KG/M)
400X1000X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(377.29KG/M)
400X1000X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(382.57KG/M)
400X1000X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(387.85KG/M)
400X1000X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.12KG/M)
400X1000X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.4KG/M)
400X1000X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(403.66KG/M)
400X1000X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.93KG/M)
400X1000X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(414.19KG/M)
400X1000X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(419.45KG/M)
400X1000X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.71KG/M)
400X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(429.96KG/M)
400X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(435.21KG/M)
400X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(440.45KG/M)
400X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(445.7KG/M)
400X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(450.94KG/M)
400X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.18KG/M)
400X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.41KG/M)
400X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.64KG/M)
400X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(471.87KG/M)
400X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(477.09KG/M)
400X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(482.32KG/M)
400X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(487.53KG/M)
400X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.75KG/M)
400X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(497.96KG/M)
400X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(503.17KG/M)
400X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508.38KG/M)
400X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(513.58KG/M)
400X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(518.78KG/M)
400X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.98KG/M)
400X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(529.17KG/M)
400X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(534.37KG/M)
400X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(539.55KG/M)
400X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(544.74KG/M)
400X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(549.92KG/M)

400X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(555.1KG/M)
400X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(560.27KG/M)
400X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(565.45KG/M)
400X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(570.62KG/M)
400X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(575.78KG/M)
400X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(580.95KG/M)
400X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.11KG/M)
400X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(591.26KG/M)
400X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(596.42KG/M)
400X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(601.57KG/M)
400X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(606.72KG/M)
400X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(611.86KG/M)
400X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(617KG/M)
400X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(622.14KG/M)
400X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(627.28KG/M)
400X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.41KG/M)
400X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(637.54KG/M)
400X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.67KG/M)
400X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.79KG/M)
400X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(652.91KG/M)
400X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(658.03KG/M)
400X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.14KG/M)
400X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(668.25KG/M)
400X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(673.36KG/M)
400X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(678.46KG/M)
400X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(683.56KG/M)
400X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(688.66KG/M)
400X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.76KG/M)
400X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(698.85KG/M)
400X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(703.94KG/M)
400X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(709.03KG/M)
400X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(714.11KG/M)
400X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(719.19KG/M)
400X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(724.27KG/M)
400X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(729.34KG/M)
400X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(734.41KG/M)
400X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(739.48KG/M)
400X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(744.54KG/M)
400X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(749.61KG/M)
400X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(754.66KG/M)
400X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(759.72KG/M)
400X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(764.77KG/M)
400X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(769.82KG/M)
400X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(774.87KG/M)
400X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(779.91KG/M)
400X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(784.95KG/M)
400X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(789.99KG/M)
400X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(795.02KG/M)
400X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(800.05KG/M)
400X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(805.08KG/M)
400X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(810.1KG/M)
400X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(815.13KG/M)
400X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(820.14KG/M)
400X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(825.16KG/M)
400X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(830.17KG/M)
400X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(835.18KG/M)
400X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(840.19KG/M)
400X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(845.19KG/M)

400X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(850.19KG/M)
400X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(855.19KG/M)
400X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(860.18KG/M)
400X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(865.17KG/M)
400X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(870.16KG/M)
400X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(875.14KG/M)
400X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(880.13KG/M)
400X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(885.1KG/M)
400X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(890.08KG/M)
400X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(895.05KG/M)
400X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(900.02KG/M)
400X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(904.99KG/M)
400X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(909.95KG/M)
400X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(914.91KG/M)
400X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(919.87KG/M)
400X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(924.82KG/M)
400X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(929.77KG/M)
400X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(934.72KG/M)
400X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(939.66KG/M)
400X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(944.6KG/M)
400X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(949.54KG/M)
400X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(954.48KG/M)
400X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(959.41KG/M)
400X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(964.34KG/M)
400X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(969.26KG/M)
400X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(974.19KG/M)
400X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(979.11KG/M)
400X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(984.02KG/M)
400X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(988.94KG/M)
400X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(993.85KG/M)
400X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(998.75KG/M)
400X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1003.66KG/M)
400X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1008.56KG/M)
400X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1013.46KG/M)
400X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1018.35KG/M)
400X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1023.25KG/M)
400X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1028.13KG/M)
400X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1033.02KG/M)
400X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1037.9KG/M)
500X900X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.69KG/M)
500X900X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(212.07KG/M)
500X900X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(217.45KG/M)
500X900X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(222.82KG/M)
500X900X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(228.19KG/M)
500X900X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(233.55KG/M)
500X900X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(238.92KG/M)
500X900X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(244.28KG/M)
500X900X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.64KG/M)
500X900X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(254.99KG/M)
500X900X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(260.34KG/M)
500X900X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(265.69KG/M)
500X900X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.04KG/M)
500X900X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.38KG/M)
500X900X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.72KG/M)
500X900X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(287.05KG/M)
500X900X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(292.39KG/M)
500X900X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(297.72KG/M)
500X900X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(303.04KG/M)

500X900X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.37KG/M)
500X900X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(313.69KG/M)
500X900X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(319KG/M)
500X900X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(324.32KG/M)
500X900X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(329.63KG/M)
500X900X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(334.94KG/M)
500X900X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.24KG/M)
500X900X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(345.54KG/M)
500X900X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(350.84KG/M)
500X900X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(356.14KG/M)
500X900X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(361.43KG/M)
500X900X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(366.72KG/M)
500X900X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(372.01KG/M)
500X900X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(377.29KG/M)
500X900X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(382.57KG/M)
500X900X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(387.85KG/M)
500X900X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.12KG/M)
500X900X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.4KG/M)
500X900X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(403.66KG/M)
500X900X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.93KG/M)
500X900X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(414.19KG/M)
500X900X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(419.45KG/M)
500X900X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.71KG/M)
500X900X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(429.96KG/M)
500X900X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(435.21KG/M)
500X900X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(440.45KG/M)
500X900X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(445.7KG/M)
500X900X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(450.94KG/M)
500X900X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.18KG/M)
500X900X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.41KG/M)
500X900X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.64KG/M)
500X900X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(471.87KG/M)
500X900X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(477.09KG/M)
500X900X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(482.32KG/M)
500X900X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(487.53KG/M)
500X900X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.75KG/M)
500X900X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(497.96KG/M)
500X900X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(503.17KG/M)
500X900X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508.38KG/M)
500X900X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(513.58KG/M)
500X900X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(518.78KG/M)
500X900X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.98KG/M)
500X900X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(529.17KG/M)
500X900X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(534.37KG/M)
500X900X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(539.55KG/M)
500X900X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(544.74KG/M)
500X900X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(549.92KG/M)
500X900X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(555.1KG/M)
500X900X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(560.27KG/M)
500X900X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(565.45KG/M)
500X900X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(570.62KG/M)
500X900X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(575.78KG/M)
500X900X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(580.95KG/M)
500X900X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.11KG/M)
500X900X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(591.26KG/M)
500X900X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(596.42KG/M)
500X900X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(601.57KG/M)
500X900X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(606.72KG/M)

500X900X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(611.86KG/M)
500X900X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(617KG/M)
500X900X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(622.14KG/M)
500X900X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(627.28KG/M)
500X900X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.41KG/M)
500X900X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(637.54KG/M)
500X900X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.67KG/M)
500X900X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.79KG/M)
500X900X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(652.91KG/M)
500X900X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(658.03KG/M)
500X900X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.14KG/M)
500X900X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(668.25KG/M)
500X900X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(673.36KG/M)
500X900X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(678.46KG/M)
500X900X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(683.56KG/M)
500X900X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(688.66KG/M)
500X900X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.76KG/M)
500X900X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(698.85KG/M)
500X900X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(703.94KG/M)
500X900X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(709.03KG/M)
500X900X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(714.11KG/M)
500X900X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(719.19KG/M)
500X900X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(724.27KG/M)
500X900X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(729.34KG/M)
500X900X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(734.41KG/M)
500X900X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(739.48KG/M)
500X900X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(744.54KG/M)
500X900X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(749.61KG/M)
500X900X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(754.66KG/M)
500X900X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(759.72KG/M)
500X900X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(764.77KG/M)
500X900X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(769.82KG/M)
500X900X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(774.87KG/M)
500X900X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(779.91KG/M)
500X900X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(784.95KG/M)
500X900X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(789.99KG/M)
500X900X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(795.02KG/M)
500X900X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(800.05KG/M)
500X900X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(805.08KG/M)
500X900X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(810.1KG/M)
500X900X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(815.13KG/M)
500X900X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(820.14KG/M)
500X900X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(825.16KG/M)
500X900X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(830.17KG/M)
500X900X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(835.18KG/M)
500X900X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(840.19KG/M)
500X900X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(845.19KG/M)
500X900X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(850.19KG/M)
500X900X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(855.19KG/M)
500X900X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(860.18KG/M)
500X900X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(865.17KG/M)
500X900X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(870.16KG/M)
500X900X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(875.14KG/M)
500X900X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(880.13KG/M)
500X900X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(885.1KG/M)
500X900X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(890.08KG/M)
500X900X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(895.05KG/M)
500X900X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(900.02KG/M)

500X900X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(904.99KG/M)
500X900X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(909.95KG/M)
500X900X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(914.91KG/M)
500X900X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(919.87KG/M)
500X900X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(924.82KG/M)
500X900X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(929.77KG/M)
500X900X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(934.72KG/M)
500X900X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(939.66KG/M)
500X900X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(944.6KG/M)
500X900X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(949.54KG/M)
500X900X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(954.48KG/M)
500X900X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(959.41KG/M)
500X900X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(964.34KG/M)
500X900X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(969.26KG/M)
500X900X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(974.19KG/M)
500X900X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(979.11KG/M)
500X900X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(984.02KG/M)
500X900X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(988.94KG/M)
500X900X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(993.85KG/M)
500X900X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(998.75KG/M)
500X900X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1003.66KG/M)
500X900X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1008.56KG/M)
500X900X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1013.46KG/M)
500X900X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1018.35KG/M)
500X900X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1023.25KG/M)
500X900X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1028.13KG/M)
500X900X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1033.02KG/M)
500X900X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1037.9KG/M)
600X800X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(206.69KG/M)
600X800X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(212.07KG/M)
600X800X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(217.45KG/M)
600X800X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(222.82KG/M)
600X800X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(228.19KG/M)
600X800X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(233.55KG/M)
600X800X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(238.92KG/M)
600X800X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(244.28KG/M)
600X800X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(249.64KG/M)
600X800X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(254.99KG/M)
600X800X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(260.34KG/M)
600X800X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(265.69KG/M)
600X800X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(271.04KG/M)
600X800X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(276.38KG/M)
600X800X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(281.72KG/M)
600X800X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(287.05KG/M)
600X800X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(292.39KG/M)
600X800X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(297.72KG/M)
600X800X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(303.04KG/M)
600X800X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(308.37KG/M)
600X800X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(313.69KG/M)
600X800X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(319KG/M)
600X800X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(324.32KG/M)
600X800X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(329.63KG/M)
600X800X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(334.94KG/M)
600X800X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(340.24KG/M)
600X800X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(345.54KG/M)
600X800X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(350.84KG/M)
600X800X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(356.14KG/M)
600X800X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(361.43KG/M)

600X800X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(366.72KG/M)
600X800X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(372.01KG/M)
600X800X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(377.29KG/M)
600X800X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(382.57KG/M)
600X800X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(387.85KG/M)
600X800X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.12KG/M)
600X800X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(398.4KG/M)
600X800X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(403.66KG/M)
600X800X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(408.93KG/M)
600X800X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(414.19KG/M)
600X800X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(419.45KG/M)
600X800X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(424.71KG/M)
600X800X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(429.96KG/M)
600X800X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(435.21KG/M)
600X800X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(440.45KG/M)
600X800X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(445.7KG/M)
600X800X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(450.94KG/M)
600X800X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(456.18KG/M)
600X800X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.41KG/M)
600X800X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(466.64KG/M)
600X800X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(471.87KG/M)
600X800X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(477.09KG/M)
600X800X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(482.32KG/M)
600X800X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(487.53KG/M)
600X800X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(492.75KG/M)
600X800X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(497.96KG/M)
600X800X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(503.17KG/M)
600X800X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(508.38KG/M)
600X800X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(513.58KG/M)
600X800X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(518.78KG/M)
600X800X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.98KG/M)
600X800X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(529.17KG/M)
600X800X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(534.37KG/M)
600X800X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(539.55KG/M)
600X800X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(544.74KG/M)
600X800X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(549.92KG/M)
600X800X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(555.1KG/M)
600X800X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(560.27KG/M)
600X800X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(565.45KG/M)
600X800X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(570.62KG/M)
600X800X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(575.78KG/M)
600X800X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(580.95KG/M)
600X800X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(586.11KG/M)
600X800X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(591.26KG/M)
600X800X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(596.42KG/M)
600X800X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(601.57KG/M)
600X800X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(606.72KG/M)
600X800X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(611.86KG/M)
600X800X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(617KG/M)
600X800X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(622.14KG/M)
600X800X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(627.28KG/M)
600X800X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(632.41KG/M)
600X800X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(637.54KG/M)
600X800X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(642.67KG/M)
600X800X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(647.79KG/M)
600X800X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(652.91KG/M)
600X800X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(658.03KG/M)
600X800X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(663.14KG/M)

600X800X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(668.25KG/M)
600X800X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(673.36KG/M)
600X800X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(678.46KG/M)
600X800X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(683.56KG/M)
600X800X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(688.66KG/M)
600X800X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(693.76KG/M)
600X800X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(698.85KG/M)
600X800X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(703.94KG/M)
600X800X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(709.03KG/M)
600X800X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(714.11KG/M)
600X800X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(719.19KG/M)
600X800X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(724.27KG/M)
600X800X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(729.34KG/M)
600X800X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(734.41KG/M)
600X800X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(739.48KG/M)
600X800X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(744.54KG/M)
600X800X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(749.61KG/M)
600X800X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(754.66KG/M)
600X800X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(759.72KG/M)
600X800X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(764.77KG/M)
600X800X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(769.82KG/M)
600X800X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(774.87KG/M)
600X800X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(779.91KG/M)
600X800X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(784.95KG/M)
600X800X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(789.99KG/M)
600X800X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(795.02KG/M)
600X800X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(800.05KG/M)
600X800X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(805.08KG/M)
600X800X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(810.1KG/M)
600X800X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(815.13KG/M)
600X800X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(820.14KG/M)
600X800X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(825.16KG/M)
600X800X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(830.17KG/M)
600X800X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(835.18KG/M)
600X800X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(840.19KG/M)
600X800X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(845.19KG/M)
600X800X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(850.19KG/M)
600X800X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(855.19KG/M)
600X800X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(860.18KG/M)
600X800X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(865.17KG/M)
600X800X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(870.16KG/M)
600X800X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(875.14KG/M)
600X800X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(880.13KG/M)
600X800X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(885.1KG/M)
600X800X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(890.08KG/M)
600X800X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(895.05KG/M)
600X800X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(900.02KG/M)
600X800X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(904.99KG/M)
600X800X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(909.95KG/M)
600X800X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(914.91KG/M)
600X800X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(919.87KG/M)
600X800X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(924.82KG/M)
600X800X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(929.77KG/M)
600X800X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(934.72KG/M)
600X800X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(939.66KG/M)
600X800X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(944.6KG/M)
600X800X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(949.54KG/M)
600X800X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(954.48KG/M)

600X800X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(959.41KG/M)
600X800X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(964.34KG/M)
600X800X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(969.26KG/M)
600X800X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(974.19KG/M)
600X800X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(979.11KG/M)
600X800X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(984.02KG/M)
600X800X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(988.94KG/M)
600X800X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(993.85KG/M)
600X800X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(998.75KG/M)
600X800X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1003.66KG/M)
600X800X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1008.56KG/M)
600X800X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1013.46KG/M)
600X800X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1018.35KG/M)
600X800X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1023.25KG/M)
600X800X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1028.13KG/M)
600X800X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1033.02KG/M)
600X800X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1037.9KG/M)
500X1000X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(221.61KG/M)
500X1000X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(227.38KG/M)
500X1000X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(233.15KG/M)
500X1000X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(238.92KG/M)
500X1000X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(244.68KG/M)
500X1000X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(250.44KG/M)
500X1000X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(256.2KG/M)
500X1000X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(261.95KG/M)
500X1000X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(267.7KG/M)
500X1000X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(273.45KG/M)
500X1000X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(279.19KG/M)
500X1000X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(284.93KG/M)
500X1000X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(290.67KG/M)
500X1000X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(296.41KG/M)
500X1000X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(302.14KG/M)
500X1000X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(307.87KG/M)
500X1000X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(313.59KG/M)
500X1000X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(319.31KG/M)
500X1000X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(325.03KG/M)
500X1000X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(330.75KG/M)
500X1000X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(336.46KG/M)
500X1000X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(342.17KG/M)
500X1000X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(347.88KG/M)
500X1000X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(353.58KG/M)
500X1000X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(359.29KG/M)
500X1000X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(364.98KG/M)
500X1000X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(370.68KG/M)
500X1000X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(376.37KG/M)
500X1000X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(382.06KG/M)
500X1000X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(387.74KG/M)
500X1000X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(393.43KG/M)
500X1000X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(399.11KG/M)
500X1000X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(404.78KG/M)
500X1000X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(410.45KG/M)
500X1000X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(416.12KG/M)
500X1000X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(421.79KG/M)
500X1000X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(427.46KG/M)
500X1000X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(433.12KG/M)
500X1000X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(438.77KG/M)
500X1000X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(444.43KG/M)
500X1000X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(450.08KG/M)

500X1000X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(455.73KG/M)
500X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(461.37KG/M)
500X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(467.02KG/M)
500X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(472.66KG/M)
500X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(478.29KG/M)
500X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(483.93KG/M)
500X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(489.56KG/M)
500X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(495.18KG/M)
500X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(500.81KG/M)
500X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(506.43KG/M)
500X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(512.04KG/M)
500X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(517.66KG/M)
500X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(523.27KG/M)
500X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(528.88KG/M)
500X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(534.48KG/M)
500X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(540.09KG/M)
500X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(545.69KG/M)
500X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(551.28KG/M)
500X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(556.87KG/M)
500X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(562.46KG/M)
500X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(568.05KG/M)
500X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(573.64KG/M)
500X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(579.22KG/M)
500X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(584.79KG/M)
500X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(590.37KG/M)
500X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(595.94KG/M)
500X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(601.51KG/M)
500X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(607.07KG/M)
500X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(612.64KG/M)
500X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(618.19KG/M)
500X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(623.75KG/M)
500X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(629.3KG/M)
500X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(634.85KG/M)
500X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(640.4KG/M)
500X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(645.94KG/M)
500X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(651.48KG/M)
500X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(657.02KG/M)
500X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(662.56KG/M)
500X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(668.09KG/M)
500X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(673.62KG/M)
500X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(679.14KG/M)
500X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(684.66KG/M)
500X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(690.18KG/M)
500X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(695.7KG/M)
500X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(701.21KG/M)
500X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(706.72KG/M)
500X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (712.23KG/M)
500X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (717.73KG/M)
500X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (723.23KG/M)
500X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (728.73KG/M)
500X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(734.22KG/M)
500X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (739.71KG/M)
500X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.2KG/M)
500X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (750.69KG/M)
500X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(756.17KG/M)
500X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(761.65KG/M)
500X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(767.12KG/M)
500X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(772.6KG/M)

500X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.07KG/M)
500X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (783.53KG/M)
500X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (789KG/M)
500X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (794.46KG/M)
500X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(799.92KG/M)
500X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(805.37KG/M)
500X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(810.82KG/M)
500X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(816.27KG/M)
500X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (821.71KG/M)
500X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (827.16KG/M)
500X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (832.59KG/M)
500X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (838.03KG/M)
500X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (843.46KG/M)
500X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (848.89KG/M)
500X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (854.32KG/M)
500X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (859.74KG/M)
500X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(865.16KG/M)
500X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (870.58KG/M)
500X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (875.99KG/M)
500X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (881.41KG/M)
500X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(886.81KG/M)
500X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (892.22KG/M)
500X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (897.62KG/M)
500X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (903.02KG/M)
500X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (908.42KG/M)
500X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (913.81KG/M)
500X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.2KG/M)
500X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (924.58KG/M)
500X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.97KG/M)
500X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.35KG/M)
500X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (940.72KG/M)
500X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (946.1KG/M)
500X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (951.47KG/M)
500X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (956.84KG/M)
500X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (962.2KG/M)
500X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (967.56KG/M)
500X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.92KG/M)
500X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (978.28KG/M)
500X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (983.63KG/M)
500X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (988.98KG/M)
500X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.33KG/M)
500X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (999.67KG/M)
500X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1005.01KG/M)
500X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1010.35KG/M)
500X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1015.68KG/M)
500X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1021.01KG/M)
500X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1026.34KG/M)
500X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1031.67KG/M)
500X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1036.99KG/M)
500X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1042.31KG/M)
500X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.62KG/M)
500X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.93KG/M)
500X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.24KG/M)
500X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.55KG/M)
500X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1068.85KG/M)
500X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1074.15KG/M)
500X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1079.45KG/M)
500X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.74KG/M)

500X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1090.04KG/M)
500X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1095.32KG/M)
500X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1100.61KG/M)
500X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1105.89KG/M)
500X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1111.17KG/M)
500X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1116.44KG/M)
600X900X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (221.61KG/M)
600X900X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (227.38KG/M)
600X900X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (233.15KG/M)
600X900X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (238.92KG/M)
600X900X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.68KG/M)
600X900X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (250.44KG/M)
600X900X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (256.2KG/M)
600X900X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.95KG/M)
600X900X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (267.7KG/M)
600X900X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.45KG/M)
600X900X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (279.19KG/M)
600X900X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.93KG/M)
600X900X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.67KG/M)
600X900X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (296.41KG/M)
600X900X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (302.14KG/M)
600X900X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.87KG/M)
600X900X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (313.59KG/M)
600X900X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (319.31KG/M)
600X900X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (325.03KG/M)
600X900X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (330.75KG/M)
600X900X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (336.46KG/M)
600X900X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (342.17KG/M)
600X900X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (347.88KG/M)
600X900X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (353.58KG/M)
600X900X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (359.29KG/M)
600X900X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (364.98KG/M)
600X900X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (370.68KG/M)
600X900X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (376.37KG/M)
600X900X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (382.06KG/M)
600X900X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (387.74KG/M)
600X900X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (393.43KG/M)
600X900X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (399.11KG/M)
600X900X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (404.78KG/M)
600X900X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (410.45KG/M)
600X900X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (416.12KG/M)
600X900X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (421.79KG/M)
600X900X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (427.46KG/M)
600X900X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (433.12KG/M)
600X900X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (438.77KG/M)
600X900X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (444.43KG/M)
600X900X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (450.08KG/M)
600X900X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (455.73KG/M)
600X900X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (461.37KG/M)
600X900X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (467.02KG/M)
600X900X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (472.66KG/M)
600X900X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (478.29KG/M)
600X900X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (483.93KG/M)
600X900X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (489.56KG/M)
600X900X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (495.18KG/M)
600X900X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (500.81KG/M)
600X900X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (506.43KG/M)
600X900X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (512.04KG/M)

600X900X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (517.66KG/M)
600X900X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (523.27KG/M)
600X900X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (528.88KG/M)
600X900X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (534.48KG/M)
600X900X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (540.09KG/M)
600X900X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (545.69KG/M)
600X900X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (551.28KG/M)
600X900X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (556.87KG/M)
600X900X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (562.46KG/M)
600X900X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (568.05KG/M)
600X900X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (573.64KG/M)
600X900X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (579.22KG/M)
600X900X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (584.79KG/M)
600X900X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (590.37KG/M)
600X900X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (595.94KG/M)
600X900X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (601.51KG/M)
600X900X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (607.07KG/M)
600X900X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (612.64KG/M)
600X900X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (618.19KG/M)
600X900X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (623.75KG/M)
600X900X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (629.3KG/M)
600X900X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (634.85KG/M)
600X900X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (640.4KG/M)
600X900X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (645.94KG/M)
600X900X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (651.48KG/M)
600X900X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (657.02KG/M)
600X900X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (662.56KG/M)
600X900X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (668.09KG/M)
600X900X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (673.62KG/M)
600X900X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (679.14KG/M)
600X900X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (684.66KG/M)
600X900X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.18KG/M)
600X900X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (695.7KG/M)
600X900X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (701.21KG/M)
600X900X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (706.72KG/M)
600X900X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (712.23KG/M)
600X900X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (717.73KG/M)
600X900X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (723.23KG/M)
600X900X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (728.73KG/M)
600X900X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (734.22KG/M)
600X900X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (739.71KG/M)
600X900X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.2KG/M)
600X900X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (750.69KG/M)
600X900X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (756.17KG/M)
600X900X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (761.65KG/M)
600X900X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (767.12KG/M)
600X900X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (772.6KG/M)
600X900X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.07KG/M)
600X900X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (783.53KG/M)
600X900X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (789KG/M)
600X900X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (794.46KG/M)
600X900X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (799.92KG/M)
600X900X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (805.37KG/M)
600X900X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (810.82KG/M)
600X900X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (816.27KG/M)
600X900X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (821.71KG/M)
600X900X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (827.16KG/M)
600X900X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (832.59KG/M)

600X900X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (838.03KG/M)
600X900X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (843.46KG/M)
600X900X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (848.89KG/M)
600X900X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (854.32KG/M)
600X900X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (859.74KG/M)
600X900X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (865.16KG/M)
600X900X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (870.58KG/M)
600X900X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (875.99KG/M)
600X900X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (881.41KG/M)
600X900X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (886.81KG/M)
600X900X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (892.22KG/M)
600X900X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(897.62KG/M)
600X900X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (903.02KG/M)
600X900X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (908.42KG/M)
600X900X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (913.81KG/M)
600X900X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.2KG/M)
600X900X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (924.58KG/M)
600X900X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.97KG/M)
600X900X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.35KG/M)
600X900X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (940.72KG/M)
600X900X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (946.1KG/M)
600X900X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (951.47KG/M)
600X900X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (956.84KG/M)
600X900X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (962.2KG/M)
600X900X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (967.56KG/M)
600X900X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.92KG/M)
600X900X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (978.28KG/M)
600X900X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (983.63KG/M)
600X900X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (988.98KG/M)
600X900X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.33KG/M)
600X900X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (999.67KG/M)
600X900X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1005.01KG/M)
600X900X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1010.35KG/M)
600X900X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1015.68KG/M)
600X900X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1021.01KG/M)
600X900X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1026.34KG/M)
600X900X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1031.67KG/M)
600X900X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1036.99KG/M)
600X900X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1042.31KG/M)
600X900X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.62KG/M)
600X900X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.93KG/M)
600X900X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.24KG/M)
600X900X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.55KG/M)
600X900X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1068.85KG/M)
600X900X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1074.15KG/M)
600X900X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1079.45KG/M)
600X900X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.74KG/M)
600X900X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1090.04KG/M)
600X900X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1095.32KG/M)
600X900X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1100.61KG/M)
600X900X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1105.89KG/M)
600X900X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1111.17KG/M)
600X900X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1116.44KG/M)
700X800X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (221.61KG/M)
700X800X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (227.38KG/M)
700X800X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (233.15KG/M)
700X800X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (238.92KG/M)
700X800X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (244.68KG/M)

700X800X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (250.44KG/M)
700X800X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (256.2KG/M)
700X800X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.95KG/M)
700X800X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (267.7KG/M)
700X800X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.45KG/M)
700X800X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (279.19KG/M)
700X800X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.93KG/M)
700X800X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.67KG/M)
700X800X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (296.41KG/M)
700X800X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (302.14KG/M)
700X800X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (307.87KG/M)
700X800X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (313.59KG/M)
700X800X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (319.31KG/M)
700X800X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (325.03KG/M)
700X800X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (330.75KG/M)
700X800X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (336.46KG/M)
700X800X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (342.17KG/M)
700X800X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (347.88KG/M)
700X800X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (353.58KG/M)
700X800X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (359.29KG/M)
700X800X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (364.98KG/M)
700X800X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (370.68KG/M)
700X800X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (376.37KG/M)
700X800X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (382.06KG/M)
700X800X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (387.74KG/M)
700X800X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (393.43KG/M)
700X800X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (399.11KG/M)
700X800X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (404.78KG/M)
700X800X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (410.45KG/M)
700X800X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (416.12KG/M)
700X800X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (421.79KG/M)
700X800X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (427.46KG/M)
700X800X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (433.12KG/M)
700X800X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (438.77KG/M)
700X800X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (444.43KG/M)
700X800X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (450.08KG/M)
700X800X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (455.73KG/M)
700X800X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (461.37KG/M)
700X800X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (467.02KG/M)
700X800X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (472.66KG/M)
700X800X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (478.29KG/M)
700X800X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (483.93KG/M)
700X800X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (489.56KG/M)
700X800X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (495.18KG/M)
700X800X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (500.81KG/M)
700X800X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (506.43KG/M)
700X800X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (512.04KG/M)
700X800X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (517.66KG/M)
700X800X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (523.27KG/M)
700X800X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (528.88KG/M)
700X800X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (534.48KG/M)
700X800X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (540.09KG/M)
700X800X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (545.69KG/M)
700X800X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (551.28KG/M)
700X800X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (556.87KG/M)
700X800X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (562.46KG/M)
700X800X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (568.05KG/M)
700X800X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (573.64KG/M)

700X800X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (579.22KG/M)
700X800X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (584.79KG/M)
700X800X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (590.37KG/M)
700X800X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (595.94KG/M)
700X800X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (601.51KG/M)
700X800X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (607.07KG/M)
700X800X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (612.64KG/M)
700X800X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (618.19KG/M)
700X800X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (623.75KG/M)
700X800X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (629.3KG/M)
700X800X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (634.85KG/M)
700X800X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (640.4KG/M)
700X800X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (645.94KG/M)
700X800X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (651.48KG/M)
700X800X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (657.02KG/M)
700X800X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (662.56KG/M)
700X800X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (668.09KG/M)
700X800X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (673.62KG/M)
700X800X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (679.14KG/M)
700X800X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (684.66KG/M)
700X800X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.18KG/M)
700X800X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (695.7KG/M)
700X800X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (701.21KG/M)
700X800X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (706.72KG/M)
700X800X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (712.23KG/M)
700X800X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (717.73KG/M)
700X800X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (723.23KG/M)
700X800X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (728.73KG/M)
700X800X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (734.22KG/M)
700X800X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (739.71KG/M)
700X800X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.2KG/M)
700X800X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (750.69KG/M)
700X800X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (756.17KG/M)
700X800X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (761.65KG/M)
700X800X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (767.12KG/M)
700X800X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (772.6KG/M)
700X800X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.07KG/M)
700X800X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (783.53KG/M)
700X800X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (789KG/M)
700X800X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (794.46KG/M)
700X800X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (799.92KG/M)
700X800X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (805.37KG/M)
700X800X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (810.82KG/M)
700X800X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (816.27KG/M)
700X800X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (821.71KG/M)
700X800X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (827.16KG/M)
700X800X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (832.59KG/M)
700X800X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (838.03KG/M)
700X800X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (843.46KG/M)
700X800X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (848.89KG/M)
700X800X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (854.32KG/M)
700X800X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (859.74KG/M)
700X800X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (865.16KG/M)
700X800X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (870.58KG/M)
700X800X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (875.99KG/M)
700X800X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (881.41KG/M)
700X800X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (886.81KG/M)
700X800X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (892.22KG/M)

700X800X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (897.62KG/M)
700X800X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (903.02KG/M)
700X800X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (908.42KG/M)
700X800X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (913.81KG/M)
700X800X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.2KG/M)
700X800X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (924.58KG/M)
700X800X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.97KG/M)
700X800X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.35KG/M)
700X800X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (940.72KG/M)
700X800X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (946.1KG/M)
700X800X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (951.47KG/M)
700X800X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (956.84KG/M)
700X800X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (962.2KG/M)
700X800X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (967.56KG/M)
700X800X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.92KG/M)
700X800X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (978.28KG/M)
700X800X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (983.63KG/M)
700X800X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (988.98KG/M)
700X800X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.33KG/M)
700X800X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (999.67KG/M)
700X800X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1005.01KG/M)
700X800X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1010.35KG/M)
700X800X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1015.68KG/M)
700X800X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1021.01KG/M)
700X800X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1026.34KG/M)
700X800X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1031.67KG/M)
700X800X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1036.99KG/M)
700X800X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1042.31KG/M)
700X800X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.62KG/M)
700X800X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.93KG/M)
700X800X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.24KG/M)
700X800X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.55KG/M)
700X800X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1068.85KG/M)
700X800X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1074.15KG/M)
700X800X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1079.45KG/M)
700X800X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.74KG/M)
700X800X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1090.04KG/M)
700X800X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1095.32KG/M)
700X800X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1100.61KG/M)
700X800X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1105.89KG/M)
700X800X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1111.17KG/M)
700X800X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1116.44KG/M)
500X1100X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (236.54KG/M)
500X1100X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.7KG/M)
500X1100X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (248.86KG/M)
500X1100X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (255.02KG/M)
500X1100X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.17KG/M)
500X1100X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (267.33KG/M)
500X1100X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.48KG/M)
500X1100X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (279.62KG/M)
500X1100X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (285.77KG/M)
500X1100X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (291.9KG/M)
500X1100X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.04KG/M)
500X1100X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (304.18KG/M)
500X1100X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.31KG/M)
500X1100X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (316.43KG/M)
500X1100X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (322.56KG/M)
500X1100X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (328.68KG/M)

500X1100X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (334.8KG/M)
500X1100X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (340.91KG/M)
500X1100X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (347.02KG/M)
500X1100X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (353.13KG/M)
500X1100X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (359.24KG/M)
500X1100X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (365.34KG/M)
500X1100X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (371.44KG/M)
500X1100X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (377.54KG/M)
500X1100X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (383.63KG/M)
500X1100X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (389.72KG/M)
500X1100X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (395.81KG/M)
500X1100X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.89KG/M)
500X1100X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (407.98KG/M)
500X1100X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (414.05KG/M)
500X1100X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.13KG/M)
500X1100X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (426.2KG/M)
500X1100X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (432.27KG/M)
500X1100X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (438.34KG/M)
500X1100X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (444.4KG/M)
500X1100X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (450.46KG/M)
500X1100X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (456.52KG/M)
500X1100X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (462.57KG/M)
500X1100X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (468.62KG/M)
500X1100X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (474.67KG/M)
500X1100X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (480.71KG/M)
500X1100X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (486.75KG/M)
500X1100X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.79KG/M)
500X1100X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (498.83KG/M)
500X1100X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (504.86KG/M)
500X1100X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (510.89KG/M)
500X1100X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (516.91KG/M)
500X1100X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (522.93KG/M)
500X1100X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (528.95KG/M)
500X1100X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (534.97KG/M)
500X1100X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (540.98KG/M)
500X1100X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (546.99KG/M)
500X1100X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (553KG/M)
500X1100X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (559.01KG/M)
500X1100X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (565.01KG/M)
500X1100X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (571.01KG/M)
500X1100X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (577KG/M)
500X1100X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (582.99KG/M)
500X1100X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (588.98KG/M)
500X1100X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.97KG/M)
500X1100X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (600.95KG/M)
500X1100X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (606.93KG/M)
500X1100X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (612.91KG/M)
500X1100X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (618.88KG/M)
500X1100X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (624.85KG/M)
500X1100X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (630.82KG/M)
500X1100X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (636.78KG/M)
500X1100X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (642.74KG/M)
500X1100X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (648.7KG/M)
500X1100X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (654.65KG/M)
500X1100X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (660.61KG/M)
500X1100X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (666.55KG/M)
500X1100X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (672.5KG/M)
500X1100X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (678.44KG/M)

500X1100X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (684.38KG/M)
500X1100X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.32KG/M)
500X1100X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (696.25KG/M)
500X1100X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (702.18KG/M)
500X1100X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (708.11KG/M)
500X1100X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (714.03KG/M)
500X1100X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (719.95KG/M)
500X1100X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (725.87KG/M)
500X1100X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (731.79KG/M)
500X1100X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (737.7KG/M)
500X1100X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (743.61KG/M)
500X1100X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (749.51KG/M)
500X1100X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (755.42KG/M)
500X1100X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (761.31KG/M)
500X1100X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (767.21KG/M)
500X1100X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (773.1KG/M)
500X1100X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.99KG/M)
500X1100X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (784.88KG/M)
500X1100X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (790.77KG/M)
500X1100X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (796.65KG/M)
500X1100X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (802.52KG/M)
500X1100X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (808.4KG/M)
500X1100X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (814.27KG/M)
500X1100X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (820.14KG/M)
500X1100X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (826KG/M)
500X1100X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (831.87KG/M)
500X1100X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (837.73KG/M)
500X1100X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (843.58KG/M)
500X1100X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (849.44KG/M)
500X1100X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (855.29KG/M)
500X1100X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (861.13KG/M)
500X1100X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.98KG/M)
500X1100X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (872.82KG/M)
500X1100X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (878.66KG/M)
500X1100X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (884.49KG/M)
500X1100X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (890.32KG/M)
500X1100X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (896.15KG/M)
500X1100X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (901.98KG/M)
500X1100X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (907.8KG/M)
500X1100X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (913.62KG/M)
500X1100X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.43KG/M)
500X1100X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (925.25KG/M)
500X1100X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (931.06KG/M)
500X1100X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (936.86KG/M)
500X1100X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (942.67KG/M)
500X1100X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (948.47KG/M)
500X1100X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (954.27KG/M)
500X1100X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (960.06KG/M)
500X1100X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (965.85KG/M)
500X1100X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (971.64KG/M)
500X1100X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (977.42KG/M)
500X1100X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (983.21KG/M)
500X1100X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (988.99KG/M)
500X1100X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.76KG/M)
500X1100X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1000.54KG/M)
500X1100X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1006.31KG/M)
500X1100X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1012.07KG/M)
500X1100X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1017.84KG/M)

500X1100X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1023.6KG/M)
500X1100X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1029.35KG/M)
500X1100X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1035.11KG/M)
500X1100X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1040.86KG/M)
500X1100X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1046.61KG/M)
500X1100X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.35KG/M)
500X1100X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.1KG/M)
500X1100X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.83KG/M)
500X1100X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1069.57KG/M)
500X1100X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1075.3KG/M)
500X1100X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1081.03KG/M)
500X1100X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1086.76KG/M)
500X1100X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1092.48KG/M)
500X1100X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1098.2KG/M)
500X1100X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1103.92KG/M)
500X1100X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1109.64KG/M)
500X1100X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1115.35KG/M)
500X1100X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.06KG/M)
500X1100X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1126.76KG/M)
500X1100X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1132.46KG/M)
500X1100X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1138.16KG/M)
500X1100X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1143.86KG/M)
500X1100X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1149.55KG/M)
500X1100X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1155.24KG/M)
500X1100X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1160.93KG/M)
500X1100X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1166.61KG/M)
500X1100X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1172.29KG/M)
500X1100X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1177.97KG/M)
500X1100X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1183.64KG/M)
500X1100X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1189.32KG/M)
500X1100X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1194.98KG/M)
600X1000X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (236.54KG/M)
600X1000X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.7KG/M)
600X1000X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (248.86KG/M)
600X1000X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (255.02KG/M)
600X1000X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.17KG/M)
600X1000X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (267.33KG/M)
600X1000X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.48KG/M)
600X1000X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (279.62KG/M)
600X1000X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (285.77KG/M)
600X1000X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (291.9KG/M)
600X1000X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.04KG/M)
600X1000X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (304.18KG/M)
600X1000X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.31KG/M)
600X1000X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (316.43KG/M)
600X1000X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (322.56KG/M)
600X1000X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (328.68KG/M)
600X1000X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (334.8KG/M)
600X1000X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (340.91KG/M)
600X1000X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (347.02KG/M)
600X1000X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (353.13KG/M)
600X1000X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (359.24KG/M)
600X1000X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (365.34KG/M)
600X1000X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (371.44KG/M)
600X1000X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (377.54KG/M)
600X1000X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (383.63KG/M)
600X1000X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (389.72KG/M)
600X1000X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (395.81KG/M)

600X1000X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.89KG/M)
600X1000X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (407.98KG/M)
600X1000X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (414.05KG/M)
600X1000X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.13KG/M)
600X1000X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (426.2KG/M)
600X1000X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (432.27KG/M)
600X1000X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (438.34KG/M)
600X1000X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (444.4KG/M)
600X1000X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (450.46KG/M)
600X1000X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (456.52KG/M)
600X1000X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (462.57KG/M)
600X1000X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (468.62KG/M)
600X1000X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (474.67KG/M)
600X1000X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (480.71KG/M)
600X1000X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (486.75KG/M)
600X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.79KG/M)
600X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (498.83KG/M)
600X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (504.86KG/M)
600X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (510.89KG/M)
600X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (516.91KG/M)
600X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (522.93KG/M)
600X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (528.95KG/M)
600X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (534.97KG/M)
600X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (540.98KG/M)
600X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (546.99KG/M)
600X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (553KG/M)
600X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (559.01KG/M)
600X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (565.01KG/M)
600X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (571.01KG/M)
600X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (577KG/M)
600X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (582.99KG/M)
600X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (588.98KG/M)
600X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.97KG/M)
600X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (600.95KG/M)
600X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (606.93KG/M)
600X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (612.91KG/M)
600X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (618.88KG/M)
600X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (624.85KG/M)
600X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (630.82KG/M)
600X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (636.78KG/M)
600X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (642.74KG/M)
600X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (648.7KG/M)
600X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (654.65KG/M)
600X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (660.61KG/M)
600X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (666.55KG/M)
600X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (672.5KG/M)
600X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (678.44KG/M)
600X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (684.38KG/M)
600X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.32KG/M)
600X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (696.25KG/M)
600X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (702.18KG/M)
600X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (708.11KG/M)
600X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (714.03KG/M)
600X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (719.95KG/M)
600X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (725.87KG/M)
600X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (731.79KG/M)
600X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (737.7KG/M)
600X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (743.61KG/M)

600X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (749.51KG/M)
600X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (755.42KG/M)
600X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (761.31KG/M)
600X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (767.21KG/M)
600X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (773.1KG/M)
600X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.99KG/M)
600X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (784.88KG/M)
600X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (790.77KG/M)
600X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (796.65KG/M)
600X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (802.52KG/M)
600X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (808.4KG/M)
600X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (814.27KG/M)
600X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (820.14KG/M)
600X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (826KG/M)
600X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (831.87KG/M)
600X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (837.73KG/M)
600X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (843.58KG/M)
600X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (849.44KG/M)
600X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (855.29KG/M)
600X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (861.13KG/M)
600X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.98KG/M)
600X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (872.82KG/M)
600X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (878.66KG/M)
600X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (884.49KG/M)
600X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (890.32KG/M)
600X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (896.15KG/M)
600X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (901.98KG/M)
600X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (907.8KG/M)
600X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (913.62KG/M)
600X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.43KG/M)
600X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (925.25KG/M)
600X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (931.06KG/M)
600X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (936.86KG/M)
600X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (942.67KG/M)
600X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (948.47KG/M)
600X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (954.27KG/M)
600X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (960.06KG/M)
600X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (965.85KG/M)
600X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (971.64KG/M)
600X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (977.42KG/M)
600X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (983.21KG/M)
600X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (988.99KG/M)
600X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.76KG/M)
600X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1000.54KG/M)
600X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1006.31KG/M)
600X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1012.07KG/M)
600X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1017.84KG/M)
600X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1023.6KG/M)
600X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1029.35KG/M)
600X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1035.11KG/M)
600X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1040.86KG/M)
600X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1046.61KG/M)
600X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.35KG/M)
600X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.1KG/M)
600X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.83KG/M)
600X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1069.57KG/M)
600X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1075.3KG/M)
600X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1081.03KG/M)

600X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1086.76KG/M)
600X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1092.48KG/M)
600X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1098.2KG/M)
600X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1103.92KG/M)
600X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1109.64KG/M)
600X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1115.35KG/M)
600X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.06KG/M)
600X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1126.76KG/M)
600X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1132.46KG/M)
600X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1138.16KG/M)
600X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1143.86KG/M)
600X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1149.55KG/M)
600X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1155.24KG/M)
600X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1160.93KG/M)
600X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1166.61KG/M)
600X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1172.29KG/M)
600X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1177.97KG/M)
600X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1183.64KG/M)
600X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1189.32KG/M)
600X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1194.98KG/M)
700X900X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (236.54KG/M)
700X900X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (242.7KG/M)
700X900X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (248.86KG/M)
700X900X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (255.02KG/M)
700X900X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (261.17KG/M)
700X900X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (267.33KG/M)
700X900X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.48KG/M)
700X900X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (279.62KG/M)
700X900X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (285.77KG/M)
700X900X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (291.9KG/M)
700X900X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (298.04KG/M)
700X900X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (304.18KG/M)
700X900X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.31KG/M)
700X900X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (316.43KG/M)
700X900X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (322.56KG/M)
700X900X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (328.68KG/M)
700X900X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (334.8KG/M)
700X900X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (340.91KG/M)
700X900X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (347.02KG/M)
700X900X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (353.13KG/M)
700X900X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (359.24KG/M)
700X900X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (365.34KG/M)
700X900X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (371.44KG/M)
700X900X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (377.54KG/M)
700X900X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (383.63KG/M)
700X900X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (389.72KG/M)
700X900X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (395.81KG/M)
700X900X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.89KG/M)
700X900X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (407.98KG/M)
700X900X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (414.05KG/M)
700X900X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.13KG/M)
700X900X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (426.2KG/M)
700X900X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (432.27KG/M)
700X900X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (438.34KG/M)
700X900X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (444.4KG/M)
700X900X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (450.46KG/M)
700X900X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (456.52KG/M)
700X900X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (462.57KG/M)

700X900X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (468.62KG/M)
700X900X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (474.67KG/M)
700X900X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (480.71KG/M)
700X900X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (486.75KG/M)
700X900X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.79KG/M)
700X900X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (498.83KG/M)
700X900X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (504.86KG/M)
700X900X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (510.89KG/M)
700X900X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (516.91KG/M)
700X900X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (522.93KG/M)
700X900X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (528.95KG/M)
700X900X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (534.97KG/M)
700X900X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (540.98KG/M)
700X900X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (546.99KG/M)
700X900X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (553KG/M)
700X900X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (559.01KG/M)
700X900X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (565.01KG/M)
700X900X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (571.01KG/M)
700X900X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (577KG/M)
700X900X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (582.99KG/M)
700X900X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (588.98KG/M)
700X900X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.97KG/M)
700X900X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (600.95KG/M)
700X900X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (606.93KG/M)
700X900X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (612.91KG/M)
700X900X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (618.88KG/M)
700X900X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (624.85KG/M)
700X900X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (630.82KG/M)
700X900X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (636.78KG/M)
700X900X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (642.74KG/M)
700X900X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (648.7KG/M)
700X900X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (654.65KG/M)
700X900X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (660.61KG/M)
700X900X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (666.55KG/M)
700X900X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (672.5KG/M)
700X900X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (678.44KG/M)
700X900X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (684.38KG/M)
700X900X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.32KG/M)
700X900X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (696.25KG/M)
700X900X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (702.18KG/M)
700X900X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (708.11KG/M)
700X900X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (714.03KG/M)
700X900X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (719.95KG/M)
700X900X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (725.87KG/M)
700X900X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (731.79KG/M)
700X900X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (737.7KG/M)
700X900X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (743.61KG/M)
700X900X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (749.51KG/M)
700X900X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (755.42KG/M)
700X900X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (761.31KG/M)
700X900X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (767.21KG/M)
700X900X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (773.1KG/M)
700X900X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.99KG/M)
700X900X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (784.88KG/M)
700X900X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (790.77KG/M)
700X900X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (796.65KG/M)
700X900X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (802.52KG/M)
700X900X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (808.4KG/M)

700X900X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (814.27KG/M)
700X900X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (820.14KG/M)
700X900X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (826KG/M)
700X900X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (831.87KG/M)
700X900X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (837.73KG/M)
700X900X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (843.58KG/M)
700X900X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (849.44KG/M)
700X900X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (855.29KG/M)
700X900X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (861.13KG/M)
700X900X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.98KG/M)
700X900X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (872.82KG/M)
700X900X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (878.66KG/M)
700X900X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (884.49KG/M)
700X900X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (890.32KG/M)
700X900X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (896.15KG/M)
700X900X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (901.98KG/M)
700X900X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (907.8KG/M)
700X900X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (913.62KG/M)
700X900X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.43KG/M)
700X900X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (925.25KG/M)
700X900X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (931.06KG/M)
700X900X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (936.86KG/M)
700X900X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (942.67KG/M)
700X900X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (948.47KG/M)
700X900X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (954.27KG/M)
700X900X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (960.06KG/M)
700X900X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (965.85KG/M)
700X900X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (971.64KG/M)
700X900X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (977.42KG/M)
700X900X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (983.21KG/M)
700X900X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (988.99KG/M)
700X900X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.76KG/M)
700X900X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1000.54KG/M)
700X900X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1006.31KG/M)
700X900X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1012.07KG/M)
700X900X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1017.84KG/M)
700X900X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1023.6KG/M)
700X900X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1029.35KG/M)
700X900X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1035.11KG/M)
700X900X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1040.86KG/M)
700X900X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1046.61KG/M)
700X900X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.35KG/M)
700X900X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.1KG/M)
700X900X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.83KG/M)
700X900X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1069.57KG/M)
700X900X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1075.3KG/M)
700X900X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1081.03KG/M)
700X900X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1086.76KG/M)
700X900X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1092.48KG/M)
700X900X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1098.2KG/M)
700X900X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1103.92KG/M)
700X900X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1109.64KG/M)
700X900X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1115.35KG/M)
700X900X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.06KG/M)
700X900X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1126.76KG/M)
700X900X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1132.46KG/M)
700X900X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1138.16KG/M)
700X900X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1143.86KG/M)

700X900X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1149.55KG/M)
700X900X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1155.24KG/M)
700X900X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1160.93KG/M)
700X900X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1166.61KG/M)
700X900X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1172.29KG/M)
700X900X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1177.97KG/M)
700X900X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1183.64KG/M)
700X900X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1189.32KG/M)
700X900X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1194.98KG/M)
600X1100X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (251.46KG/M)
600X1100X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (258.02KG/M)
600X1100X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.57KG/M)
600X1100X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.12KG/M)
600X1100X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (277.67KG/M)
600X1100X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.21KG/M)
600X1100X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.75KG/M)
600X1100X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (297.29KG/M)
600X1100X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (303.83KG/M)
600X1100X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.36KG/M)
600X1100X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (316.89KG/M)
600X1100X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (323.42KG/M)
600X1100X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (329.94KG/M)
600X1100X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (336.46KG/M)
600X1100X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (342.98KG/M)
600X1100X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(349.49KG/M)
600X1100X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(356KG/M)
600X1100X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (362.51KG/M)
600X1100X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (369.02KG/M)
600X1100X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (375.52KG/M)
600X1100X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (382.02KG/M)
600X1100X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (388.51KG/M)
600X1100X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (395KG/M)
600X1100X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.49KG/M)
600X1100X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (407.98KG/M)
600X1100X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (414.46KG/M)
600X1100X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.94KG/M)
600X1100X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (427.42KG/M)
600X1100X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (433.89KG/M)
600X1100X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (440.37KG/M)
600X1100X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (446.83KG/M)
600X1100X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (453.3KG/M)
600X1100X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (459.76KG/M)
600X1100X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (466.22KG/M)
600X1100X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (472.67KG/M)
600X1100X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (479.13KG/M)
600X1100X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (485.57KG/M)
600X1100X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.02KG/M)
600X1100X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (498.46KG/M)
600X1100X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (504.9KG/M)
600X1100X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (511.34KG/M)
600X1100X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (517.78KG/M)
600X1100X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (524.21KG/M)
600X1100X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (530.63KG/M)
600X1100X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (537.06KG/M)
600X1100X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (543.48KG/M)
600X1100X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (549.9KG/M)
600X1100X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (556.31KG/M)
600X1100X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (562.73KG/M)

600X1100X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (569.14KG/M)
600X1100X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (575.54KG/M)
600X1100X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (581.94KG/M)
600X1100X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (588.34KG/M)
600X1100X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.74KG/M)
600X1100X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (601.14KG/M)
600X1100X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (607.53KG/M)
600X1100X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (613.91KG/M)
600X1100X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (620.3KG/M)
600X1100X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (626.68KG/M)
600X1100X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (633.06KG/M)
600X1100X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (639.43KG/M)
600X1100X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (645.81KG/M)
600X1100X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(652.17KG/M)
600X1100X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (658.54KG/M)
600X1100X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (664.9KG/M)
600X1100X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (671.26KG/M)
600X1100X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (677.62KG/M)
600X1100X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (683.97KG/M)
600X1100X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.33KG/M)
600X1100X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (696.67KG/M)
600X1100X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (703.02KG/M)
600X1100X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (709.36KG/M)
600X1100X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (715.7KG/M)
600X1100X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (722.03KG/M)
600X1100X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (728.36KG/M)
600X1100X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (734.69KG/M)
600X1100X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (741.02KG/M)
600X1100X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (747.34KG/M)
600X1100X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (753.66KG/M)
600X1100X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (759.98KG/M)
600X1100X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (766.29KG/M)
600X1100X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (772.6KG/M)
600X1100X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.91KG/M)
600X1100X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.22KG/M)
600X1100X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (791.52KG/M)
600X1100X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (797.81KG/M)
600X1100X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (804.11KG/M)
600X1100X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (810.4KG/M)
600X1100X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (816.69KG/M)
600X1100X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (822.98KG/M)
600X1100X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (829.26KG/M)
600X1100X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (835.54KG/M)
600X1100X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (841.82KG/M)
600X1100X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (848.09KG/M)
600X1100X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (854.36KG/M)
600X1100X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (860.63KG/M)
600X1100X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.89KG/M)
600X1100X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (873.15KG/M)
600X1100X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (879.41KG/M)
600X1100X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (885.67KG/M)
600X1100X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (891.92KG/M)
600X1100X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (898.17KG/M)
600X1100X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (904.41KG/M)
600X1100X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (910.66KG/M)
600X1100X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (916.9KG/M)
600X1100X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (923.13KG/M)
600X1100X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.37KG/M)

600X1100X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.6KG/M)
600X1100X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (941.82KG/M)
600X1100X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (948.05KG/M)
600X1100X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (954.27KG/M)
600X1100X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (960.49KG/M)
600X1100X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (966.7KG/M)
600X1100X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.91KG/M)
600X1100X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (979.12KG/M)
600X1100X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (985.33KG/M)
600X1100X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (991.53KG/M)
600X1100X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (997.73KG/M)
600X1100X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1003.93KG/M)
600X1100X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1010.12KG/M)
600X1100X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1016.31KG/M)
600X1100X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1022.5KG/M)
600X1100X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1028.68KG/M)
600X1100X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1034.86KG/M)
600X1100X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1041.04KG/M)
600X1100X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.22KG/M)
600X1100X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1053.39KG/M)
600X1100X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1059.56KG/M)
600X1100X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1065.72KG/M)
600X1100X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1071.89KG/M)
600X1100X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1078.05KG/M)
600X1100X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.2KG/M)
600X1100X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1090.36KG/M)
600X1100X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1096.51KG/M)
600X1100X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1102.65KG/M)
600X1100X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1108.8KG/M)
600X1100X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1114.94KG/M)
600X1100X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.08KG/M)
600X1100X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1127.21KG/M)
600X1100X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1133.34KG/M)
600X1100X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1139.47KG/M)
600X1100X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1145.6KG/M)
600X1100X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1151.72KG/M)
600X1100X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1157.84KG/M)
600X1100X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1163.96KG/M)
600X1100X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1170.07KG/M)
600X1100X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1176.18KG/M)
600X1100X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1182.29KG/M)
600X1100X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1188.39KG/M)
600X1100X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1194.49KG/M)
600X1100X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1200.59KG/M)
600X1100X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1206.68KG/M)
600X1100X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1212.78KG/M)
600X1100X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1218.86KG/M)
600X1100X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1224.95KG/M)
600X1100X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1231.03KG/M)
600X1100X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1237.11KG/M)
600X1100X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1243.19KG/M)
600X1100X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1249.26KG/M)
600X1100X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1255.33KG/M)
600X1100X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1261.4KG/M)
600X1100X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1267.46KG/M)
600X1100X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1273.52KG/M)
700X1000X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (251.46KG/M)
700X1000X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (258.02KG/M)

700X1000X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.57KG/M)
700X1000X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.12KG/M)
700X1000X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (277.67KG/M)
700X1000X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.21KG/M)
700X1000X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.75KG/M)
700X1000X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (297.29KG/M)
700X1000X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (303.83KG/M)
700X1000X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.36KG/M)
700X1000X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (316.89KG/M)
700X1000X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (323.42KG/M)
700X1000X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (329.94KG/M)
700X1000X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (336.46KG/M)
700X1000X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (342.98KG/M)
700X1000X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (349.49KG/M)
700X1000X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (356KG/M)
700X1000X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (362.51KG/M)
700X1000X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (369.02KG/M)
700X1000X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (375.52KG/M)
700X1000X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (382.02KG/M)
700X1000X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (388.51KG/M)
700X1000X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (395KG/M)
700X1000X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.49KG/M)
700X1000X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (407.98KG/M)
700X1000X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (414.46KG/M)
700X1000X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.94KG/M)
700X1000X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (427.42KG/M)
700X1000X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (433.89KG/M)
700X1000X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (440.37KG/M)
700X1000X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (446.83KG/M)
700X1000X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (453.3KG/M)
700X1000X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (459.76KG/M)
700X1000X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (466.22KG/M)
700X1000X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (472.67KG/M)
700X1000X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (479.13KG/M)
700X1000X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (485.57KG/M)
700X1000X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.02KG/M)
700X1000X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (498.46KG/M)
700X1000X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (504.9KG/M)
700X1000X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (511.34KG/M)
700X1000X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (517.78KG/M)
700X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (524.21KG/M)
700X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (530.63KG/M)
700X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (537.06KG/M)
700X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (543.48KG/M)
700X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (549.9KG/M)
700X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (556.31KG/M)
700X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (562.73KG/M)
700X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (569.14KG/M)
700X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (575.54KG/M)
700X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (581.94KG/M)
700X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (588.34KG/M)
700X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.74KG/M)
700X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (601.14KG/M)
700X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (607.53KG/M)
700X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (613.91KG/M)
700X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (620.3KG/M)
700X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (626.68KG/M)
700X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (633.06KG/M)

700X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (639.43KG/M)
700X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (645.81KG/M)
700X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (652.17KG/M)
700X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (658.54KG/M)
700X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (664.9KG/M)
700X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (671.26KG/M)
700X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (677.62KG/M)
700X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (683.97KG/M)
700X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.33KG/M)
700X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (696.67KG/M)
700X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (703.02KG/M)
700X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (709.36KG/M)
700X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (715.7KG/M)
700X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (722.03KG/M)
700X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (728.36KG/M)
700X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (734.69KG/M)
700X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (741.02KG/M)
700X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (747.34KG/M)
700X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(753.66KG/M)
700X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (759.98KG/M)
700X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (766.29KG/M)
700X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (772.6KG/M)
700X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.91KG/M)
700X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.22KG/M)
700X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (791.52KG/M)
700X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (797.81KG/M)
700X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (804.11KG/M)
700X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (810.4KG/M)
700X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (816.69KG/M)
700X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (822.98KG/M)
700X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (829.26KG/M)
700X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (835.54KG/M)
700X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (841.82KG/M)
700X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (848.09KG/M)
700X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (854.36KG/M)
700X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (860.63KG/M)
700X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.89KG/M)
700X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (873.15KG/M)
700X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (879.41KG/M)
700X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (885.67KG/M)
700X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (891.92KG/M)
700X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (898.17KG/M)
700X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (904.41KG/M)
700X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (910.66KG/M)
700X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (916.9KG/M)
700X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (923.13KG/M)
700X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.37KG/M)
700X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.6KG/M)
700X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (941.82KG/M)
700X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (948.05KG/M)
700X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (954.27KG/M)
700X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (960.49KG/M)
700X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (966.7KG/M)
700X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.91KG/M)
700X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (979.12KG/M)
700X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (985.33KG/M)
700X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (991.53KG/M)
700X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (997.73KG/M)

700X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1003.93KG/M)
700X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1010.12KG/M)
700X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1016.31KG/M)
700X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1022.5KG/M)
700X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1028.68KG/M)
700X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1034.86KG/M)
700X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1041.04KG/M)
700X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.22KG/M)
700X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1053.39KG/M)
700X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1059.56KG/M)
700X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1065.72KG/M)
700X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1071.89KG/M)
700X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1078.05KG/M)
700X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.2KG/M)
700X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1090.36KG/M)
700X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1096.51KG/M)
700X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1102.65KG/M)
700X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1108.8KG/M)
700X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1114.94KG/M)
700X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.08KG/M)
700X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1127.21KG/M)
700X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1133.34KG/M)
700X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1139.47KG/M)
700X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1145.6KG/M)
700X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1151.72KG/M)
700X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1157.84KG/M)
700X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1163.96KG/M)
700X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1170.07KG/M)
700X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1176.18KG/M)
700X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1182.29KG/M)
700X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1188.39KG/M)
700X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1194.49KG/M)
700X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1200.59KG/M)
700X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1206.68KG/M)
700X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1212.78KG/M)
700X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1218.86KG/M)
700X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1224.95KG/M)
700X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1231.03KG/M)
700X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1237.11KG/M)
700X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1243.19KG/M)
700X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1249.26KG/M)
700X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1255.33KG/M)
700X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1261.4KG/M)
700X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1267.46KG/M)
700X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1273.52KG/M)
800X900X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (251.46KG/M)
800X900X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (258.02KG/M)
800X900X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (264.57KG/M)
800X900X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (271.12KG/M)
800X900X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (277.67KG/M)
800X900X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (284.21KG/M)
800X900X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (290.75KG/M)
800X900X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (297.29KG/M)
800X900X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (303.83KG/M)
800X900X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.36KG/M)
800X900X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (316.89KG/M)
800X900X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (323.42KG/M)
800X900X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (329.94KG/M)

800X900X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (336.46KG/M)
800X900X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (342.98KG/M)
800X900X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (349.49KG/M)
800X900X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (356KG/M)
800X900X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (362.51KG/M)
800X900X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (369.02KG/M)
800X900X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (375.52KG/M)
800X900X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (382.02KG/M)
800X900X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (388.51KG/M)
800X900X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (395KG/M)
800X900X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (401.49KG/M)
800X900X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (407.98KG/M)
800X900X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (414.46KG/M)
800X900X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.94KG/M)
800X900X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (427.42KG/M)
800X900X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (433.89KG/M)
800X900X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (440.37KG/M)
800X900X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (446.83KG/M)
800X900X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (453.3KG/M)
800X900X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (459.76KG/M)
800X900X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (466.22KG/M)
800X900X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (472.67KG/M)
800X900X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (479.13KG/M)
800X900X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (485.57KG/M)
800X900X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.02KG/M)
800X900X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (498.46KG/M)
800X900X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (504.9KG/M)
800X900X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (511.34KG/M)
800X900X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (517.78KG/M)
800X900X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (524.21KG/M)
800X900X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (530.63KG/M)
800X900X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (537.06KG/M)
800X900X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (543.48KG/M)
800X900X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (549.9KG/M)
800X900X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (556.31KG/M)
800X900X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (562.73KG/M)
800X900X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (569.14KG/M)
800X900X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (575.54KG/M)
800X900X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (581.94KG/M)
800X900X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (588.34KG/M)
800X900X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.74KG/M)
800X900X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (601.14KG/M)
800X900X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (607.53KG/M)
800X900X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (613.91KG/M)
800X900X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (620.3KG/M)
800X900X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (626.68KG/M)
800X900X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (633.06KG/M)
800X900X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (639.43KG/M)
800X900X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (645.81KG/M)
800X900X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (652.17KG/M)
800X900X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (658.54KG/M)
800X900X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (664.9KG/M)
800X900X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (671.26KG/M)
800X900X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (677.62KG/M)
800X900X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (683.97KG/M)
800X900X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (690.33KG/M)
800X900X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (696.67KG/M)
800X900X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (703.02KG/M)

800X900X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (709.36KG/M)
800X900X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (715.7KG/M)
800X900X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (722.03KG/M)
800X900X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (728.36KG/M)
800X900X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (734.69KG/M)
800X900X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (741.02KG/M)
800X900X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (747.34KG/M)
800X900X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (753.66KG/M)
800X900X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (759.98KG/M)
800X900X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (766.29KG/M)
800X900X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (772.6KG/M)
800X900X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (778.91KG/M)
800X900X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.22KG/M)
800X900X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (791.52KG/M)
800X900X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (797.81KG/M)
800X900X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (804.11KG/M)
800X900X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (810.4KG/M)
800X900X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (816.69KG/M)
800X900X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (822.98KG/M)
800X900X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (829.26KG/M)
800X900X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (835.54KG/M)
800X900X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (841.82KG/M)
800X900X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (848.09KG/M)
800X900X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (854.36KG/M)
800X900X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (860.63KG/M)
800X900X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.89KG/M)
800X900X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (873.15KG/M)
800X900X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (879.41KG/M)
800X900X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (885.67KG/M)
800X900X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (891.92KG/M)
800X900X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (898.17KG/M)
800X900X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (904.41KG/M)
800X900X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (910.66KG/M)
800X900X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (916.9KG/M)
800X900X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (923.13KG/M)
800X900X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.37KG/M)
800X900X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.6KG/M)
800X900X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (941.82KG/M)
800X900X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (948.05KG/M)
800X900X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (954.27KG/M)
800X900X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (960.49KG/M)
800X900X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (966.7KG/M)
800X900X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.91KG/M)
800X900X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (979.12KG/M)
800X900X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (985.33KG/M)
800X900X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (991.53KG/M)
800X900X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (997.73KG/M)
800X900X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1003.93KG/M)
800X900X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1010.12KG/M)
800X900X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1016.31KG/M)
800X900X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1022.5KG/M)
800X900X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1028.68KG/M)
800X900X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1034.86KG/M)
800X900X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1041.04KG/M)
800X900X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.22KG/M)
800X900X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1053.39KG/M)
800X900X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1059.56KG/M)
800X900X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1065.72KG/M)

800X900X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1071.89KG/M)
800X900X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1078.05KG/M)
800X900X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.2KG/M)
800X900X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1090.36KG/M)
800X900X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1096.51KG/M)
800X900X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1102.65KG/M)
800X900X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1108.8KG/M)
800X900X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1114.94KG/M)
800X900X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.08KG/M)
800X900X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1127.21KG/M)
800X900X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1133.34KG/M)
800X900X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1139.47KG/M)
800X900X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1145.6KG/M)
800X900X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1151.72KG/M)
800X900X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1157.84KG/M)
800X900X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1163.96KG/M)
800X900X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1170.07KG/M)
800X900X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1176.18KG/M)
800X900X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1182.29KG/M)
800X900X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1188.39KG/M)
800X900X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1194.49KG/M)
800X900X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1200.59KG/M)
800X900X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1206.68KG/M)
800X900X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1212.78KG/M)
800X900X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1218.86KG/M)
800X900X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1224.95KG/M)
800X900X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1231.03KG/M)
800X900X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1237.11KG/M)
800X900X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1243.19KG/M)
800X900X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1249.26KG/M)
800X900X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1255.33KG/M)
800X900X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1261.4KG/M)
800X900X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1267.46KG/M)
800X900X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1273.52KG/M)
700X1100X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (266.38KG/M)
700X1100X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.33KG/M)
700X1100X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (280.28KG/M)
700X1100X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (287.22KG/M)
700X1100X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (294.16KG/M)
700X1100X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (301.1KG/M)
700X1100X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (308.03KG/M)
700X1100X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (314.97KG/M)
700X1100X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (321.89KG/M)
700X1100X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (328.82KG/M)
700X1100X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (335.74KG/M)
700X1100X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (342.66KG/M)
700X1100X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (349.58KG/M)
700X1100X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (356.49KG/M)
700X1100X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (363.4KG/M)
700X1100X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (370.31KG/M)
700X1100X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (377.21KG/M)
700X1100X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (384.11KG/M)
700X1100X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (391.01KG/M)
700X1100X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (397.9KG/M)
700X1100X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (404.79KG/M)
700X1100X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (411.68KG/M)
700X1100X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (418.57KG/M)
700X1100X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (425.45KG/M)

700X1100X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (432.33KG/M)
700X1100X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (439.2KG/M)
700X1100X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (446.08KG/M)
700X1100X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (452.95KG/M)
700X1100X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (459.81KG/M)
700X1100X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (466.68KG/M)
700X1100X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (473.54KG/M)
700X1100X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (480.39KG/M)
700X1100X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (487.25KG/M)
700X1100X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (494.1KG/M)
700X1100X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (500.95KG/M)
700X1100X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (507.79KG/M)
700X1100X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (514.63KG/M)
700X1100X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (521.47KG/M)
700X1100X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (528.31KG/M)
700X1100X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (535.14KG/M)
700X1100X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (541.97KG/M)
700X1100X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (548.8KG/M)
700X1100X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (555.62KG/M)
700X1100X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (562.44KG/M)
700X1100X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (569.26KG/M)
700X1100X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (576.07KG/M)
700X1100X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (582.89KG/M)
700X1100X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (589.69KG/M)
700X1100X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (596.5KG/M)
700X1100X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (603.3KG/M)
700X1100X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (610.1KG/M)
700X1100X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (616.89KG/M)
700X1100X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (623.69KG/M)
700X1100X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (630.48KG/M)
700X1100X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (637.26KG/M)
700X1100X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (644.05KG/M)
700X1100X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (650.83KG/M)
700X1100X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (657.6KG/M)
700X1100X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (664.38KG/M)
700X1100X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (671.15KG/M)
700X1100X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (677.92KG/M)
700X1100X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (684.68KG/M)
700X1100X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (691.44KG/M)
700X1100X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (698.2KG/M)
700X1100X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (704.96KG/M)
700X1100X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (711.71KG/M)
700X1100X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (718.46KG/M)
700X1100X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (725.21KG/M)
700X1100X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (731.95KG/M)
700X1100X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (738.69KG/M)
700X1100X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.43KG/M)
700X1100X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (752.16KG/M)
700X1100X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (758.89KG/M)
700X1100X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (765.62KG/M)
700X1100X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (772.35KG/M)
700X1100X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (779.07KG/M)
700X1100X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.79KG/M)
700X1100X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (792.5KG/M)
700X1100X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (799.22KG/M)
700X1100X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (805.92KG/M)
700X1100X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (812.63KG/M)
700X1100X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (819.33KG/M)

700X1100X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (826.03KG/M)
700X1100X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (832.73KG/M)
700X1100X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (839.43KG/M)
700X1100X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (846.12KG/M)
700X1100X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (852.8KG/M)
700X1100X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (859.49KG/M)
700X1100X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.17KG/M)
700X1100X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (872.85KG/M)
700X1100X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (879.53KG/M)
700X1100X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (886.2KG/M)
700X1100X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (892.87KG/M)
700X1100X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (899.53KG/M)
700X1100X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (906.2KG/M)
700X1100X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (912.86KG/M)
700X1100X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.51KG/M)
700X1100X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (926.17KG/M)
700X1100X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (932.82KG/M)
700X1100X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (939.47KG/M)
700X1100X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (946.11KG/M)
700X1100X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (952.75KG/M)
700X1100X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (959.39KG/M)
700X1100X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (966.03KG/M)
700X1100X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.66KG/M)
700X1100X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (979.29KG/M)
700X1100X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (985.91KG/M)
700X1100X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (992.54KG/M)
700X1100X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (999.16KG/M)
700X1100X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1005.77KG/M)
700X1100X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1012.39KG/M)
700X1100X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1019KG/M)
700X1100X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1025.61KG/M)
700X1100X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1032.21KG/M)
700X1100X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1038.81KG/M)
700X1100X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1045.41KG/M)
700X1100X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.01KG/M)
700X1100X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.6KG/M)
700X1100X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1065.19KG/M)
700X1100X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1071.77KG/M)
700X1100X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1078.36KG/M)
700X1100X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.94KG/M)
700X1100X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1091.51KG/M)
700X1100X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1098.09KG/M)
700X1100X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1104.66KG/M)
700X1100X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1111.23KG/M)
700X1100X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1117.79KG/M)
700X1100X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1124.35KG/M)
700X1100X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1130.91KG/M)
700X1100X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1137.47KG/M)
700X1100X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1144.02KG/M)
700X1100X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1150.57KG/M)
700X1100X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1157.11KG/M)
700X1100X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1163.66KG/M)
700X1100X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1170.2KG/M)
700X1100X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1176.73KG/M)
700X1100X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1183.27KG/M)
700X1100X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1189.8KG/M)
700X1100X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1196.33KG/M)
700X1100X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1202.85KG/M)

700X1100X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1209.37KG/M)
700X1100X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1215.89KG/M)
700X1100X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1222.41KG/M)
700X1100X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1228.92KG/M)
700X1100X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1235.43KG/M)
700X1100X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1241.93KG/M)
700X1100X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1248.44KG/M)
700X1100X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1254.94KG/M)
700X1100X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1261.43KG/M)
700X1100X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1267.93KG/M)
700X1100X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1274.42KG/M)
700X1100X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1280.9KG/M)
700X1100X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1287.39KG/M)
700X1100X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1293.87KG/M)
700X1100X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1300.35KG/M)
700X1100X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1306.82KG/M)
700X1100X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1313.3KG/M)
700X1100X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1319.76KG/M)
700X1100X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1326.23KG/M)
700X1100X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1332.69KG/M)
700X1100X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1339.15KG/M)
700X1100X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1345.61KG/M)
700X1100X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1352.06KG/M)
800X1000X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (266.38KG/M)
800X1000X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (273.33KG/M)
800X1000X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (280.28KG/M)
800X1000X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (287.22KG/M)
800X1000X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (294.16KG/M)
800X1000X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (301.1KG/M)
800X1000X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (308.03KG/M)
800X1000X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (314.97KG/M)
800X1000X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (321.89KG/M)
800X1000X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (328.82KG/M)
800X1000X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (335.74KG/M)
800X1000X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (342.66KG/M)
800X1000X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (349.58KG/M)
800X1000X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (356.49KG/M)
800X1000X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (363.4KG/M)
800X1000X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (370.31KG/M)
800X1000X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (377.21KG/M)
800X1000X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (384.11KG/M)
800X1000X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (391.01KG/M)
800X1000X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (397.9KG/M)
800X1000X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (404.79KG/M)
800X1000X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (411.68KG/M)
800X1000X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (418.57KG/M)
800X1000X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (425.45KG/M)
800X1000X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (432.33KG/M)
800X1000X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (439.2KG/M)
800X1000X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (446.08KG/M)
800X1000X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (452.95KG/M)
800X1000X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (459.81KG/M)
800X1000X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (466.68KG/M)
800X1000X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (473.54KG/M)
800X1000X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (480.39KG/M)
800X1000X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (487.25KG/M)
800X1000X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (494.1KG/M)
800X1000X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (500.95KG/M)

800X1000X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (507.79KG/M)
800X1000X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (514.63KG/M)
800X1000X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (521.47KG/M)
800X1000X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (528.31KG/M)
800X1000X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (535.14KG/M)
800X1000X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (541.97KG/M)
800X1000X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (548.8KG/M)
800X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (555.62KG/M)
800X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (562.44KG/M)
800X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (569.26KG/M)
800X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (576.07KG/M)
800X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (582.89KG/M)
800X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (589.69KG/M)
800X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (596.5KG/M)
800X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (603.3KG/M)
800X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (610.1KG/M)
800X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (616.89KG/M)
800X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (623.69KG/M)
800X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (630.48KG/M)
800X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (637.26KG/M)
800X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (644.05KG/M)
800X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (650.83KG/M)
800X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (657.6KG/M)
800X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (664.38KG/M)
800X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (671.15KG/M)
800X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (677.92KG/M)
800X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (684.68KG/M)
800X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (691.44KG/M)
800X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (698.2KG/M)
800X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (704.96KG/M)
800X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (711.71KG/M)
800X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (718.46KG/M)
800X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (725.21KG/M)
800X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (731.95KG/M)
800X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (738.69KG/M)
800X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.43KG/M)
800X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (752.16KG/M)
800X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (758.89KG/M)
800X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (765.62KG/M)
800X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (772.35KG/M)
800X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (779.07KG/M)
800X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.79KG/M)
800X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (792.5KG/M)
800X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (799.22KG/M)
800X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (805.92KG/M)
800X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (812.63KG/M)
800X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (819.33KG/M)
800X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (826.03KG/M)
800X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (832.73KG/M)
800X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (839.43KG/M)
800X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (846.12KG/M)
800X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (852.8KG/M)
800X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (859.49KG/M)
800X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.17KG/M)
800X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (872.85KG/M)
800X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (879.53KG/M)
800X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (886.2KG/M)
800X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (892.87KG/M)

800X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (899.53KG/M)
800X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (906.2KG/M)
800X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (912.86KG/M)
800X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (919.51KG/M)
800X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (926.17KG/M)
800X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (932.82KG/M)
800X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (939.47KG/M)
800X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (946.11KG/M)
800X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (952.75KG/M)
800X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (959.39KG/M)
800X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (966.03KG/M)
800X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.66KG/M)
800X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (979.29KG/M)
800X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (985.91KG/M)
800X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (992.54KG/M)
800X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (999.16KG/M)
800X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1005.77KG/M)
800X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1012.39KG/M)
800X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1019KG/M)
800X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1025.61KG/M)
800X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1032.21KG/M)
800X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1038.81KG/M)
800X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1045.41KG/M)
800X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1052.01KG/M)
800X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1058.6KG/M)
800X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1065.19KG/M)
800X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1071.77KG/M)
800X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1078.36KG/M)
800X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.94KG/M)
800X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1091.51KG/M)
800X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1098.09KG/M)
800X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1104.66KG/M)
800X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1111.23KG/M)
800X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1117.79KG/M)
800X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1124.35KG/M)
800X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1130.91KG/M)
800X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1137.47KG/M)
800X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1144.02KG/M)
800X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1150.57KG/M)
800X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1157.11KG/M)
800X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1163.66KG/M)
800X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1170.2KG/M)
800X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1176.73KG/M)
800X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1183.27KG/M)
800X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1189.8KG/M)
800X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1196.33KG/M)
800X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1202.85KG/M)
800X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1209.37KG/M)
800X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1215.89KG/M)
800X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1222.41KG/M)
800X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1228.92KG/M)
800X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1235.43KG/M)
800X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1241.93KG/M)
800X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1248.44KG/M)
800X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1254.94KG/M)
800X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1261.43KG/M)
800X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1267.93KG/M)
800X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1274.42KG/M)

800X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1280.9KG/M)
800X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1287.39KG/M)
800X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1293.87KG/M)
800X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1300.35KG/M)
800X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1306.82KG/M)
800X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1313.3KG/M)
800X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1319.76KG/M)
800X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1326.23KG/M)
800X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1332.69KG/M)
800X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1339.15KG/M)
800X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1345.61KG/M)
800X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1352.06KG/M)
800X1100X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.3KG/M)
800X1100X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (288.65KG/M)
800X1100X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (295.99KG/M)
800X1100X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (303.32KG/M)
800X1100X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.65KG/M)
800X1100X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (317.99KG/M)
800X1100X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (325.31KG/M)
800X1100X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (332.64KG/M)
800X1100X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (339.96KG/M)
800X1100X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (347.28KG/M)
800X1100X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (354.59KG/M)
800X1100X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (361.9KG/M)
800X1100X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (369.21KG/M)
800X1100X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (376.52KG/M)
800X1100X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (383.82KG/M)
800X1100X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (391.12KG/M)
800X1100X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (398.41KG/M)
800X1100X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (405.71KG/M)
800X1100X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (413KG/M)
800X1100X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.29KG/M)
800X1100X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (427.57KG/M)
800X1100X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (434.85KG/M)
800X1100X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (442.13KG/M)
800X1100X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (449.4KG/M)
800X1100X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (456.67KG/M)
800X1100X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (463.94KG/M)
800X1100X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (471.21KG/M)
800X1100X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (478.47KG/M)
800X1100X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (485.73KG/M)
800X1100X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.99KG/M)
800X1100X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (500.24KG/M)
800X1100X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (507.49KG/M)
800X1100X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (514.74KG/M)
800X1100X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (521.98KG/M)
800X1100X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (529.22KG/M)
800X1100X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (536.46KG/M)
800X1100X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (543.69KG/M)
800X1100X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (550.93KG/M)
800X1100X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (558.15KG/M)
800X1100X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (565.38KG/M)
800X1100X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (572.6KG/M)
800X1100X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (579.82KG/M)
800X1100X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (587.04KG/M)
800X1100X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.25KG/M)
800X1100X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (601.46KG/M)
800X1100X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (608.67KG/M)

800X1100X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (615.87KG/M)
800X1100X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (623.07KG/M)
800X1100X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (630.27KG/M)
800X1100X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (637.47KG/M)
800X1100X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (644.66KG/M)
800X1100X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (651.85KG/M)
800X1100X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (659.03KG/M)
800X1100X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (666.21KG/M)
800X1100X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (673.39KG/M)
800X1100X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (680.57KG/M)
800X1100X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (687.74KG/M)
800X1100X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (694.91KG/M)
800X1100X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (702.08KG/M)
800X1100X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (709.24KG/M)
800X1100X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (716.4KG/M)
800X1100X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (723.56KG/M)
800X1100X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (730.71KG/M)
800X1100X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (737.87KG/M)
800X1100X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.01KG/M)
800X1100X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (752.16KG/M)
800X1100X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (759.3KG/M)
800X1100X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (766.44KG/M)
800X1100X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (773.58KG/M)
800X1100X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (780.71KG/M)
800X1100X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (787.84KG/M)
800X1100X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (794.97KG/M)
800X1100X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (802.09KG/M)
800X1100X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (809.21KG/M)
800X1100X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (816.33KG/M)
800X1100X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (823.44KG/M)
800X1100X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (830.55KG/M)
800X1100X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (837.66KG/M)
800X1100X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (844.77KG/M)
800X1100X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (851.87KG/M)
800X1100X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (858.97KG/M)
800X1100X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.07KG/M)
800X1100X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (873.16KG/M)
800X1100X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (880.25KG/M)
800X1100X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (887.34KG/M)
800X1100X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (894.42KG/M)
800X1100X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (901.5KG/M)
800X1100X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (908.58KG/M)
800X1100X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (915.65KG/M)
800X1100X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (922.72KG/M)
800X1100X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.79KG/M)
800X1100X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (936.86KG/M)
800X1100X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (943.92KG/M)
800X1100X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (950.98KG/M)
800X1100X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (958.03KG/M)
800X1100X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (965.09KG/M)
800X1100X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.14KG/M)
800X1100X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (979.18KG/M)
800X1100X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (986.23KG/M)
800X1100X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (993.27KG/M)
800X1100X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1000.3KG/M)
800X1100X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1007.34KG/M)
800X1100X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1014.37KG/M)
800X1100X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1021.4KG/M)

800X1100X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1028.42KG/M)
800X1100X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1035.44KG/M)
800X1100X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1042.46KG/M)
800X1100X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1049.48KG/M)
800X1100X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1056.49KG/M)
800X1100X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.5KG/M)
800X1100X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1070.51KG/M)
800X1100X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1077.51KG/M)
800X1100X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.51KG/M)
800X1100X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1091.51KG/M)
800X1100X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1098.5KG/M)
800X1100X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1105.49KG/M)
800X1100X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1112.48KG/M)
800X1100X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1119.47KG/M)
800X1100X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1126.45KG/M)
800X1100X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1133.43KG/M)
800X1100X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1140.4KG/M)
800X1100X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1147.38KG/M)
800X1100X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1154.35KG/M)
800X1100X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1161.31KG/M)
800X1100X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1168.28KG/M)
800X1100X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1175.24KG/M)
800X1100X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1182.19KG/M)
800X1100X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1189.15KG/M)
800X1100X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1196.1KG/M)
800X1100X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1203.05KG/M)
800X1100X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1209.99KG/M)
800X1100X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1216.93KG/M)
800X1100X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1223.87KG/M)
800X1100X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1230.81KG/M)
800X1100X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1237.74KG/M)
800X1100X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1244.67KG/M)
800X1100X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1251.6KG/M)
800X1100X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1258.52KG/M)
800X1100X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1265.44KG/M)
800X1100X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1272.36KG/M)
800X1100X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1279.27KG/M)
800X1100X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1286.18KG/M)
800X1100X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1293.09KG/M)
800X1100X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1300KG/M)
800X1100X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1306.9KG/M)
800X1100X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1313.8KG/M)
800X1100X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1320.69KG/M)
800X1100X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1327.58KG/M)
800X1100X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1334.47KG/M)
800X1100X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1341.36KG/M)
800X1100X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1348.24KG/M)
800X1100X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1355.12KG/M)
800X1100X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1362KG/M)
800X1100X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1368.88KG/M)
800X1100X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1375.75KG/M)
800X1100X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1382.61KG/M)
800X1100X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1389.48KG/M)
800X1100X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1396.34KG/M)
800X1100X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1403.2KG/M)
800X1100X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1410.05KG/M)
800X1100X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1416.91KG/M)
800X1100X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1423.76KG/M)

800X1100X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1430.6KG/M)
900X1000X9.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (281.3KG/M)
900X1000X9.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (288.65KG/M)
900X1000X10MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (295.99KG/M)
900X1000X10.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (303.32KG/M)
900X1000X10.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (310.65KG/M)
900X1000X10.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (317.99KG/M)
900X1000X11MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (325.31KG/M)
900X1000X11.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (332.64KG/M)
900X1000X11.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (339.96KG/M)
900X1000X11.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (347.28KG/M)
900X1000X12MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (354.59KG/M)
900X1000X12.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (361.9KG/M)
900X1000X12.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (369.21KG/M)
900X1000X12.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (376.52KG/M)
900X1000X13MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (383.82KG/M)
900X1000X13.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (391.12KG/M)
900X1000X13.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (398.41KG/M)
900X1000X13.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (405.71KG/M)
900X1000X14MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (413KG/M)
900X1000X14.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (420.29KG/M)
900X1000X14.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (427.57KG/M)
900X1000X14.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (434.85KG/M)
900X1000X15MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (442.13KG/M)
900X1000X15.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (449.4KG/M)
900X1000X15.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (456.67KG/M)
900X1000X15.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (463.94KG/M)
900X1000X16MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (471.21KG/M)
900X1000X16.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (478.47KG/M)
900X1000X16.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (485.73KG/M)
900X1000X16.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (492.99KG/M)
900X1000X17MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (500.24KG/M)
900X1000X17.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (507.49KG/M)
900X1000X17.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (514.74KG/M)
900X1000X17.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (521.98KG/M)
900X1000X18MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (529.22KG/M)
900X1000X18.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (536.46KG/M)
900X1000X18.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (543.69KG/M)
900X1000X18.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (550.93KG/M)
900X1000X19MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (558.15KG/M)
900X1000X19.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (565.38KG/M)
900X1000X19.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (572.6KG/M)
900X1000X19.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (579.82KG/M)
900X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (587.04KG/M)
900X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (594.25KG/M)
900X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (601.46KG/M)
900X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (608.67KG/M)
900X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (615.87KG/M)
900X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (623.07KG/M)
900X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (630.27KG/M)
900X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (637.47KG/M)
900X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (644.66KG/M)
900X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (651.85KG/M)
900X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (659.03KG/M)
900X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (666.21KG/M)
900X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (673.39KG/M)
900X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (680.57KG/M)
900X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (687.74KG/M)

900X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (694.91KG/M)
900X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (702.08KG/M)
900X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (709.24KG/M)
900X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (716.4KG/M)
900X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (723.56KG/M)
900X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (730.71KG/M)
900X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (737.87KG/M)
900X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.01KG/M)
900X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (752.16KG/M)
900X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (759.3KG/M)
900X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (766.44KG/M)
900X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (773.58KG/M)
900X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (780.71KG/M)
900X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (787.84KG/M)
900X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (794.97KG/M)
900X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (802.09KG/M)
900X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (809.21KG/M)
900X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (816.33KG/M)
900X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (823.44KG/M)
900X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (830.55KG/M)
900X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (837.66KG/M)
900X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (844.77KG/M)
900X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (851.87KG/M)
900X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (858.97KG/M)
900X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (866.07KG/M)
900X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (873.16KG/M)
900X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (880.25KG/M)
900X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (887.34KG/M)
900X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (894.42KG/M)
900X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (901.5KG/M)
900X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (908.58KG/M)
900X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (915.65KG/M)
900X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (922.72KG/M)
900X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (929.79KG/M)
900X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (936.86KG/M)
900X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (943.92KG/M)
900X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (950.98KG/M)
900X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (958.03KG/M)
900X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (965.09KG/M)
900X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.14KG/M)
900X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (979.18KG/M)
900X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (986.23KG/M)
900X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (993.27KG/M)
900X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1000.3KG/M)
900X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1007.34KG/M)
900X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1014.37KG/M)
900X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1021.4KG/M)
900X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1028.42KG/M)
900X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1035.44KG/M)
900X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1042.46KG/M)
900X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1049.48KG/M)
900X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1056.49KG/M)
900X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1063.5KG/M)
900X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1070.51KG/M)
900X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1077.51KG/M)
900X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.51KG/M)
900X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1091.51KG/M)
900X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1098.5KG/M)

900X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1105.49KG/M)
900X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1112.48KG/M)
900X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1119.47KG/M)
900X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1126.45KG/M)
900X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1133.43KG/M)
900X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1140.4KG/M)
900X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1147.38KG/M)
900X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1154.35KG/M)
900X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1161.31KG/M)
900X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1168.28KG/M)
900X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1175.24KG/M)
900X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1182.19KG/M)
900X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1189.15KG/M)
900X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1196.1KG/M)
900X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1203.05KG/M)
900X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1209.99KG/M)
900X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1216.93KG/M)
900X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1223.87KG/M)
900X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1230.81KG/M)
900X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1237.74KG/M)
900X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1244.67KG/M)
900X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1251.6KG/M)
900X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1258.52KG/M)
900X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1265.44KG/M)
900X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1272.36KG/M)
900X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1279.27KG/M)
900X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1286.18KG/M)
900X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1293.09KG/M)
900X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1300KG/M)
900X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1306.9KG/M)
900X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1313.8KG/M)
900X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1320.69KG/M)
900X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1327.58KG/M)
900X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1334.47KG/M)
900X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1341.36KG/M)
900X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1348.24KG/M)
900X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1355.12KG/M)
900X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1362KG/M)
900X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1368.88KG/M)
900X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1375.75KG/M)
900X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1382.61KG/M)
900X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1389.48KG/M)
900X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1396.34KG/M)
900X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1403.2KG/M)
900X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1410.05KG/M)
900X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1416.91KG/M)
900X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1423.76KG/M)
900X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1430.6KG/M)
900X1100X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (618.45KG/M)
900X1100X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (626.06KG/M)
900X1100X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (633.66KG/M)
900X1100X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (641.26KG/M)
900X1100X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (648.86KG/M)
900X1100X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (656.45KG/M)
900X1100X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (664.04KG/M)
900X1100X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (671.63KG/M)
900X1100X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (679.21KG/M)
900X1100X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (686.8KG/M)

900X1100X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (694.37KG/M)
900X1100X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (701.95KG/M)
900X1100X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (709.52KG/M)
900X1100X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (717.09KG/M)
900X1100X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (724.65KG/M)
900X1100X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (732.22KG/M)
900X1100X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (739.78KG/M)
900X1100X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (747.33KG/M)
900X1100X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (754.89KG/M)
900X1100X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (762.44KG/M)
900X1100X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (769.98KG/M)
900X1100X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (777.53KG/M)
900X1100X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.07KG/M)
900X1100X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (792.61KG/M)
900X1100X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (800.14KG/M)
900X1100X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (807.67KG/M)
900X1100X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (815.2KG/M)
900X1100X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (822.73KG/M)
900X1100X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (830.25KG/M)
900X1100X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(837.77KG/M)
900X1100X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(845.29KG/M)
900X1100X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(852.8KG/M)
900X1100X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (860.31KG/M)
900X1100X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (867.82KG/M)
900X1100X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (875.32KG/M)
900X1100X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (882.82KG/M)
900X1100X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (890.32KG/M)
900X1100X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (897.82KG/M)
900X1100X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (905.31KG/M)
900X1100X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (912.8KG/M)
900X1100X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (920.28KG/M)
900X1100X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (927.76KG/M)
900X1100X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.24KG/M)
900X1100X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (942.72KG/M)
900X1100X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (950.19KG/M)
900X1100X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (957.66KG/M)
900X1100X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (965.13KG/M)
900X1100X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.6KG/M)
900X1100X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (980.06KG/M)
900X1100X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (987.51KG/M)
900X1100X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.97KG/M)
900X1100X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1002.42KG/M)
900X1100X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1009.87KG/M)
900X1100X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1017.31KG/M)
900X1100X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1024.76KG/M)
900X1100X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1032.2KG/M)
900X1100X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1039.63KG/M)
900X1100X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.07KG/M)
900X1100X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1054.5KG/M)
900X1100X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1061.92KG/M)
900X1100X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1069.35KG/M)
900X1100X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1076.77KG/M)
900X1100X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.19KG/M)
900X1100X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1091.6KG/M)
900X1100X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1099.01KG/M)
900X1100X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1106.42KG/M)
900X1100X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1113.83KG/M)
900X1100X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.23KG/M)

900X1100X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1128.63KG/M)
900X1100X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1136.02KG/M)
900X1100X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1143.42KG/M)
900X1100X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1150.81KG/M)
900X1100X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1158.19KG/M)
900X1100X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1165.58KG/M)
900X1100X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1172.96KG/M)
900X1100X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1180.34KG/M)
900X1100X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1187.71KG/M)
900X1100X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1195.08KG/M)
900X1100X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1202.45KG/M)
900X1100X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1209.82KG/M)
900X1100X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1217.18KG/M)
900X1100X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1224.54KG/M)
900X1100X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1231.89KG/M)
900X1100X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1239.25KG/M)
900X1100X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1246.6KG/M)
900X1100X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1253.94KG/M)
900X1100X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1261.29KG/M)
900X1100X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1268.63KG/M)
900X1100X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1275.97KG/M)
900X1100X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1283.3KG/M)
900X1100X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1290.63KG/M)
900X1100X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1297.96KG/M)
900X1100X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1305.29KG/M)
900X1100X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1312.61KG/M)
900X1100X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1319.93KG/M)
900X1100X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1327.24KG/M)
900X1100X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1334.56KG/M)
900X1100X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1341.87KG/M)
900X1100X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1349.17KG/M)
900X1100X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1356.48KG/M)
900X1100X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1363.78KG/M)
900X1100X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1371.07KG/M)
900X1100X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1378.37KG/M)
900X1100X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1385.66KG/M)
900X1100X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1392.95KG/M)
900X1100X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1400.23KG/M)
900X1100X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1407.52KG/M)
900X1100X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1414.8KG/M)
900X1100X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1422.07KG/M)
900X1100X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1429.34KG/M)
900X1100X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1436.61KG/M)
900X1100X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1443.88KG/M)
900X1100X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1451.14KG/M)
900X1100X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1458.4KG/M)
900X1100X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1465.66KG/M)
900X1100X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1472.92KG/M)
900X1100X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1480.17KG/M)
900X1100X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1487.42KG/M)
900X1100X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1494.66KG/M)
900X1100X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1501.9KG/M)
900X1100X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1509.14KG/M)
900X1100X50.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1516.38KG/M)
900X1100X50.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1523.61KG/M)
900X1100X50.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1530.84KG/M)
900X1100X51MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1538.07KG/M)
900X1100X51.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1545.29KG/M)

900X1100X51.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1552.51KG/M)
900X1100X51.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1559.73KG/M)
900X1100X52MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1566.94KG/M)
900X1100X52.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1574.15KG/M)
900X1100X52.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1581.36KG/M)
900X1100X52.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1588.57KG/M)
900X1100X53MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1595.77KG/M)
900X1100X53.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1602.97KG/M)
900X1100X53.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1610.16KG/M)
900X1100X53.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1617.36KG/M)
900X1100X54MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1624.55KG/M)
900X1100X54.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1631.73KG/M)
900X1100X54.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1638.92KG/M)
900X1100X54.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1646.1KG/M)
900X1100X55MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1653.27KG/M)
900X1100X55.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1660.45KG/M)
900X1100X55.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1667.62KG/M)
900X1100X55.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1674.79KG/M)
900X1100X56MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1681.95KG/M)
900X1100X56.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1689.12KG/M)
900X1100X56.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1696.27KG/M)
900X1100X56.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1703.43KG/M)
900X1100X57MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1710.58KG/M)
900X1100X57.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1717.73KG/M)
900X1100X57.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1724.88KG/M)
900X1100X57.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1732.02KG/M)
900X1100X58MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1739.16KG/M)
900X1100X58.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1746.3KG/M)
900X1100X58.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1753.43KG/M)
900X1100X58.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1760.56KG/M)
900X1100X59MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1767.69KG/M)
900X1100X59.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1774.82KG/M)
900X1100X59.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1781.94KG/M)
900X1100X59.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1789.06KG/M)
900X1100X60MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1796.17KG/M)
800X1200X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (618.45KG/M)
800X1200X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (626.06KG/M)
800X1200X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (633.66KG/M)
800X1200X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (641.26KG/M)
800X1200X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (648.86KG/M)
800X1200X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (656.45KG/M)
800X1200X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (664.04KG/M)
800X1200X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (671.63KG/M)
800X1200X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (679.21KG/M)
800X1200X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (686.8KG/M)
800X1200X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (694.37KG/M)
800X1200X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (701.95KG/M)
800X1200X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (709.52KG/M)
800X1200X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (717.09KG/M)
800X1200X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (724.65KG/M)
800X1200X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (732.22KG/M)
800X1200X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (739.78KG/M)
800X1200X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (747.33KG/M)
800X1200X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (754.89KG/M)
800X1200X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (762.44KG/M)
800X1200X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (769.98KG/M)
800X1200X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (777.53KG/M)
800X1200X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.07KG/M)

800X1200X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (792.61KG/M)
800X1200X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (800.14KG/M)
800X1200X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (807.67KG/M)
800X1200X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (815.2KG/M)
800X1200X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (822.73KG/M)
800X1200X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (830.25KG/M)
800X1200X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (837.77KG/M)
800X1200X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (845.29KG/M)
800X1200X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (852.8KG/M)
800X1200X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (860.31KG/M)
800X1200X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (867.82KG/M)
800X1200X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (875.32KG/M)
800X1200X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (882.82KG/M)
800X1200X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (890.32KG/M)
800X1200X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (897.82KG/M)
800X1200X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (905.31KG/M)
800X1200X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (912.8KG/M)
800X1200X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (920.28KG/M)
800X1200X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (927.76KG/M)
800X1200X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.24KG/M)
800X1200X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (942.72KG/M)
800X1200X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (950.19KG/M)
800X1200X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (957.66KG/M)
800X1200X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (965.13KG/M)
800X1200X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (972.6KG/M)
800X1200X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (980.06KG/M)
800X1200X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (987.51KG/M)
800X1200X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (994.97KG/M)
800X1200X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1002.42KG/M)
800X1200X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1009.87KG/M)
800X1200X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1017.31KG/M)
800X1200X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1024.76KG/M)
800X1200X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1032.2KG/M)
800X1200X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1039.63KG/M)
800X1200X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1047.07KG/M)
800X1200X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1054.5KG/M)
800X1200X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1061.92KG/M)
800X1200X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1069.35KG/M)
800X1200X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1076.77KG/M)
800X1200X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1084.19KG/M)
800X1200X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1091.6KG/M)
800X1200X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1099.01KG/M)
800X1200X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1106.42KG/M)
800X1200X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1113.83KG/M)
800X1200X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1121.23KG/M)
800X1200X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1128.63KG/M)
800X1200X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1136.02KG/M)
800X1200X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1143.42KG/M)
800X1200X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1150.81KG/M)
800X1200X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1158.19KG/M)
800X1200X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1165.58KG/M)
800X1200X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1172.96KG/M)
800X1200X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1180.34KG/M)
800X1200X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1187.71KG/M)
800X1200X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1195.08KG/M)
800X1200X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1202.45KG/M)
800X1200X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1209.82KG/M)
800X1200X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1217.18KG/M)

800X1200X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1224.54KG/M)
800X1200X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1231.89KG/M)
800X1200X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1239.25KG/M)
800X1200X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1246.6KG/M)
800X1200X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1253.94KG/M)
800X1200X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1261.29KG/M)
800X1200X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1268.63KG/M)
800X1200X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1275.97KG/M)
800X1200X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1283.3KG/M)
800X1200X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1290.63KG/M)
800X1200X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1297.96KG/M)
800X1200X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1305.29KG/M)
800X1200X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1312.61KG/M)
800X1200X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1319.93KG/M)
800X1200X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1327.24KG/M)
800X1200X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1334.56KG/M)
800X1200X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1341.87KG/M)
800X1200X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1349.17KG/M)
800X1200X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1356.48KG/M)
800X1200X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1363.78KG/M)
800X1200X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1371.07KG/M)
800X1200X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1378.37KG/M)
800X1200X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1385.66KG/M)
800X1200X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1392.95KG/M)
800X1200X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1400.23KG/M)
800X1200X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1407.52KG/M)
800X1200X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1414.8KG/M)
800X1200X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1422.07KG/M)
800X1200X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1429.34KG/M)
800X1200X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1436.61KG/M)
800X1200X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1443.88KG/M)
800X1200X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1451.14KG/M)
800X1200X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1458.4KG/M)
800X1200X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1465.66KG/M)
800X1200X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1472.92KG/M)
800X1200X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1480.17KG/M)
800X1200X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1487.42KG/M)
800X1200X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1494.66KG/M)
800X1200X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1501.9KG/M)
800X1200X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1509.14KG/M)
800X1200X50.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1516.38KG/M)
800X1200X50.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1523.61KG/M)
800X1200X50.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1530.84KG/M)
800X1200X51MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1538.07KG/M)
800X1200X51.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1545.29KG/M)
800X1200X51.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1552.51KG/M)
800X1200X51.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1559.73KG/M)
800X1200X52MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1566.94KG/M)
800X1200X52.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1574.15KG/M)
800X1200X52.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1581.36KG/M)
800X1200X52.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1588.57KG/M)
800X1200X53MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1595.77KG/M)
800X1200X53.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1602.97KG/M)
800X1200X53.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1610.16KG/M)
800X1200X53.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1617.36KG/M)
800X1200X54MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1624.55KG/M)
800X1200X54.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1631.73KG/M)
800X1200X54.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1638.92KG/M)

800X1200X54.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1646.1KG/M)
800X1200X55MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1653.27KG/M)
800X1200X55.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1660.45KG/M)
800X1200X55.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1667.62KG/M)
800X1200X55.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1674.79KG/M)
800X1200X56MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1681.95KG/M)
800X1200X56.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1689.12KG/M)
800X1200X56.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1696.27KG/M)
800X1200X56.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1703.43KG/M)
800X1200X57MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1710.58KG/M)
800X1200X57.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1717.73KG/M)
800X1200X57.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1724.88KG/M)
800X1200X57.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1732.02KG/M)
800X1200X58MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1739.16KG/M)
800X1200X58.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1746.3KG/M)
800X1200X58.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1753.43KG/M)
800X1200X58.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1760.56KG/M)
800X1200X59MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1767.69KG/M)
800X1200X59.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1774.82KG/M)
800X1200X59.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1781.94KG/M)
800X1200X59.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1789.06KG/M)
800X1200X60MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1796.17KG/M)
1100X1000X20MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (649.87KG/M)
1100X1000X20.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (657.87KG/M)
1100X1000X20.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (665.86KG/M)
1100X1000X20.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (673.86KG/M)
1100X1000X21MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (681.85KG/M)
1100X1000X21.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (689.83KG/M)
1100X1000X21.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (697.81KG/M)
1100X1000X21.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (705.79KG/M)
1100X1000X22MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (713.77KG/M)
1100X1000X22.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (721.75KG/M)
1100X1000X22.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (729.72KG/M)
1100X1000X22.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (737.68KG/M)
1100X1000X23MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (745.65KG/M)
1100X1000X23.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (753.61KG/M)
1100X1000X23.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (761.57KG/M)
1100X1000X23.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (769.52KG/M)
1100X1000X24MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (777.48KG/M)
1100X1000X24.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (785.43KG/M)
1100X1000X24.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (793.37KG/M)
1100X1000X24.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (801.31KG/M)
1100X1000X25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (809.25KG/M)
1100X1000X25.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (817.19KG/M)
1100X1000X25.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (825.13KG/M)
1100X1000X25.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (833.06KG/M)
1100X1000X26MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (840.98KG/M)
1100X1000X26.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (848.91KG/M)
1100X1000X26.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (856.83KG/M)
1100X1000X26.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (864.75KG/M)
1100X1000X27MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (872.66KG/M)
1100X1000X27.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (880.58KG/M)
1100X1000X27.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (888.48KG/M)
1100X1000X27.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (896.39KG/M)
1100X1000X28MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (904.29KG/M)
1100X1000X28.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (912.19KG/M)
1100X1000X28.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (920.09KG/M)
1100X1000X28.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (927.98KG/M)

1100X1000X29MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (935.87KG/M)
1100X1000X29.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (943.76KG/M)
1100X1000X29.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (951.65KG/M)
1100X1000X29.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (959.53KG/M)
1100X1000X30MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (967.41KG/M)
1100X1000X30.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (975.28KG/M)
1100X1000X30.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (983.15KG/M)
1100X1000X30.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (991.02KG/M)
1100X1000X31MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (998.89KG/M)
1100X1000X31.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1006.75KG/M)
1100X1000X31.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1014.61KG/M)
1100X1000X31.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1022.47KG/M)
1100X1000X32MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1030.32KG/M)
1100X1000X32.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1038.17KG/M)
1100X1000X32.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1046.02KG/M)
1100X1000X32.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1053.86KG/M)
1100X1000X33MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1061.71KG/M)
1100X1000X33.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION(1069.54KG/M)
1100X1000X33.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1077.38KG/M)
1100X1000X33.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1085.21KG/M)
1100X1000X34MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1093.04KG/M)
1100X1000X34.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1100.87KG/M)
1100X1000X34.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1108.69KG/M)
1100X1000X34.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1116.51KG/M)
1100X1000X35MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1124.32KG/M)
1100X1000X35.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1132.14KG/M)
1100X1000X35.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1139.95KG/M)
1100X1000X35.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1147.76KG/M)
1100X1000X36MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1155.56KG/M)
1100X1000X36.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1163.36KG/M)
1100X1000X36.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1171.16KG/M)
1100X1000X36.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1178.96KG/M)
1100X1000X37MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1186.75KG/M)
1100X1000X37.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1194.54KG/M)
1100X1000X37.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1202.32KG/M)
1100X1000X37.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1210.1KG/M)
1100X1000X38MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1217.88KG/M)
1100X1000X38.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1225.66KG/M)
1100X1000X38.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1233.43KG/M)
1100X1000X38.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1241.2KG/M)
1100X1000X39MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1248.97KG/M)
1100X1000X39.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1256.74KG/M)
1100X1000X39.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1264.5KG/M)
1100X1000X39.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1272.26KG/M)
1100X1000X40MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1280.01KG/M)
1100X1000X40.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1287.76KG/M)
1100X1000X40.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1295.51KG/M)
1100X1000X40.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1303.26KG/M)
1100X1000X41MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1311KG/M)
1100X1000X41.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1318.74KG/M)
1100X1000X41.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1326.48KG/M)
1100X1000X41.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1334.21KG/M)
1100X1000X42MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1341.94KG/M)
1100X1000X42.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1349.67KG/M)
1100X1000X42.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1357.39KG/M)
1100X1000X42.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1365.11KG/M)
1100X1000X43MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1372.83KG/M)
1100X1000X43.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1380.54KG/M)

1100X1000X43.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1388.26KG/M)
1100X1000X43.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1395.97KG/M)
1100X1000X44MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1403.67KG/M)
1100X1000X44.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1411.37KG/M)
1100X1000X44.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1419.07KG/M)
1100X1000X44.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1426.77KG/M)
1100X1000X45MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1434.46KG/M)
1100X1000X45.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1442.15KG/M)
1100X1000X45.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1449.84KG/M)
1100X1000X45.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1457.52KG/M)
1100X1000X46MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1465.21KG/M)
1100X1000X46.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1472.88KG/M)
1100X1000X46.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1480.56KG/M)
1100X1000X46.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1488.23KG/M)
1100X1000X47MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1495.9KG/M)
1100X1000X47.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1503.56KG/M)
1100X1000X47.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1511.23KG/M)
1100X1000X47.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1518.89KG/M)
1100X1000X48MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1526.54KG/M)
1100X1000X48.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1534.2KG/M)
1100X1000X48.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1541.85KG/M)
1100X1000X48.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1549.49KG/M)
1100X1000X49MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1557.14KG/M)
1100X1000X49.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1564.78KG/M)
1100X1000X49.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1572.42KG/M)
1100X1000X49.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1580.05KG/M)
1100X1000X50MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1587.68KG/M)
1100X1000X50.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1595.31KG/M)
1100X1000X50.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1602.94KG/M)
1100X1000X50.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1610.56KG/M)
1100X1000X51MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1618.18KG/M)
1100X1000X51.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1625.79KG/M)
1100X1000X51.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1633.41KG/M)
1100X1000X51.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1641.02KG/M)
1100X1000X52MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1648.62KG/M)
1100X1000X52.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1656.23KG/M)
1100X1000X52.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1663.83KG/M)
1100X1000X52.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1671.43KG/M)
1100X1000X53MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1679.02KG/M)
1100X1000X53.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1686.61KG/M)
1100X1000X53.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1694.2KG/M)
1100X1000X53.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1701.79KG/M)
1100X1000X54MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1709.37KG/M)
1100X1000X54.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1716.95KG/M)
1100X1000X54.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1724.53KG/M)
1100X1000X54.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1732.1KG/M)
1100X1000X55MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1739.67KG/M)
1100X1000X55.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1747.24KG/M)
1100X1000X55.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1754.8KG/M)
1100X1000X55.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1762.36KG/M)
1100X1000X56MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1769.92KG/M)
1100X1000X56.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1777.47KG/M)
1100X1000X56.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1785.02KG/M)
1100X1000X56.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1792.57KG/M)
1100X1000X57MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1800.12KG/M)
1100X1000X57.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1807.66KG/M)
1100X1000X57.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1815.2KG/M)
1100X1000X57.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1822.74KG/M)

1100X1000X58MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1830.27KG/M)
1100X1000X58.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1837.8KG/M)
1100X1000X58.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1845.33KG/M)
1100X1000X58.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1852.85KG/M)
1100X1000X59MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1860.37KG/M)
1100X1000X59.25MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1867.89KG/M)
1100X1000X59.5MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1875.4KG/M)
1100X1000X59.75MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1882.91KG/M)
1100X1000X60MM (RHS) RECTANGULAR STEEL HOLLOW SECTION (1890.42KG/M)

STEEL (CHS) CIRCULAR STEEL HOLLOW SECTION

10.3 OD X 0.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.12 KG/M)
10.3 OD X 1.24MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.28 KG/M)
10.3 OD X 1.73MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.37 KG/M)
10.3 OD X 2.41MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.48 KG/M)
13.7 OD X 1.65MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.50 KG/M)
13.7 OD X 2.24MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.64 KG/M)
13.7 OD X 3.02MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.81 KG/M)
17.1 OD X 1.65MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.64 KG/M)
17.1 OD X 2.31MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.85 KG/M)
17.1 OD X 3.20MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.11 KG/M)
21.3 OD X 1.05MM (CHS) CIRCULAR STEEL HOLLOW SECTION (0.53 KG/M)
21.3 OD X 2.11MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.01 KG/M)
21.3 OD X 2.77MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.28 KG/M)
21.3 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.43 KG/M)
21.3 OD X 3.73MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.63 KG/M)
21.3 OD X 4.78MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.97 KG/M)
21.3 OD X 7.47MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2.57 KG/M)
26.7 OD X 1.65MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.03 KG/M)
26.7 OD X 2.11MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.29 KG/M)
26.7 OD X 2.87MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.70 KG/M)
26.7 OD X 3.91MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2.22 KG/M)
26.7 OD X 5.56MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2.93 KG/M)
26.7 OD X 7.82MM (CHS) CIRCULAR STEEL HOLLOW SECTION (3.68 KG/M)
26.9 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.87 KG/M)
33.7 OD X 2.6MM (CHS) CIRCULAR STEEL HOLLOW SECTION (1.99 KG/M)
33.7 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2.41 KG/M)
33.7 OD X 4MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2.93 KG/M)
42.4 OD X 2.6MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2.55 KG/M)
42.4 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (3.09 KG/M)
42.4 OD X 4MM (CHS) CIRCULAR STEEL HOLLOW SECTION (3.79 KG/M)
48.3 OD X 2.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2.82 KG/M)
48.3 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (3.56 KG/M)
48.3 OD X 4MM (CHS) CIRCULAR STEEL HOLLOW SECTION (4.37 KG/M)
48.3 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (5.34 KG/M)
60.3 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (4.51 KG/M)
60.3 OD X 4MM (CHS) CIRCULAR STEEL HOLLOW SECTION (5.55 KG/M)
60.3 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (6.82 KG/M)
76.2 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (5.75 KG/M)
76.2 OD X 4MM (CHS) CIRCULAR STEEL HOLLOW SECTION (7.11 KG/M)
76.2 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (8.77 KG/M)
88.9 OD X 3.2MM (CHS) CIRCULAR STEEL HOLLOW SECTION (6.76 KG/M)
88.9 OD X 4MM (CHS) CIRCULAR STEEL HOLLOW SECTION (8.38 KG/M)
88.9 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (10.30 KG/M)
114.3 OD X 3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (8.23 KG/M)
114.3 OD X 3.6MM (CHS) CIRCULAR STEEL HOLLOW SECTION (9.83 KG/M)

114.3 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (13.50 KG/M)
114.3 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (16.80 KG/M)
127 OD X 3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (9.17 KG/M)
127 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (15.04 KG/M)
139.7 OD X 3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (10.12 KG/M)
139.7 OD X 3.6MM (CHS) CIRCULAR STEEL HOLLOW SECTION (12.10 KG/M)
139.7 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (16.60 KG/M)
139.7 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (20.70 KG/M)
139.7 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (26.00 KG/M)
139.7 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (32.00 KG/M)
168.3 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (20.10 KG/M)
168.3 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (25.20 KG/M)
168.3 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (31.60 KG/M)
168.3 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (39.00 KG/M)
193.7 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (23.30 KG/M)
193.7 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (29.10 KG/M)
193.7 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (36.60 KG/M)
193.7 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (45.30 KG/M)
219.1 OD X 5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (26.40 KG/M)
219.1 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (33.10 KG/M)
219.1 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (41.60 KG/M)
219.1 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (51.60 KG/M)
219.1 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (63.70 KG/M)
244.5 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (37.00 KG/M)
244.5 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (46.70 KG/M)
244.5 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (57.80 KG/M)
244.5 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (71.50 KG/M)
244.5 OD X 16MM (CHS) CIRCULAR STEEL HOLLOW SECTION (90.20 KG/M)
273 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (41.40 KG/M)
273 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (52.30 KG/M)
273 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (64.90 KG/M)
273 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (80.30 KG/M)
273 OD X 16MM (CHS) CIRCULAR STEEL HOLLOW SECTION (101.00 KG/M)
323.9 OD X 6.3MM (CHS) CIRCULAR STEEL HOLLOW SECTION (49.30 KG/M)
323.9 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (62.30 KG/M)
323.9 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (77.40 KG/M)
323.9 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (96.00 KG/M)
323.9 OD X 16MM (CHS) CIRCULAR STEEL HOLLOW SECTION (121.00 KG/M)
355.6 OD X 8MM (CHS) CIRCULAR STEEL HOLLOW SECTION (68.60 KG/M)
355.6 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (85.20 KG/M)
355.6 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (106.00 KG/M)
355.6 OD X 16MM (CHS) CIRCULAR STEEL HOLLOW SECTION (134.00 KG/M)
406.4 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (97.80 KG/M)
406.4 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (121.00 KG/M)
406.4 OD X 16MM (CHS) CIRCULAR STEEL HOLLOW SECTION (154.00 KG/M)
457 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (110.00 KG/M)
457 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (137.00 KG/M)
457 OD X 16MM (CHS) CIRCULAR STEEL HOLLOW SECTION (154.00 KG/M)
508 OD X 10MM (CHS) CIRCULAR STEEL HOLLOW SECTION (123.00 KG/M)
508 OD X 12.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (153.00 KG/M)
508 OD X 16MM (CHS) CIRCULAR STEEL HOLLOW SECTION (194.00 KG/M)
559 OD X 8.74MM (CHS) CIRCULAR STEEL HOLLOW SECTION (119.80 KG/M)
559 OD X 20.62MM (CHS) CIRCULAR STEEL HOLLOW SECTION (276.54 KG/M)
610 OD X 8.74MM (CHS) CIRCULAR STEEL HOLLOW SECTION (130.90 KG/M)
610 OD X 52.37MM (CHS) CIRCULAR STEEL HOLLOW SECTION (727.45 KG/M)
660 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (154.42 KG/M)
660 OD X 19.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (304.15 KG/M)
711 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (166.52 KG/M)

711 OD X 19.5MM (CHS) CIRCULAR STEEL HOLLOW SECTION (328.35 KG/M)
762 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (178.63 KG/M)
762 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (237.05 KG/M)
813 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (190.74 KG/M)
813 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (253.18 KG/M)
864 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (202.84 KG/M)
864 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (269.31 KG/M)
914 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (214.71 KG/M)
914 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (285.13 KG/M)
965 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (226.82 KG/M)
965 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (301.27 KG/M)
1016 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (238.93 KG/M)
1016 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (317.40 KG/M)
1067 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (251.04 KG/M)
1067 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (333.54 KG/M)
1118 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (263.14 KG/M)
1118 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (349.67 KG/M)
1168 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (275.01 KG/M)
1168 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (365.49 KG/M)
1219 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (287.12 KG/M)
1219 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (381.62 KG/M)
1321 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (311.33 KG/M)
1321 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (413.89 KG/M)
1422 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (335.31 KG/M)
1422 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (445.84 KG/M)
1524 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (359.52 KG/M)
1524 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (478.11 KG/M)
1626 OD X 9.53MM (CHS) CIRCULAR STEEL HOLLOW SECTION (383.74 KG/M)
1626 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (510.38 KG/M)
1727 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (542.33 KG/M)
1829 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (574.60 KG/M)
1930 OD X 12.70MM (CHS) CIRCULAR STEEL HOLLOW SECTION (606.55 KG/M)
2032 OD X 14.27MM (CHS) CIRCULAR STEEL HOLLOW SECTION (717.23 KG/M)
2032 OD X 60.00MM (CHS) CIRCULAR STEEL HOLLOW SECTION (2917.94 KG/M)

Reminder: This table is based on the theoretical weight calculated according to the national standard, with two decimal places rounded off. All steel hollow section specifications in this table do not include non-standard customized specifications. If it is a non-standard specification, Yuantai can also produce in bulk, and the price is very favorable. Welcome global buyers to inquire and order, email

on

ΠΙΟΝ